

**Eatonville Police Department**  
**Incident NCIC=WA0270500**  
**And Incident Date Reported BETWEEN 12/01/2011**  
**And 12/31/2011**

**Printed On: Wed, Jan 04, 2012**

**Incident Log Report**

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2011000587	WA0270500	12/01/2011 18:56	3	DWLS 3
2011000588	WA0270500	12/02/2011 19:51	3	DWLS 3
2011000589	WA0270500	12/03/2011 18:47	E12	Agency Assist, Fire, EFD
2011000590	WA0270500	12/04/2011 13:03	5	Agency Assist, PCSD, Found Firearm
2011000591	WA0270500	12/04/2011 17:50	ea7	Verbal DV
2011000592	WA0270500	12/05/2011 16:37	5	Threats
2011000593	WA0270500	12/07/2011 12:23	5	CPS Referral
2011000594	WA0270500	12/07/2011 14:55	5	Agency Assist, Follow up, Bellevue PD
2011000595	WA0270500	12/07/2011 17:03	ea7	Verbal DV
2011000596	WA0270500	12/08/2011 15:13	4	Threats
2011000597	WA0270500	12/08/2011 18:53	E12	DWLS 3, Fail to Stop TCD
2011000598	WA0270500	12/08/2011 22:11	287	DWLS 3, Warrant Arrest, Lic Plate Lamp
2011000599	WA0270500	12/09/2011 10:51	4	Information, Officer Safety
2011000600	WA0270500	12/09/2011 22:52	E12	Warrant Arrest
2011000601	WA0270500	12/11/2011 00:41	E3	Open Door
2011000602	WA0270500	12/12/2011 11:02	5	UPCS MJ
2011000603	WA0270500	12/13/2011 09:48	5	MVC
2011000604	WA0270500	12/15/2011 07:38	4	Runaway Recovery
2011000605	WA0270500	12/15/2011 14:37	4	Runaway
2011000606	WA0270500	12/16/2011 13:49	4	Misuse of 911 system
2011000607	WA0270500	12/16/2011 18:49	3	Animal Complaint
2011000608	WA0270500	12/16/2011 19:09	E12	Verbal DV
2011000609	WA0270500	12/17/2011 13:39	4	Nuisance Animal
2011000610	WA0270500	12/19/2011 10:57	5	Fraud, Debit Card
2011000611	WA0270500	12/19/2011 19:01	ea7	FACR
2011000612	WA0270500	12/20/2011 09:58	5	MVC
2011000613	WA0270500	12/20/2011 11:11	5	Assault 4 DV
2011000614	WA0270500	12/21/2011 11:22	5	Welfare Check
2011000615	WA0270500	12/21/2011 17:21	ea7	Nuisance, Barking Dog
2011000616	WA0270500	12/22/2011 03:38	4	Domestic Dispute

Eatonville Police Department

Incident Log Report

Printed On: Wed, Jan 04, 2012

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2011000617	WA0270500	12/22/2011 08:11	4	Criminal Trespass 2
2011000618	WA0270500	12/22/2011 09:33	4	Theft
2011000619	WA0270500	12/22/2011 18:58	E12	DWLS 2, Def Tail Lamps, No Insurance
2011000620	WA0270500	12/23/2011 17:53	3	Physical Control, DWLS 1, Ignition Interlock
2011000621	WA0270500	12/24/2011 10:13	4	UIBC
2011000622	WA0270500	12/24/2011 19:31	3	DWLS 3, Warrant, DV Violation Protecion Order
2011000623	WA0270500	12/24/2011 23:53	E12	Agency Assist, DUI, MVC, PCSO
2011000624	WA0270500	12/25/2011 08:59	E5	FACR, Open Door
2011000625	WA0270500	12/27/2011 13:04	5	Information
2011000626	WA0270500	12/28/2011 00:38	ea7	DUI, MVA
2011000627	WA0270500	12/28/2011 16:35	E5	Verbal DV
2011000628	WA0270500	12/29/2011 21:37	3	Threats
2011000629	WA0270500	12/30/2011 00:08	E12	Warrant Arrest
2011000630	WA0270500	12/31/2011 01:19	3	DWLS 3, UPCS MJ <
2011000631	WA0270500	12/31/2011 10:29	4	Assault 2, Harassment

Total Records: 45

**Eatonville Police Department**  
**Citation NCIC=WA0270500**  
**And Citation Date Cited BETWEEN 12/01/2011**  
**And 12/31/2011**

**Citation Log Report**

**Printed On: Wed, Jan 04, 2012**

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
1Z0055318	WA0270500	12/20/2011 09:58	5	Fail to Yield, MVC
C1Z0448833	WA0270500	12/1/2011 18:56	3	DWLS 3
C1Z0564268	WA0270500	12/1/2011 18:56	3	DWLS 3 - Void
C1Z0564271	WA0270500	12/2/2011 19:51	3	DWLS 3
C1Z0795636	WA0270500	12/23/2011 17:53	3	Physical Contrl, DWLS 1, Ignition Inter
C1Z0795638	WA0270500	12/24/2011 19:31	3	DWLS 3
C1Z0795640	WA0270500	12/31/2011 01:19	3	DWLS 3
C1Z08000362	WA0270500	12/8/2011 22:19	E12	DWLS 3
C1Z0800360	WA0270500	12/8/2011 18:53	E12	DWLS 3
C1Z0800362	WA0270500	12/8/2011 22:11	E12	DWLS 3
C1Z0834636	WA0270500	12/22/2011 18:58	E12	DWLS 2
C1Z0834637	WA0270500	12/24/2011 19:31	E12	Violation Protection Order, DV
C1Z0847779	WA0270500	12/16/2011 18:49	3	Dangerous Dog
C1Z0847780	WA0270500	12/16/2011 18:49	3	Dangerous Dog
C1Z0858827	WA0270500	12/31/2011 01:19	3	UPCS MJ <
C6555	WA0270500	12/17/2011 13:39	4	Nuisance Animal
C6576	WA0270500	12/21/2011 17:21	ea7	Nuisance, Barking Dog
C6577	WA0270500	12/28/2011 00:38	ea7	DUI, MVA
I10564270	WA0270500	12/2/2011 19:51	3	Defective Equipment
I1Z0448834	WA0270500	12/1/2011 18:56	3	Fail to Obey TCD
I1Z0564269	WA0270500	12/1/2011 18:56	3	VOID
I1Z0564272	WA0270500	12/11/2011 01:56	3	60/50
I1Z0789314	WA0270500	12/4/2011 23:52	ea7	Fail to Obey TCD
i1z0789315	WA0270500	12/19/2011 18:14	ea7	No Insurance, No Headlight
I1Z0789316	WA0270500	12/19/2011 19:54	ea7	38/25
I1Z0789317	WA0270500	12/26/2011 18:22	ea7	No Seat Belt, No Insurance
I1Z0789318	WA0270500	12/26/2011 18:31	ea7	Def. Tail Lights, No Insurance
I1Z0789319	WA0270500	12/27/2011 18:47	ea7	35/25
I1Z0789320	WA0270500	12/27/2011 19:23	ea7	43/25
I1Z0795637	WA0270500	12/24/2011 19:31	3	32/25
I1Z0795639	WA0270500	12/29/2011 23:53	3	65/50
I1Z0800361	WA0270500	12/8/2011 18:53	E12	Fail to Obey TCD
I1Z0800363	WA0270500	12/8/2011 22:11	E12	Def. Lic Plate Lamp
I1Z0834635	WA0270500	12/22/2011 18:58	E12	Defective Tail Lamps, No Insurance
I1Z0858826	WA0270500	12/31/2011 01:19	3	Defective License Plate Lamp
I1Z0834634	WA0270500	12/9/2011 22:52	E12	Lic Plate Obscured

# To Do List for WATER AND SEWER DEPT

All Items

## Priority 1

- 12-1-11 Water plant testing and adjustments. CIP, Fill Soda tanks. Monthly report. Change Phosphoric Acid barrel. Fill out all state data sheets.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Two Cross Connection Letter out.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Wastewater plant start and stop sludge pump calculated amount. MLSS tests. PH inf and Eff. Fecal coliform test in. Dissolved oxygen inf and eff. Both samplers on. Record rainfall. Collect all samples.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Put new heat tape on grit pump for winter.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Wastewater plant Effluent Ammonia test.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Leak Detection on all of Mashell Avenue. Unaccountable water raising again. Back up to 27% from 8 or 9%**  
Due Date: None  
Category: Unfiled
- 12-1-11 Put house insulation down in vault where water supply to grit system comes from.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Catch up Cross Connection Program test results.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Perform daily meter re-reads.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Get reading from both steel reservoir and Center st. pump station.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Clean the Y strainer at the water plant. Getting plugged.**  
Due Date: None  
Category: Unfiled

- 12-1-11 Grease street sweeper head.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Figure and file November unaccountable water. back up to 27.7%. Leak somewhere in system. Been running 8 and 9%. Regulation wants cities under 10%.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Get notice from police chief on where and how many street barricades to put out for xmas parrade.**  
Due Date: None  
Category: Unfiled
- 12-1-11 Gether up parts to do storm drain extention in alley behind Jebino's. Saddle, DI pipe and catch basin.**  
Due Date: None  
Category: Unfiled
- 12-2-11 All water plant testing, Fill soda ash tank, CIP Backwash skid. Record all data and calulations.**  
Due Date: None  
Category: Unfiled
- 12-2-11 Wastewater Plant all daily testing and all weekly testing. Effluent Ammonia test. Also pumping sludge again today.**  
Due Date: None  
Category: Unfiled
- 12-2-11 Curt here to get pump no. 1 working at Malcoms lift station. Running on one pump only. Station 20 or more years old or so. Needs replaced.**  
Due Date: None  
Category: Unfiled
- 12-2-11 Put out 25 street barricades for the police to place out for parrade.**  
Due Date: None  
Category: Unfiled
- 12-2-11 Clean WWTP headworks for the weekend. Will need cleaned once during the weekend.**  
Due Date: None  
Category: Unfiled
- 12-3-11 Wastewater Plant. Inf and Eff PH, DO and 30 settle test. Pump sludge to digester. Record inf and eff flows. Change waste rates from 6 minutes to 1 minute. Morning check.**  
Due Date: None  
Category: Unfiled

- 12-3-11 Afternoon headworks ragged up. Clean headworks. Check all tanks.**  
Due Date: None  
Category: Unfiled
- 12-4-11 Morning wwtp plant operations. Inf and eff flows. Rainfall report. All daily tests for the wwtp.**  
Due Date: None  
Category: Unfiled
- 12-5-11 Wastewater plant BOD out figure and record. All daily tests. Raise sludge wasting rates.**  
Due Date: None  
Category: Unfiled
- 12-5-11 Water Plant testing. Figure and record all data required. Pull all Dec. samples for Water Management. Fill soda ash tanks. Hose out chemical room floor.**  
Due Date: None  
Category: Unfiled
- 12-5-11 Order new contactors for Malcom's lift station. Call Jim Miller and have him make room for boom truck. Have to pull pump no. 1.**  
Due Date: None  
Category: Unfiled
- 12-5-11 Pick up all barracades from parrade.**  
Due Date: None  
Category: Unfiled
- 12-5-11 Do all meter re-reads and move outs.**  
Due Date: None  
Category: Unfiled
- 12-6-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-6-11 WWTP testing: Inf & Eff pH, Temp, DO. Record flow and rainfall. Ammonia. Fecal Choliform IN. SBR 1 and 2 pH, Temp, 30min, MLSS. Samplers on. Pump sludge.**  
Due Date: None  
Category: Unfiled
- 12-6-11 Get distribution CL2 residual. Check concrete reservoir and Center St pump house.**  
Due Date: None  
Category: Unfiled
- 12-6-11 Sweep developments.**  
Due Date: None  
Category: Unfiled
- 12-6-11 Pull and inspect pump at Mill Village lift station and work on electronics.**  
Due Date: None  
Category: Unfiled
- 12-7-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-7-11 WWTP testing. Inf and Eff pH, Temp, DO. Record flow and rainfall. BOD out. BOD in. Fecal Choliform out. Inf and Eff TSS. Sbr 1 & 2 pH, Temp, Settle.**  
Due Date: None  
Category: Unfiled
- 12-7-11 Prepare data for upcoming annual reports that are due after 1st of year.**  
Due Date: None  
Category: Unfiled
- 12-8-11 WWTP testing: Record flow and rainfall. Inf and Eff pH, Temp, DO. SBR 1&2 MLSS. Ammonia. Fecal Choliform IN. Pump Sludge. Turn samplers on.**  
Due Date: None  
Category: Unfiled
- 12-8-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-8-11 Install catch basin and connect to storm line in alley behind Jebino's.**  
Due Date: None  
Category: Unfiled
- 12-9-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-9-11 WWTP testing: Inf and Eff pH, Temp, DO. SBR 1&2 pH, Temp, 30 min. Fecal Choliform OUT. BOD IN. Inf and Eff TSS. Pump Sludge. Reduce waste rates.**  
Due Date: None  
Category: Unfiled
- 12-9-11 Sweep streets.**  
Due Date: None  
Category: Unfiled

- 12-9-11 Put new brushes on sweeper.**  
Due Date: None  
Category: Unfiled
- 12-9-11 Get distribution CL2 residual and check concrete reservoir and Center St pump house.**  
Due Date: None  
Category: Unfiled
- 12-9-11 Fix limit switch on SBR 1 decanter.**  
Due Date: None  
Category: Unfiled
- 12-9-11 Winterize and lube limit switch on SBR 2 decanter.**  
Due Date: None  
Category: Unfiled
- 12-9-11 Hook up truck and trailer to be used by Mayor on weekend to haul bicycles.**  
Due Date: None  
Category: Unfiled
- 12-10-11 WTP weekend testing.**  
Due Date: None  
Category: Unfiled
- 12-10-11 WWTP weekend testing.**  
Due Date: None  
Category: Unfiled
- 12-10-11 WTP alarm 10:30 pm. Filter 1 "CIP Low Flow".**  
Due Date: None  
Category: Unfiled
- 12-11-11 WTP weekend testing.**  
Due Date: None  
Category: Unfiled
- 12-11-11 WWTP weekend testing and hose headworks.**  
Due Date: None  
Category: Unfiled
- 12-12-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-12-11 WWTP testing: Record flows and rainfall, Inf and Eff pH, Temp, DO. SBR 1 and 2 pH, temp, 30min. BOD out.**  
Due Date: None  
Category: Unfiled
- 12-12-11 Put out water/power late payment door hangers.**  
Due Date: None  
Category: Unfiled
- 12-12-11 Make new buffers and calibrate pH meter at WWTP.**  
Due Date: None  
Category: Unfiled
- 12-12-11 Set up community center for council meeting.**  
Due Date: None  
Category: Unfiled
- 12-12-11 Nybo returned construction meter and turn in water usage number.**  
Due Date: None  
Category: Unfiled
- 12-12-11 Get water distribution CL2 residual and check concrete reservoir and Center St pump house.**  
Due Date: None  
Category: Unfiled
- 12-12-11 Change out CL-17 bottles at concrete reservoir.**  
Due Date: None  
Category: Unfiled
- 12-13-11 Sweep Streets**  
Due Date: None  
Category: Unfiled
- 12-13-11 Take delivery of new BOD incubator at the WWTP**  
Due Date: None  
Category: Unfiled
- 12-13-11 Clean all turbidity meter at the WTP.**  
Due Date: None  
Category: Unfiled
- 12-13-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-13-11 WWTP Testing: Record flow and rainfall. Inf and Eff pH, temp, DO. SBR 1 and 2 pH, Temp, 30 min, MLSS. Fecal Choliform IN. Ammonia.**  
Due Date: None  
Category: Unfiled

- 12-14-11 WWTP alarm 2:00 am - SBR 1 decanter failed to open.**  
Due Date: None  
Category: Unfiled
- 12-14-11 WTP alarm 12:00 am CIP low flow.**  
Due Date: None  
Category: Unfiled
- 12-14-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-14-11 WWTP Record flow and rainfall. Inf and Eff pH, Temp, DO. BOD out. BOD IN. Fecal choliform out. Inf and Eff TSS.**  
Due Date: None  
Category: Unfiled
- 12-14-11 Install new limit switch on SBR 1 decanter.**  
Due Date: None  
Category: Unfiled
- 12-14-11 Install new light bulb at concrete reservoir.**  
Due Date: None  
Category: Unfiled
- 12-14-11 Change alarm setpoint on filter 1 at WTP for CIP LOW FLOW.**  
Due Date: None  
Category: Unfiled
- 12-15-11 Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-15-11 All water plant calutions and data entered. Talk to Doug about the Water Efficiency Regulation. No longer doing what is required here. Leak detection and conservation.**  
Due Date: None  
Category: Unfiled
- 12-15-11 Recieved new electric contactors for Jim Millers lift station. Ask Nestors crew to install.**  
Due Date: None  
Category: Unfiled
- 12-15-11 Gary Sokol started reading meters again.**  
Due Date: None  
Category: Unfiled
- 12-15-11 Have a water leak on Ridge Road no one available to repair now. Everyone doing things.**  
Due Date: None  
Category: Unfiled
- 12-15-11 Clean and hose headworks.**  
Due Date: None  
Category: Unfiled
- 12-15-11 WWTP testing: Record flow and rainfall. Inf And Eff pH, Temp, DO. SBR 1 & 2 pH, Temp, 30min, MLSS. Fecal Choliform IN. Samplers on. Ammonia.**  
Due Date: None  
Category: Unfiled
- 12-16-11 WTP Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-16-11 WWTP Testing: Record flow and rainfall. Inf and Eff pH, Temp, DO. SBR 1 and 2 pH, Temp, 30min. BOD IN. Inf and Eff TSS. Fecal choliform OUT.**  
Due Date: None  
Category: Unfiled
- 12-16-11 Con tinue meter reading for this month.**  
Due Date: None  
Category: Unfiled
- 12-16-11 Get info on possible new turbidity meters for WTP.**  
Due Date: None  
Category: Unfiled
- 12-16-11 Fix water leak at Washington and Carter.**  
Due Date: None  
Category: Unfiled
- 12-16-11 CIP on backwash skid.**  
Due Date: None  
Category: Unfiled
- 12-17-11 Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-17-11 Do all the testing recording and sludge handling at the wastewater plant.**  
Due Date: None  
Category: Unfiled

- 12-18-11 Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-18-11 Wastewater treatment plant. All testing, hose headworks and enter data.**  
Due Date: None  
Category: Unfiled
- 12-19-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-19-11 WWTP testing: Record flows and rainfall. Inf and Eff pH, Temp, DO. SBR 1 and 2 pH, Temp, 30min. BOD out.**  
Due Date: None  
Category: Unfiled
- 12-19-11 Continue this month water/poer meter read.**  
Due Date: None  
Category: Unfiled
- 12-19-11 Sewer inspection from the new airport hangers. Jerry Nybo's hangers. 10' of water pressure applied and no leaks.**  
Due Date: None  
Category: Unfiled
- 12-19-11 Gary still reading meters.**  
Due Date: None  
Category: Unfiled
- 12-19-11 Prepare data for 2011 Water Efficiency Rule annual report to DOH. Talked to Doug about this. Not moved ahead on goals.**  
Due Date: None  
Category: Unfiled
- 12-19-11 Appointment at garrage for water pump to be installed on Mike's water truck tomorrow.**  
Due Date: None  
Category: Unfiled
- 12-20-11 WTP : Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-20-11 WWTP testing: Collect samples. Record flow and rainfall, Inf and Eff pH, Temp, DO. SBR 1and2 pH,Temp,30min, MLSS. Ammonia. Fecal Choliform IN.**  
Due Date: None  
Category: Unfiled
- 12-20-11 Change acid barrel at WTP.**  
Due Date: None  
Category: Unfiled
- 12-20-11 Dig two graves: 1 full, 1 cremation and set for funerals.**  
Due Date: None  
Category: Unfiled
- 12-20-11 Install headstone at cemetary.**  
Due Date: None  
Category: Unfiled
- 12-21-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-21-11 WWTP testing: Record flow and rainfall. Inf and Eff pH, Temp, DO. BOD OUT. BOD IN. Fecal Choliform OUT. Inf and Eff total suspended solids (TSS).**  
Due Date: None  
Category: Unfiled
- 12-21-11 Perform funeral at cemetary.**  
Due Date: None  
Category: Unfiled
- 12-21-11 Clean up tools from yesterdays grave diggings.**  
Due Date: None  
Category: Unfiled
- 12-21-11 Load bicycles on trailer to be moved to community center for givaway.**  
Due Date: None  
Category: Unfiled
- 12-22-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
Due Date: None  
Category: Unfiled
- 12-22-11 WWTP testin record flow and rainfall, Inf and Eff pH, Temp, DO. SBR 1 and 2 MLSS. Fecal choliform IN. Ammonia.**  
Due Date: None  
Category: Unfiled

- 12-22-11 Move all giva-away bicycles from town shop to community center.**  
 Due Date: None  
 Category: Unfiled
- 12-22-11 Preform full burial at cemetary.**  
 Due Date: None  
 Category: Unfiled
- 12-23-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
 Due Date: None  
 Category: Unfiled
- 12-23-11 WWTP testing: Inf and Eff pH, Temp, DO. Fecacl choliform OUT. BOD IN. Inf and EFF TSS.**  
 Due Date: None  
 Category: Unfiled
- 12-23-11 Run and get dish soap to put in lift stations to break up grease.**  
 Due Date: None  
 Category: Unfiled
- 12-24-11 Weekend plant testing.**  
 Due Date: None  
 Category: Unfiled
- 12-23-11 Sweep streets.**  
 Due Date: None  
 Category: Unfiled
- 12-25-11 Weekend plant testing.**  
 Due Date: None  
 Category: Unfiled
- 12-26-11 WTP testing on Holiday.**  
 Due Date: None  
 Category: Unfiled
- 12-26-11 WWTP testing on holiday.**  
 Due Date: None  
 Category: Unfiled
- 12-27-11 WTP change ACH tank.**  
 Due Date: None  
 Category: Unfiled
- 12-27-11 WTP :Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
 Due Date: None  
 Category: Unfiled
- 12-27-11 WTP run acid wash on Clortec unit.**  
 Due Date: None  
 Category: Unfiled
- 12-27-11 WWTP testing: Record flow and rainfall, Inf and Eff pH, Temp DO. Sbr 1 and 2 pH, Temp, 30min, MLSS. Ammonia. Hardness. Fecal Choliform IN.**  
 Due Date: None  
 Category: Unfiled
- 12-28-11 WTP : Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
 Due Date: None  
 Category: Unfiled
- 12-28-11 WWTP testing: Inf and Eff pH, Temp, DO. Recpord flow and rainfall. Inf and eff TSS. BOD IN, BOD OUT, Fecal choliform OUT.**  
 Due Date: None  
 Category: Unfiled
- 12-28-11 Finish this moth meter reads.**  
 Due Date: None  
 Category: Unfiled
- 12-28-11 Sweep Streets.**  
 Due Date: None  
 Category: Unfiled
- 12-29-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**  
 Due Date: None  
 Category: Unfiled
- 12-29-11 WWTP testing: Record flow and rainfall. Inf and Eff pH, Temp, DO. SBR 1 and 2 pH, Temp, 30min. Ammionia. Fecal Choliform IN, SBR 1 and 2 MLSS.**  
 Due Date: None  
 Category: Unfiled
- 12-29-11 Check on possible water leak.**  
 Due Date: None  
 Category: Unfiled
- 12-29-11 Pour soap into lift staions to break up grease.**  
 Due Date: None  
 Category: Unfiled
- 12-29-11 Set up community center for council meeting.**  
 Due Date: None  
 Category: Unfiled
- 12-30-11 Sweep streets.**  
 Due Date: None  
 Category: Unfiled

- 12-30-11 WTP: Collect, calculate and enter data for filters, raw and finished water. Mix soda ash. Fill salt barrel.**

Due Date: None  
Category: Unfiled

- 12-30-11 Check concrete reservoir and Center St pump house.**

Due Date: None  
Category: Unfiled

- 12-30-11 WWTP testing: Record flow and rainfall. Inf and Eff pH, Temp, DO. BOD IN. Inf and Eff TSS. Fecal Choliform OUT.**

Due Date: None  
Category: Unfiled

- 12-30-11 Fill bad pot holes around town.**

Due Date: None  
Category: Unfiled

- 12-30-11 Run CIP on backwash skid to try to clean.**

Due Date: None  
Category: Unfiled

- 12-30-11 Test water at 500,000 reservoir due to question/complaint by customer. Water was good.**

Due Date: None  
Category: Unfiled

- 12-30-11 Hose headworks.**

Due Date: None  
Category: Unfiled

- 12-31-11 Wastewater plant two checks and testing. 30 min, ph DO, on inf, eff and both SBR's. Hose headworks.**

Due Date: None  
Category: Unfiled

- 1-1-12 Two checks and all testing on wastewater plant. Hose headworks.**

Due Date: None  
Category: Unfiled

- 12-31-11 Two checks at water plant and testing and data recorded. Two CIPs done to keep plant running. Over allotted time for plant weekend checks.**

Due Date: None  
Category: Unfiled

- 1-1-12 Wastewater plant two checks. All testing and hose headworks. Start new work sheets.**

Due Date: None  
Category: Unfiled

- 1-1-12 Two water plant checks with all testing. Two CIP's to keep running.**

Due Date: None  
Category: Unfiled

# EATONVILLE

SUPERINTENDENT: NESTOR SUNDITA

LINEMEN: DAN SHARPE AND TERRY MOORE

## DECEMBER 2011

### POWER OUTAGES:

1. Removed tree limbs on overhead lines and replaced melted fuse at corner of Center street E. and Berggren Rd.
2. Replaced blown transformer at 715 Center Street East.
3. Repaired sewer lift station at Miller's RV parking lot.
4. Attended B.P.A. 's Safety Training at the Main Substation.

### UNDERGROUND POWER LOCATES:

1. Airport Road and Allison.

### STREET LIGHTS, INTERIOR LIGHTS AND BANNERS :

1. Re lamped ceiling lights at Town halls Police Department.
2. Replaced fluorescent lights at Community Center.
3. Installed and removed banners for Jabinos and Toy drive.
4. Re lamped street lights at Sr 161, Mashell, Alder, Skylar Avenue, Center Street, Washington , Antonie and Millers RV Park.
5. Repaired vandalized spotlight, north of Nevitts Park.

### NEW SERVICES, METERS, MAINTENANCE:

1. Disconnected / Reconnected power to 11 customers.
2. Replaced meter at Center Street and Mashell Avenue.
3. Placed shut off notices to 150 customers.

### MASHELL STREET LIGHT PROJECT:

1. All outlets are wired in to all light standards.
2. Reported 9 outlets not working.
3. Reset arms on poles, no set screws to hold in place.

### NYBOS HANGAR PROJECT:

Waiting for transformer to come in and schedule cable pulling.

### Airport Underground Cable Replacement: On Hold.

### 580 Airport Road Electrical Upgrade:

1. Installed C.T. for metering.
2. Pulled 200' of high voltage cables and service wires.
3. Terminate cable ends in transformer.

# Building Department Activity 2011

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	5	4	3	3	3	3	0	6	0	4	0	2	33
Foundation	3	3	2	0	6	0	1	0	4	3	4	0	26
Footing drains	2	1	0	0	2	0	0	0	0	0	2	0	7
Floor Framing	2	1	0	0	2	0	0	0	0	0	1	1	7
Shearwall	1	4	0	0	0	3	1	0	0	1	0	3	13
Sewer	1	0	1	0	2	0	0	0	0	0	2	0	6
Water	3	0	0	0	2	0	0	0	0	0	2	0	7
Storm Retention	2	0	0	0	2	0	0	0	0	1	5	0	10
Electrical	6	5	6	4	4	4	3	4	4	0	0	4	6
Framing	4	2	4	1	1	2	3	1	4	2	1	4	29
Plumbing	3	1	2	0	0	2	2	0	4	1	3	5	23
Mechanical	2	0	3	1	1	1	2	1	5	0	2	4	22
Insulation	3	1	3	1	0	1	1	0	0	0	0	1	11
Sheetrock	4	1	2	1	0	2	3	3	1	0	0	0	17
Patio	0	0	2	0	0	1	0	0	0	0	0	0	3
Final	0	4	1	5	2	2	3	0	0	7	0	0	24
OTHERS	7	6	4	10	2	4	5	15	3	3	10	10	79
<b>TOTAL</b>	<b>48</b>	<b>33</b>	<b>33</b>	<b>26</b>	<b>29</b>	<b>25</b>	<b>24</b>	<b>30</b>	<b>25</b>	<b>22</b>	<b>32</b>	<b>34</b>	<b>361</b>
Permits Taken In	15	8	10	12	10	16	10	13	13	13	12	6	138

## PARKS Each Week

Do repairs at Community Center

Empty Garbage in Parks

Set up for Planning and Counsel meetings

Deal with Illegally done work. RED TAG Work

Deal with Issues at Eatonville Manor

Hand out door Hangars

Dig 2 graves in cemetary

# The Youth Connection

## Community Service

December, 2011

2 Youth mentored at School Connection

12 Total hours

20 Youth made Christmas gifts for seniors

20 Total hours

2 Adults helped with Christmas Gifts

4 Total Hours

14 Youth participating in Christmas Parade

2 Total Hours

8 Adults Helped with Christmas Parade

16 Total Hours

### TOTAL NUMBER OF YOUTH AND ADULTS PARTICIPATING

36 Youth volunteers

10 Adult Volunteers

54 Total Hours of Service to the Community

Signature Alana Smith

Date: January 5, 2012

# The Youth Connection

**DIRECTOR'S REPORT**  
**December, 2011**


- **Work on Town Report and Board Agenda**
- **Staff Agenda & Meeting**
- **Christmas Parade**
- **Submitted Pierce County Block Grant Application**
- **Attended Nisqually Charitable Giving Dinner**
- **Submitted Youth Initiative Grant Application**

Signature *Alana Smith* Date: January 4, 2012

*FIRE & EMS*

PO Box 291, 201 Center ST West Eatonville, WA 98328  
PHONE: 360-832-6931 Fax: 360-832-2931  
eatonvillefire@eatonville-wa.gov

*Monthly Report  
November 2011*



10 Fire  
2 Auto Accident  
35 Aid  
0 Service  
47 Total

Mutual aid responses with District 17 -- 10

Mutual aid responses with District 23 -- 4

Mutual aid responses with NPS -- 0

2010 YEAR TO DATE TOTAL -- 572

2011 YEAR TO DATE TOTAL -- 600

Transports -- 27

ALS -- 25

BLS -- 2

2010 transports year to date -- 262

2011 transports year to date -- 285

# Eatonville Fire Department


Eatonville, WA

This report was generated on 1/4/2012 2:54:56 PM



## Breakdown by Major Incident Types for Date Range

StartDate: 12/01/2011 | EndDate: 12/31/2011



MAJOR INCIDENT TYPE	# INCIDENTS	% OF TOTAL
Fires	3	4.69%
Overpressure rupture, explosion, overheating - no fire	0	0.00%
Rescue & Emergency Medical Service	44	68.75%
Hazardous Condition (No Fire)	1	1.56%
Service Call	2	3.13%
Good Intent Call	12	18.75%
False Alarm & False Call	2	3.13%
Severe Weather & Natural Disaster	0	0.00%
Special Incident Type	0	0.00%
<b>TOTAL</b>	<b>64</b>	

Only REVIEWED incidents included

# Eatonville Fire Department

Eatonville, WA

This report was generated on 1/4/2012 2:58:01 PM



## Incident Type per Zone for Date Range

StartDate: 12/01/2011 | EndDate: 12/31/2011

INCIDENT TYPE	# INCIDENTS
<b>Zone: 17 - South Pierce</b>	
114 - Chimney or flue fire, confined to chimney or flue	1
321 - EMS call, excluding vehicle accident with injury	9
322 - Motor vehicle accident with injuries	2
324 - Motor vehicle accident with no injuries.	1
510 - Person in distress, other	1
611 - Dispatched & cancelled en route	5
745 - Alarm system activation, no fire - unintentional	1

<b>Zone: 23 - Ashford/Elbe</b>	
321 - EMS call, excluding vehicle accident with injury	5
611 - Dispatched & cancelled en route	4

<b>Zone: 84 - Eatonville</b>	
114 - Chimney or flue fire, confined to chimney or flue	1
160 - Special outside fire, other	1
300 - Rescue, EMS incident, other	2
311 - Medical assist, assist EMS crew	1
321 - EMS call, excluding vehicle accident with injury	20
322 - Motor vehicle accident with injuries	1
324 - Motor vehicle accident with no injuries.	1
352 - Extrication of victim(s) from vehicle	1
440 - Electrical wiring/equipment problem, other	1
511 - Lock-out	1
600 - Good intent call, other	1
622 - No incident found on arrival at dispatch address	2
733 - Smoke detector activation due to malfunction	1

<b>Zone: NPS - National Park Service</b>	
321 - EMS call, excluding vehicle accident with injury	1

Only REVIEWED incidents included