

**Eatonville Police Department**  
**Incident NCIC=WA0270500**  
**And Incident Date Reported BETWEEN 12/01/2012**  
**And 12/31/2012**

**Printed On: Mon, Jan 07, 2013**

**Incident Log Report**

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2012000613	WA0270500	12/02/2012 20:54	E5	Animal Complaint, Nuisance
2012000614	WA0270500	12/03/2012 10:01	EA1	FACR
2012000615	WA0270500	12/03/2012 17:39	E5	Warrant Arrest
2012000616	WA0270500	12/04/2012 00:20	EA1	FACR
2012000617	WA0270500	12/04/2012 11:17	EA1	Assault 4
2012000618	WA0270500	12/05/2012 07:51	EA1	DWLS 3, Criminal Trespass 2
2012000619	WA0270500	12/06/2012 01:39	EA1	Suspicious Circumstances
2012000620	WA0270500	12/06/2012 05:29	EA1	Vehicle Prowl 2
2012000621	WA0270500	12/07/2012 11:03	E4	Suspicious Circumstance
2012000622	WA0270500	12/07/2012 13:09	E4	Assault 2
2012000623	WA0270500	12/07/2012 15:27	E5	Theft 2
2012000624	WA0270500	12/10/2012 15:12	EA1	Vehicle Prowl 2
2012000625	WA0270500	12/10/2012 15:49	E5	Vehicle Prowl 2, Theft 1, PSP 2
2012000626	WA0270500	12/11/2012 02:01	E4	Phone Harrassment
2012000627	WA0270500	12/11/2012 08:00	EA1	Vehicle Prowl 2
2012000628	WA0270500	12/11/2012 10:40	EA1	Suspicious Vehicle
2012000629	WA0270500	12/12/2012 12:04	E4	Info - Parental Rights
2012000630	WA0270500	12/13/2012 13:42	E4	Motor Vehicle Recovery
2012000631	WA0270500	12/14/2012 10:15	E4	Motor Vehicle Recovery
2012000632	WA0270500	12/14/2012 12:02	E4	Truancy
2012000633	WA0270500	12/14/2012 14:23	E4	Runaway - Recovered
2012000634	WA0270500	12/16/2012 19:31	E5	Agency Assist, Suspect Contact, PCSO
2012000635	WA0270500	12/17/2012 14:08	EA1	Agency Assist, Suspicious Person, EFD
2012000636	WA0270500	12/18/2012 14:47	E4	Verbal DV
2012000637	WA0270500	12/18/2012 17:09	ea7	Runaway
2012000638	WA0270500	12/20/2012 12:19	E4	CPS Referral
2012000639	WA0270500	12/20/2012 15:21	E4	Runaway
2012000640	WA0270500	12/20/2012 15:05	ea7	Agency Assist, MVC, WSP
2012000641	WA0270500	12/21/2012 09:14	E4	Paper Service
2012000642	WA0270500	12/21/2012 11:31	E4	Child Molestation 3

# Eatonville Police Department

## Incident Log Report

Printed On: Mon, Jan 07, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2012000643	WA0270500	12/22/2012 09:52	E4	Vehicle Hit and Run Collision Attn
2012000644	WA0270500	12/22/2012 23:34	ea7	Warrant Arrest
2012000645	WA0270500	12/23/2012 22:41	E11	DWLS 3
2012000646	WA0270500	12/24/2012 18:44	E5	Agency Assist, Warrant Arrest, PCSO
2012000647	WA0270500	12/24/2012 21:38	E5	Juvenile Problem
2012000648	WA0270500	12/25/2012 20:03	ea7	Animal Complaint
2012000649	WA0270500	12/26/2012 09:58	E4	Vehicle Hit and Run Unattended
2012000650	WA0270500	12/27/2012 15:32	ea7	Animal At Large
2012000651	WA0270500	12/28/2012 21:46	ea7	Traffic Stop
2012000652	WA0270500	12/29/2012 21:10	E7	Animal Complaint
2012000653	WA0270500	12/31/2012 14:12	EA1	Verbal DV

Total Records: 41

**Eatonville Police Department**  
**Citation NCIC=WA0270500**  
**And Citation Date Cited BETWEEN 12/01/2012**  
**And 12/31/2012**

**Citation Log Report**

**Printed On: Mon, Jan 07, 2013**

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C2Z0095813	WA0270500	12/5/2012 07:51	EA1	DWLS 3
C2Z0095814	WA0270500	12/5/2012 07:51	EA1	Criminal Trespass 2
C2Z0931730	WA0270500	12/23/2012 23:09	11	DWLS 3
I2Z0601229	WA0270500	12/27/2012 15:32	ea7	Animal At Large
I2Z0759561	WA0270500	12/8/2012 16:30	11	Exp Tabs <
I2Z0759562	WA0270500	12/8/2012 19:33	11	Fail To Obey TCD
I2Z0866059	WA0270500	12/19/2012 15:14	ea7	No License on Person, No Insurance
I2Z0866060	WA0270500	12/21/2012 19:21	ea7	No Seat Belt, No Insurance
I2Z0866062	WA0270500	12/22/2012 22:52	ea7	Driving w/o Headlights, No Insurance
I2Z0866066	WA0270500	12/26/2012 16:46	ea7	Def Taillights, No Ins, Exp Tabs <
I2Z0866068	WA0270500	12/27/2012 16:36	ea7	Exp Tabs >2
I2Z0866069	WA0270500	12/27/2012 22:42	ea7	No Ins, Unsafe Start From Park Position
I2Z0931728	WA0270500	12/23/2012 17:59	11	40/25, No Insurance
I2Z0931729	WA0270500	12/23/2012 20:21	11	Defective Tail Lamps

*FIRE / EMS*

PO Box 291, 201 Center ST West Eatonville, WA 98328  
PHONE: 360-832-6931 Fax: 360-832-2931  
eatonvillefire@eatonville-wa.gov

***Monthly Report  
December 2012***

11 Fire  
5 Auto Accident  
34 Aid  
2 Service  
52 Total

Mutual aid responses with District 17 -- 22  
Mutual aid responses with District 23 -- 8  
Mutual aid response with District 21 -- 0  
Mutual aid responses with NPS -- 1

2011 YEAR TO DATE TOTAL -- 664  
2012 YEAR TO DATE TOTAL -- 662

Transports -- 20  
ALS -- 18  
BLS -- 2

2011 transports year to date --- 302  
2012 transports year to date -- 281

For the month of December the total amount billed for ambulance transports was \$27,769.40.

Total amount billed for ambulance transports in 2011 -- \$385,200.46  
Total amount billed for ambulance transports in 2012 -- \$386,916.48

# Eatonville Fire Department


Eatonville, WA

This report was generated on 1/7/2013 10:37:18 AM



## Breakdown by Major Incident Types for Date Range

Start Date: 12/01/2012 | End Date: 12/31/2012



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	2	3.85%
Rescue & Emergency Medical Service	39	75.00%
Service Call	2	3.85%
Good Intent Call	8	15.38%
False Alarm & False Call	1	1.92%
<b>TOTAL</b>	<b>52</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

**Detailed Breakdown by Incident Type**

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	1	1.92%
114 - Chimney or flue fire, confined to chimney or flue	1	1.92%
320 - Emergency medical service, other	1	1.92%
321 - EMS call, excluding vehicle accident with injury	33	63.46%
322 - Motor vehicle accident with injuries	2	3.85%
324 - Motor vehicle accident with no injuries.	3	5.77%
500 - Service Call, other	2	3.85%
611 - Dispatched & cancelled en route	7	13.46%
621 - Wrong location	1	1.92%
700 - False alarm or false call, other	1	1.92%
<b>TOTAL INCIDENTS:</b>	<b>52</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

# Eatonville Fire Department

Eatonville, WA

This report was generated on 1/7/2013 10:35:37 AM



## Incident Type per Zone for Date Range

Start Date: 12/01/2012 | End Date: 12/31/2012

INCIDENT TYPE	# INCIDENTS
<b>Zone: 17 - South Pierce</b>	
111 - Building fire	1
114 - Chimney or flue fire, confined to chimney or flue	1
321 - EMS call, excluding vehicle accident with injury	11
322 - Motor vehicle accident with injuries	1
324 - Motor vehicle accident with no injuries.	2
500 - Service Call, other	1
611 - Dispatched & cancelled en route	4
700 - False alarm or false call, other	1

<b>Zone: 23 - Ashford/Elbe</b>	
321 - EMS call, excluding vehicle accident with injury	5
324 - Motor vehicle accident with no injuries.	1
611 - Dispatched & cancelled en route	2

<b>Zone: 84 - Eatonville</b>	
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	16
322 - Motor vehicle accident with injuries	1
500 - Service Call, other	1
611 - Dispatched & cancelled en route	1
621 - Wrong location	1

<b>Zone: NPS - National Park Service</b>	
321 - EMS call, excluding vehicle accident with injury	1

Only REVIEWED incidents included

# Building Department Activity 2012

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	1	3	5	4	4	3	2	4	3	2	3	1	35
Foundation	0	2	0	0	2	1	3	1	2	1	0	0	12
Footing drains	2	2	0	0	0	0	0	2	2	0	0	2	10
Floor Framing	0	0	1	0	0	0	0	0	0	0	0	0	1
Shearwall	3	0	1	2	0	1	1	0	0	1	0	0	9
Sewer	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Storm Retention	2	0	0	0	0	0	0	1	1	0	5	0	9
Framing	2	5	3	0	1	1	4	0	2	1	2	0	21
Plumbing	1	2	2	0	0	0	0	0	4	0	1	3	13
Mechanical	1	2	0	2	2	1	0	1	0	1	2	2	14
Insulation	3	2	0	0	0	0	1	0	0	1	0	0	7
Sheetrock	2	1	0	0	1	0	0	1	1	0	0	0	6
Patio	0	0	0	0	0	0	0	0	0	0	0	0	0
Final	0	2	4	1	1	0	0	4	1	2	5	1	21
Red Tags	0	0	0	0	0	1	0	1	0	0	0	0	2
OTHERS	0	5	6	1	6	5	10	6	10	9	4	5	67
<b>TOTAL</b>	<b>17</b>	<b>26</b>	<b>22</b>	<b>10</b>	<b>17</b>	<b>13</b>	<b>21</b>	<b>21</b>	<b>26</b>	<b>18</b>	<b>22</b>	<b>14</b>	<b>227</b>

REPAIRS TAKEN IN

PARKS Each Week

9

4

6

10

4

3

5

14

3

12

3

21

14

3

21

3

21

3

21

3

21

3

21

3

21

3

21

3

Do repairs at Community Center/Parks

Mowe Parks

Care for water and electrical rereads

Set up for Planning and Counsel meetings

Direct Community Workers

Hand out door Hangars

Handel Burials

Repair water leaks

Power Outage

Work with contractors looking to Build in Town

**DECEMBER MONTHLY REPORT    Eatonville Power & Light**

Superintendent-Dan Sharpe    Linemen – Nestor Sundita & Terry Moore

**Banners**

Installed “The Unexpected Angel” Banner  
Removed banner on Dec.22<sup>nd</sup> – Wind damage

**Street Lights – Repairs**

Street light repair X 5  
Street light repair – Orchard Ave

**Power Lines**

2<sup>nd</sup> feeder – Sub-station work  
2<sup>nd</sup> feeder – Carter St  
Carter Street riser

**Disconnects / Reconnects**

Reconnect 4  
Disconnects 9  
Door Hangers  
Shut Offs  
Meter Reads

**Misc**

Flag Half Staff  
Garbage pickup in the parks X4  
Power Outage – Antonie Ave N  
Public Notice Signs for trails w/ Kerri  
Pulled Pump at Mill Village

**Priority 1**

- 12-3-12 Collect and send water samples.**  
Due Date: None  
Category: Unfiled
- 12-3-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 12-4-12 Fix CL2 leak at wtp.**  
Due Date: None  
Category: Unfiled
- 12-4-12 Sweep streets.**  
Due Date: None  
Category: Unfiled
- 12-4-12 Meter re-reads.**  
Due Date: None  
Category: Unfiled
- 12-3-12 Set up community center for meeting.**  
Due Date: None  
Category: Unfiled
- 12-5-12 Clean WWTP.**  
Due Date: None  
Category: Unfiled
- 12-5-12 Go through areators at WTP with contractor.**  
Due Date: None  
Category: Unfiled
- 12-6-12 Check for water leaks.**  
Due Date: None  
Category: Unfiled
- 12-6-12 Work on Clortech at WTP.**  
Due Date: None  
Category: Unfiled
- 12-6-12 Fill pot holes around town.**  
Due Date: None  
Category: Unfiled
- 12-6-12 Finish and mail WTP monthly report.**  
Due Date: None  
Category: Unfiled
- 12-7-12 Work more and fix and reset Clortech unit at WTP.**  
Due Date: None  
Category: Unfiled
- 12-7-12 Check hydrants around town.**  
Due Date: None  
Category: Unfiled
- 12-7-12 Fill more pot holes.**  
Due Date: None  
Category: Unfiled
- 12-7-12 Call in 8:30pm WTP alarm. Acid dosing fail.**  
Due Date: None  
Category: Unfiled
- 12-9-12 Call in WWTP alarm 11:30pm. SBR2 Decant Weir fail to close.**  
Due Date: None  
Category: Unfiled
- 12-10-12 Fill pot holes in alley.**  
Due Date: None  
Category: Unfiled
- 12-10-12 Finish and mail WWTP monthly report.**  
Due Date: None  
Category: Unfiled
- 12-10-12 Fix lights at WWTP.**  
Due Date: None  
Category: Unfiled
- 12-10-12 Put plow and sander in dump truck.**  
Due Date: None  
Category: Unfiled
- 12-10-12 125 door knockers out.**  
Due Date: None  
Category: Unfiled
- 12-10-12 Set up for council meeting.**  
Due Date: None  
Category: Unfiled
- 12-13-12 Repair water leak South Washington.**  
Due Date: None  
Category: Unfiled
- 12-13-12 Pump controls out on Center St. booster station. Call QCC for service call to repair. Running filling of reservoir by hand until repaired.**  
Due Date: None  
Category: Unfiled
- 12-13-12 Dan climbed reservoir and replaced all probes.**  
Due Date: None  
Category: Unfiled
- 12-13-12 Repair chlorine leak at the WTP.**  
Due Date: None  
Category: Unfiled

- 12-14-12 Manual fill dow reservoir.**  
Due Date: None  
Category: Unfiled
- 12-14-12 Do locates on Erin Lane.**  
Due Date: None  
Category: Unfiled
- 12-15-12 Manually keep Dow Ridge reservoir full. Same on 12-16-12 Sunday.**  
Due Date: None  
Category: Unfiled
- 12-17-12 Put chains on Kabota tractor. Snowing now. Snow equipment ready.**  
Due Date: None  
Category: Unfiled
- 12--17-12 QCC here and repaired Dow Ridge Reservoir auto level system. Watching to see if works.**  
Due Date: None  
Category: Unfiled
- 12-17-12 Ask Doug to call Verizon to get area they dug up to put crushed rock on the areas. Made mud areas.**  
Due Date: None  
Category: Unfiled
- 12-18-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 12-18-12 Work on acid system at WTP.**  
Due Date: None  
Category: Unfiled
- 12-18-12 Crew in early to plow/salt roads.**  
Due Date: None  
Category: Unfiled
- 12-18-12 Work on weir at WWTP.**  
Due Date: None  
Category: Unfiled
- 12-19-12 Manually fill Dow reservoir. Telemetry still not working.**  
Due Date: None  
Category: Unfiled
- 12-19-12 Check tear out of old clearwells.**  
Due Date: None  
Category: Unfiled
- 12-19-12 Locate water valves in 1050 pressure zone.**  
Due Date: None  
Category: Unfiled

- 12-20-12 Pump sludge.**  
Due Date: None  
Category: Unfiled
- 12-20-12 Run CIP on backwash skid at WTP.**  
Due Date: None  
Category: Unfiled
- 12-20-12 Take apart and try to fix air leak on acid system at WTP.**  
Due Date: None  
Category: Unfiled
- 12-21-12 Manuall fill Dow reservoir.**  
Due Date: None  
Category: Unfiled
- 12-21-12 Do meter reads.**  
Due Date: None  
Category: Unfiled
- 12-24-12 More meter reads.**  
Due Date: None  
Category: Unfiled
- 12-24-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 12-24-12 Mauall fill Dow reservoir.**  
Due Date: None  
Category: Unfiled