

Eatonville Police Department
Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 08/01/2013
And 08/31/2013

Incident Log Report

Printed On: Wed, Sep 04, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2013000285	WA0270500	08/01/2013 11:02	E4	Dog at Large
2013000286	WA0270500	08/01/2013 14:37	E4	Animal Complaint
2013000287	WA0270500	08/04/2013 11:28	EA1	Use of Force
2013000288	WA0270500	08/04/2013 14:20	EA1	Security Check
2013000289	WA0270500	08/05/2013 10:56	EA1	Malicious Mischief, Theft 3
2013000290	WA0270500	08/05/2013 12:37	E1	Agency Assist, CFPD, Medical
2013000291	WA0270500	08/06/2013 01:01	E11	Poss Burglary
2013000292	WA0270500	08/06/2013 12:27	E4	Dispatch Injured Animal
2013000293	WA0270500	08/08/2013 20:42	ea7	Hit and Run Property Damage
2013000294	WA0270500	08/09/2013 10:59	E4	Trespass Notification
2013000295	WA0270500	08/09/2013 15:06	E4	Civil Standby
2013000296	WA0270500	08/09/2013 17:23	ea7	Criminal Trespass Notification
2013000297	WA0270500	08/09/2013 19:16	ea7	Stolen Gun Recovery
2013000298	WA0270500	08/09/2013 20:52	ea7	Suicide Attempt
2013000299	WA0270500	08/10/2013 01:35	E4	FACR
2013000300	WA0270500	08/10/2013 11:13	E4	Theft (civil infraction)
2013000301	WA0270500	08/10/2013 11:41	E4	Theft 3, PSP 3
2013000302	WA0270500	08/10/2013 15:21	ea7	Warrant Arrest
2013000303	WA0270500	08/10/2013 15:21	ea7	Noise Complaint
2013000304	WA0270500	08/12/2013 16:50	ea7	Criminal Trespass, Assault 3
2013000305	WA0270500	08/13/2013 01:12	EA1	Suspicious Person
2013000306	WA0270500	08/13/2013 15:53	ea7	Fraud
2013000307	WA0270500	08/16/2013 17:12	E4	Paper Service
2013000308	WA0270500	08/18/2013 10:12	EA1	Criminal Trespass
2013000309	WA0270500	08/20/2013 13:17	EA1	Fraud
2013000310	WA0270500	08/20/2013 21:30	E5	Suspicious Person
2013000311	WA0270500	08/22/2013 18:14	ea7	DWLS 2
2013000312	WA0270500	08/23/2013 13:32	E5	Vandalism
2013000313	WA0270500	08/23/2013 17:52	ea7	DWLS 3, Resisting Arrest
2013000314	WA0270500	08/24/2013 08:45	E5	DWLS 3

Eatonville Police Department

Incident Log Report

Printed On: Wed, Sep 04, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2013000315	WA0270500	08/24/2013 20:01	ea7	DWLS 3
2013000316	WA0270500	08/25/2013 22:09	ea7	Criminal Trespass
2013000317	WA0270500	08/25/2013 23:36	EA1	Attempt Burglary
2013000318	WA0270500	08/27/2013 10:12	EA1	Voluntary Commit
2013000319	WA0270500	08/28/2013 11:08	EA1	Feral Cat
2013000320	WA0270500	08/28/2013 18:49	E5	Criminal Trespass Notification
2013000321	WA0270500	08/28/2013 21:15	B5	Security Check, Open Door
2013000322	WA0270500	08/29/2013 16:19	E5	Agency Assist, Medical Aid, EFD
2013000323	WA0270500	08/30/2013 10:37	EA1	Custodial Interference 2
2013000324	WA0270500	08/30/2013 11:06	E1	FACR
2013000325	WA0270500	08/31/2013 21:31	ea7	DWLS 3

Total Records: 41

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 08/01/2013
And 08/31/2013

Citation Log Report

Printed On: Wed, Sep 04, 2013

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C3Z0645062	WA0270500	8/22/2013 18:14	ea7	DWLS 2
C3Z0645064	WA0270500	8/23/2013 17:52	ea7	DWLS 3, Resisting Arrest
C3Z0645069	WA0270500	8/25/2013 22:09	ea7	Criminal Trespass 2
C3Z0645071	WA0270500	8/30/2013 21:37	ea7	Fail to Transfer Title
C3Z0742338	WA0270500	8/24/2013 08:45	E5	DWLS 3
C3Z0772631	WA0270500	8/31/2013 21:31	ea7	DWLS 3
I3Z0494417	WA0270500	8/2/2013 19:38	11	Exp Tabs >
I3Z0645059	WA0270500	8/2/2013 17:51	ea7	Exp Tabs >, No Insurance
I3Z0645060	WA0270500	8/2/2013 18:23	ea7	Exp Tabs >
I3Z0645063	WA0270500	8/22/2013 18:14	ea7	No Dr Lic on Person, No Insurance (DWLS)
I3Z0645065	WA0270500	8/23/2013 17:52	ea7	No Insurance
I3Z0645068	WA0270500	8/24/2013 22:47	ea7	Illegal Passing
I3Z0645070	WA0270500	8/27/2013 17:21	ea7	No Seatbelt, Fail to Obtain WA DL
I3Z070039	WA0270500	8/31/2013 20:26	11	42/25
I3Z0700436	WA0270500	8/31/2013 17:48	11	42/25
I3Z0700437	WA0270500	8/31/2013 18:38	11	38/25
I3Z0700438	WA0270500	8/31/2013 19:15	11	47/25
I3Z0706905	WA0270500	8/5/2013 17:18	E5	39/25, Cell Phone While Driving
I3Z0742337	WA0270500	8/24/2013 08:45	E5	39/25, No Insurance, Fail Use Child Rest
I3Z0742339	WA0270500	8/25/2013 09:45	E5	50/35
I3Z0742340	WA0270500	8/25/2013 09:59	E5	49/35
I3Z0742341	WA0270500	8/25/2013 10:13	E5	44/25
I3Z0772630	WA0270500	8/30/2013 21:37	ea7	Cell Phone While Driving
I3Z0772632	WA0270500	8/31/2013 21:31	ea7	No Tabs, No Insurance

Eatonville Power & Light

Supervisor Dan Sharpe Linemen Nestor Sundita Jesse Carol

Street light

Repair 6 street lights
Plug in at Millponds Park

Disconnect & Reconnect

Reconnect 10
Disconnect 9
Door hangers

Parks

Pick up garbage 3X week
Mowed parks & cemetery 8X
Repair parks

Line work

Hooked up house
Worked on airport underground
Changed meters
Locate electrical lines

Misc.

Repair bathrooms at parks
Helped water repair sprinkler system
Took down banners and put up
Organized community service workers

Priority 1

8-1-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

8-1-13 Check on grave at cemetary.

Due Date: None
Category: Parks

8-1-13 Fix park for Lions at Glacier park.

Due Date: None
Category: Parks

8-1-13 Sweep river intake.

Due Date: None
Category: Water

8-1-13 Hose clogged up headworks.

Due Date: None
Category: Wastewater

8-1-13 Use listening device to check for water leaks.

Due Date: None
Category: Water

8-1-13 Tighten loose hydrants.

Due Date: None
Category: Water

8-2-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

8-2-13 Preform full setup funeral at cemetary.

Due Date: None
Category: Parks

8-2-13 Run multiple CIP's on backwash skid.

Due Date: None
Category: Water

8-2-13 Order new WWTP lab supplies.

Due Date: None
Category: Wastewater

8-2-13 Hose SBR's.

Due Date: None
Category: Wastewater

8-2-13 Clean river intakes.

Due Date: None
Category: Water

8-2-13 Fix leaking CL2 pipe at WTP.

Due Date: None
Category: Water

8-3-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

8-3-13 Calibrate pH meter on filter 1 at WTP.

Due Date: None
Category: Water

8-4-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

8-5-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

8-5-13 Install new water level probe in well 7 at WTP.

Due Date: None
Category: Water

8-5-13 Repair storm drain lid taken by kids in Hamner springs.

Due Date: None
Category: Storm

8-5-13 Collect and send monthly water samples.

Due Date: None
Category: Water

8-5-13 Finish and mail WWTP monthly report.

Due Date: None
Category: Wastewater

8-5-13 Help power crew clean up around vault on Ridge rd.

Due Date: None
Category: Power and Light

8-8-13 Hose chemical room floor at the WTP.

Due Date: None
Category: Water

8-8-13 Run two CIP on backwash skid. Plugged

Due Date: None
Category: Water

8-8-13 Clean river intake once daily.

Due Date: None
Category: Water

8-6-13 Callout water leak 204 Penn Ave 6:30 pm.

Due Date: None
Category: Water

8-8-13 Rebuild backwash skid bypass 3/4" line. Acid ate metal valve up and would not shut off and dripping.

Due Date: None
Category: Water

- 8-8-13 Replace several non-reflective stop signs and change to steel post from wood.**
 Due Date: None
 Category: Streets
- 8-8-13 Research out the drive cable for 6 inch McCrometer for well #7.**
 Due Date: None
 Category: Water
- 8-10-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-11-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-10-13 Repair leaking oil filter on air compressor at WTP.**
 Due Date: None
 Category: Water
- 8-12-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-12-13 Weed spray at WWTP lagoon.**
 Due Date: None
 Category: Wastewater
- 8-12-13 Weed spray Bud Blancher trail.**
 Due Date: None
 Category: Parks
- 8-13-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-13-13 Change out faded stop signs around town.**
 Due Date: None
 Category: Streets
- 8-13-13 Order paint and storz adaptors for fire dept.**
 Due Date: None
 Category: Water
- 8-14-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-14-13 Hose SBR's.**
 Due Date: None
 Category: Wastewater
- 8-14-13 Locates on Antoinie vacant lots for builder.**
 Due Date: None
 Category: Water/Sewer

- 8-14-13 Weed wack at park.**
 Due Date: None
 Category: Parks
- 8-12-13 Put out late payment door hangers.**
 Due Date: None
 Category: Water/Sewer
- 8-15-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-15-13 Start this months meter reads.**
 Due Date: None
 Category: Water/Sewer
- 8-15-13 Locates for sewer main on Madison.**
 Due Date: None
 Category: Water/Sewer
- 8-15-13 Locates for new house by airport.**
 Due Date: None
 Category: Water/Sewer
- 8-15-13 Run multiple CIP's on backwash skid at WTP.**
 Due Date: None
 Category: Water
- 8-15-13 Start leak detection around town/training.**
 Due Date: None
 Category: Water
- 8-15-13 Work on sprinklers at town square and Millpond.**
 Due Date: None
 Category: Parks
- 8-16-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-16-13 Instal new meter register on well 7 meter.**
 Due Date: None
 Category: Water
- 8-16-17 Finish and give Doug action steps to deal with water loss at WTP.**
 Due Date: None
 Category: Water
- 8-16-13 Continue meter reads.**
 Due Date: None
 Category: Water/Sewer
- 8-16-13 Hose headworks.**
 Due Date: None
 Category: Wastewater
- 8-16-13 Instal new spicket on hose at headworks.**
 Due Date: None
 Category: Wastewater

- 8-17-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-17-13 WTP alarm 2:45 AM for filter 1 low cell level.**
 Due Date: None
 Category: Water
- 8-17-13 Call in help at WTP to fix air lines at WTP.**
 Due Date: None
 Category: Water
- 8-17-13 Call out to use sweeper to pick up gravel dumped on Center St by Weyerhaeuser Rd.**
 Due Date: None
 Category: Streets
- 8-17-13 WWTP alarm 5:00 PM for SBR 2 decantor failure.**
 Due Date: None
 Category: Wastewater
- 8-17-13 WTP alarm 7:30 PM for filter 1 backwash fail and also fail to fill cell.**
 Due Date: None
 Category: Water
- 8-18-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-19-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-19-13 Do full filter service on compressors at WTP with new oil filters, air filters and water separators.**
 Due Date: None
 Category: Water
- 8-19-13 Shut down filters and drain air tanks and total air system to remove water from lines.**
 Due Date: None
 Category: Water
- 8-19-13 Continue meter reads.**
 Due Date: None
 Category: Water/Sewer
- 8-19-13 Change acid barrel at WTP.**
 Due Date: None
 Category: Water
- 8-19-13 Daily clean river intake screens.**
 Due Date: None
 Category: Water

- 8-19-13 Go again to show where sewer is located at lots on Antonie.**
 Due Date: None
 Category: Wastewater
- 8-19-13 Call around to get quote for instrument calibrations at WTP.**
 Due Date: None
 Category: Water
- 8-19-13 Make contact with Siemens/US Filter to try and diagnose air line problems with filters at WTP.**
 Due Date: None
 Category: Water
- 8-19-13 Clean chemical recirculation line at WTP.**
 Due Date: None
 Category: Water
- 8-19-13 Fix water leak on Carter.**
 Due Date: None
 Category: Water
- 8-19-13 Fix water leak at 109 Fir.**
 Due Date: None
 Category: Water
- 8-20-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-20-13 Clean river intakes.**
 Due Date: None
 Category: Water
- 8-20-13 Continue meter reads.**
 Due Date: None
 Category: Water/Sewer
- 8-20-13 Locates on Center St.**
 Due Date: None
 Category: Water/Sewer
- 8-20-13 Work on filter issues at WTP.**
 Due Date: None
 Category: Water
- 8-20-13 Hose SBR's.**
 Due Date: None
 Category: Wastewater
- 8-21-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-21-13 Continue meter reads.**
 Due Date: None
 Category: Water/Sewer
- 8-21-13 Work on CL2 tester at WTP.**
 Due Date: None
 Category: Water

- 8-21-13 Work on filters at WTP. Alarming for unknown cause.**

Due Date: None
Category: Water

- 8-21-13 GEt parts and fix sprinklers at Millpond park.**

Due Date: None
Category: Parks

- 8-22-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-22-13 Meter reads.**

Due Date: None
Category: Water/Sewer

- 8-22-13 Change acid barrel at WTP.**

Due Date: None
Category: Water

- 8-23-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-23-13 Work on meter read list.**

Due Date: None
Category: Water/Sewer

- 8-23-13 Work on filter 2 at WTP.**

Due Date: None
Category: Water

- 8-23-13 Hose headworks**

Due Date: None
Category: Wastewater

- 8-23-13 Clean river intake.**

Due Date: None
Category: Water

- 8-24-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-25-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-25-13 Fix leak on Clortec unit.**

Due Date: None
Category: Water

- 8-26-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-26-13 Clean river intake.**

Due Date: None
Category: Water

- 8-26-13 Fix leak on salt pipe at WTP.**

Due Date: None
Category: Water

- 8-26-13 Monitor new sewer instal on Madison.**

Due Date: None
Category: Wastewater

- 8-26-13 Check water valves for possible shut off.**

Due Date: None
Category: Water

- 8-26-13 Continue try to figure out filter 2 problem at WTP.**

Due Date: None
Category: Water

- 8-26-13 Measure length and services on Ridge for possible new water main.**

Due Date: None
Category: Water

- 8-26-13 Inspect sewer line instal on Madison.**

Due Date: None
Category: Wastewater

- 8-26-13 Meter re-reads.**

Due Date: None
Category: Water/Sewer

- 8-26-13 Skim foam on SBR's.**

Due Date: None
Category: Wastewater

- 8-27-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-27-13 Get new air compressor for shop.**

Due Date: None
Category: Water/Sewer

- 8-27-13 Leak detect around town.**

Due Date: None
Category: Water

- 8-27-13 Monitor sewer line instal on Madison.**

Due Date: None
Category: Wastewater

- 8-27-13 Draw up quick plans for Ridge Rd water improvement to get material quote for budget.**

Due Date: None
Category: Water

- 8-27-13 Water And wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 8-27-13 Monitor sewer instal on Madison.**
 Due Date: None
 Category: Wastewater
- 8-27-13 Hose SBR's.**
 Due Date: None
 Category: Wastewater
- 8-27-13 Clean river intake.**
 Due Date: None
 Category: Water
- 8-28-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-28-13 Work on filter 1 at WTP.**
 Due Date: None
 Category: Water
- 8-28-13 Get quote for sewer manhole repair by skate park.**
 Due Date: None
 Category: Wastewater
- 8-28-13 Work on budget requests.**
 Due Date: None
 Category: Town Hall
- 8-28-13 Dig out meter on Wash S to get ready for swap.**
 Due Date: None
 Category: Water
- 8-28-13 Clean out water valve boxes on Center St.**
 Due Date: None
 Category: Water
- 8-28-13 Meter re-reads.**
 Due Date: None
 Category: Water/Sewer
- 8-29-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-29-13 Work on raw water screen at WTP.**
 Due Date: None
 Category: Water
- 8-29-13 Inspect sewer line on Madison.**
 Due Date: None
 Category: Wastewater
- 8-29-13 Check bathrooms at parks.**
 Due Date: None
 Category: Parks
- 8-29-13 Multiple CIP's on backwash skid at WTP.**
 Due Date: None
 Category: Water
- 8-30-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-30-13 Look for water stub-out by skate park.**
 Due Date: None
 Category: Water
- 8-30-13 Inspect sewer line on Madison.**
 Due Date: None
 Category: Wastewater
- 8-30-13 Clean soda ash pipes at WTP.**
 Due Date: None
 Category: Water
- 8-30-13 Flush and visually inspect raw water circulation line and pumps at WTP.**
 Due Date: None
 Category: Water
- 8-30-13 Visually inspect raw water basin at WTP.**
 Due Date: None
 Category: Water
- 8-30-13 Clean mess in bathroom at Town Square.**
 Due Date: None
 Category: Parks
- 8-30-13 Clean river intake twice. Gully washer dirtied up river had to switch to wells in night.**
 Due Date: None
 Category: Water
- 8-30-13 Locates on Maple.**
 Due Date: None
 Category: Water/Sewer
- 8-30-13 Inspect sewer instal on Madison.**
 Due Date: None
 Category: Wastewater
- 8-30-13 Check park bathrooms.**
 Due Date: None
 Category: Parks
- 8-31-13 Water And wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-31-13 Work late to adjust to changing source water conditions at WTP.**
 Due Date: None
 Category: Water
- 8-31-13 Call out 9:30pm to help light dept. with sparking wires at Bigfoot tavern.**
 Due Date: None
 Category: Power and Light

Building Department Activity 2013

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	0	0	4	5	5	4	3	0	0	0	0	23
Foundation	0	0	0	1	3	3	2	7	0	0	0	0	16
Footing drains	0	0	0	0	1	5	0	4	0	0	0	0	10
Floor Framing	0	0	0	1	1	4	0	2	0	0	0	0	8
Shearwall	0	0	0	0	1	3	0	0	0	0	0	0	4
Sewer	0	0	0	0	1	0	0	1	0	0	0	0	2
Water	0	0	0	0	1	2	0	1	0	0	0	0	4
Storm	0	0	2	1	1	2	0	1	0	0	0	0	7
Framing	2	0	0	0	1	1	5	1	0	0	0	0	10
Plumbing	2	2	0	0	2	1	5	1	0	0	0	0	13
Mechanical	2	1	2	1	1	1	6	1	0	0	0	0	15
Insulation	1	1	0	0	1	0	1	1	0	0	0	0	5
Sheetrock	0	0	0	0	1	0	5	1	0	0	0	0	7
Patio	0	0	0	0	0	0	1	1	0	0	0	0	2
Final	1	1	0	0	0	1	1	5	0	0	0	0	9
Red Tags	1	0	0	1	0	0	0	0	0	0	0	0	2
OTHERS	5	6	7	6	6	5	8	16	0	0	0	0	59
TOTAL	16	11	11	15	26	33	38	46	0	0	0	0	196

Planning and Counsel meetings
 Hand out door Hangars
 Training Classes
 Mowe town Sqaure

