

Eatonville Police Department
Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 08/01/2012
And 08/31/2012

Incident Log Report

Printed On: Tue, Sep 04, 2012

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2012000424	WA0270500	08/02/2012 21:32	E12	Theft 2
2012000425	WA0270500	08/04/2012 15:55	E4	Theft 3
2012000426	WA0270500	08/04/2012 22:08	E11	Information-Use of Force
2012000427	WA0270500	08/05/2012 21:55	E5	Found Property (susp drugs)
2012000428	WA0270500	08/06/2012 01:11	E5	Attempted Residential Burglary
2012000429	WA0270500	08/06/2012 22:57	E5	CPS Referral, Dysfunctional Family
2012000430	WA0270500	08/07/2012 14:45	EA1	Theft 1
2012000431	WA0270500	08/08/2012 12:17	E4	Theft 1
2012000432	WA0270500	08/08/2012 13:25	E4	Verbal DV
2012000433	WA0270500	08/08/2012 15:11	E4	Trespass Notification
2012000434	WA0270500	08/09/2012 11:44	E4	Dispatch Animal
2012000435	WA0270500	08/09/2012 14:39	E4	Malicious Mischief 3
2012000436	WA0270500	08/09/2012 23:45	ea7	Runaway
2012000437	WA0270500	08/10/2012 12:03	E4	Agency Assist, Medical, EFD
2012000438	WA0270500	08/10/2012 16:32	ea7	Assault 4, Furnishing Liquor to Minors
2012000439	WA0270500	08/12/2012 00:27	ea7	Verbal DV
2012000440	WA0270500	08/12/2012 01:50	ea7	Agency Assist, MVC, PCSD
2012000441	WA0270500	08/12/2012 09:49	EA1	Animal Complaint
2012000442	WA0270500	08/12/2012 10:42	EA1	Animal Impound
2012000443	WA0270500	08/13/2012 01:08	EA1	Burglary 2, Theft 3
2012000444	WA0270500	08/15/2012 12:29	E4	Residential Burglary
2012000445	WA0270500	08/16/2012 12:02	EA1	Prisoner Transport
2012000446	WA0270500	08/16/2012 17:50	E5	Paper Service
2012000447	WA0270500	08/17/2012 14:39	E4	Residential Burglary
2012000448	WA0270500	08/18/2012 01:22	E4	Noise Complaint
2012000449	WA0270500	08/19/2012 09:37	EA1	Warrant Arrest
2012000450	WA0270500	08/20/2012 00:53	E12	DWLS 3
2012000451	WA0270500	08/21/2012 07:32	E4	Vehicle Prowling 2, Theft
2012000452	WA0270500	08/21/2012 08:42	EA1	Agency Assist, EFD, Medical Aid
2012000453	WA0270500	08/21/2012 10:07	EA1	Found Firearm

Eatonville Police Department

Incident Log Report

Printed On: Tue, Sep 04, 2012

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2012000454	WA0270500	08/21/2012 18:56	E5	Phase 2 - 911 Call
2012000455	WA0270500	08/22/2012 16:01	ea7	Verbal DV
2012000456	WA0270500	08/22/2012 17:41	ea7	Trespass Order
2012000457	WA0270500	08/22/2012 18:33	ea7	Information, Criminal Trespass 1
2012000458	WA0270500	08/23/2012 08:55	EA1	Reckless Endangerment of Highway Worker
2012000459	WA0270500	08/23/2012 15:22	E5	Agency Assist, Disabled Vehicle, WSP
2012000460	WA0270500	08/25/2012 15:35	ea7	Collision, Bike Vs Car
2012000461	WA0270500	08/25/2012 18:38	ea7	Criminal Trespass
2012000462	WA0270500	08/26/2012 11:24	EA1	Agency Assist, EFD, Brush Fire
2012000463	WA0270500	08/27/2012 16:24	E5	Verbal DV
2012000464	WA0270500	08/28/2012 11:50	EA1	Residential Burglary, Theft 2, Traffic Stolen Prop
2012000465	WA0270500	08/28/2012 14:08	E4	Information Report, Poss Luring
2012000466	WA0270500	08/28/2012 19:03	ea7	Warrant Arrest
2012000467	WA0270500	08/29/2012 02:18	E4	Welfare check
2012000468	WA0270500	08/29/2012 12:09	E4	Agency Assist, EFD, Medical
2012000469	WA0270500	08/30/2012 11:22	EA1	Agencst Assist, PCSD, Felony Arrest
2012000470	WA0270500	08/30/2012 17:31	E5	Information Report, Lost Passport
2012000471	WA0270500	08/30/2012 22:42	E5	Security Check, Open Door, EMS
2012000472	WA0270500	08/31/2012 12:20	E4	Verbal DV
2012000473	WA0270500	08/31/2012 16:38	ea7	Civil Dispute
2012000474	WA0270500	08/31/2012 18:34	ea7	DWLS 3, Drive W/O Interlock Device

Total Records: 51

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 08/01/2012
And 08/31/2012

Citation Log Report

Printed On: Tue, Sep 04, 2012

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C2Z0095810	WA0270500	8/23/2012 08:55	EA1	Reckless Endangerment of Highway Worker
C2Z0453338	WA0270500	8/20/2012 00:53	E12	DWLS 3 (33/25)
C2Z0708956	WA0270500	8/31/2012 18:34	ea7	DWLS 3, Drive W/O Interlock Device
C6583	WA0270500	8/10/2012 16:32	ea7	Assault 4
C6584	WA0270500	8/10/2012 16:32	ea7	Furnishing Liquor to Minors
I17584	WA0270500	8/9/2012 17:33	ea7	Helmet Required
I17585	WA0270500	8/11/2012 17:25	ea7	Exp Tabs >
I17586	WA0270500	8/14/2012 17:25	ea7	Speeding Too Fast Conditions
I2Z0160992	WA0270500	8/26/2012 20:51	E5	Pass No Pass Zone
I2Z0295213	WA0270500	8/1/2012 09:05	E4	51/35
I2Z0295214	WA0270500	8/1/2012 14:31	E4	30/25
I2Z0295215	WA0270500	8/1/2012 15:13	E4	49/35
I2Z0295216	WA0270500	8/9/2012 14:18	E4	48/35
I2Z0295217	WA0270500	8/24/2012 09:55	E4	35/25
I2Z0453337	WA0270500	8/20/2012 00:53	E12	33/25 (DWLS 3)
I2Z0605373	WA0270500	8/12/2012 17:50	ea7	46/25
I2Z0605374	WA0270500	8/13/2012 16:17	ea7	44/25
I2Z0605375	WA0270500	8/13/2012 19:27	ea7	50/35, Cell Phone While Driving
I2Z0605376	WA0270500	8/14/2012 15:38	ea7	35/25
I2Z0605378	WA0270500	8/29/2012 21:17	ea7	Follow Too Close, Fail to Stop Sign
I2Z0605379	WA0270500	8/31/2012 16:03	ea7	39/25
I2Z0605380	WA0270500	8/31/2012 16:12	ea7	39/25
I2Z0605381	WA0270500	8/31/2012 17:56	ea7	45/25
I2Z0605382	WA0270500	8/31/2012 18:11	ea7	41/25
I2Z0605383	WA0270500	8/31/2012 18:23	ea7	45/35, Cell Phone while driving
I2Z0605384	WA0270500	8/31/2012 18:34	ea7	Exp Tabs >, No License on Person

FIRE / EMS

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931
eatonvillefire@eatonville-wa.gov

***Monthly Report
August 2012***

7 Fire
3 Auto Accident
40 Aid
2 Service
52 Total

Mutual aid responses with District 17 -- 9
Mutual aid responses with District 23 -- 12
Mutual aid response with District 21 -- 0
Mutual aid responses with NPS -- 2

2011 YEAR TO DATE TOTAL -- 439
2012 YEAR TO DATE TOTAL -- 432

Transports -- 31
ALS -- 28
BLS -- 3

2011 transports year to date -- 186
2012 transports year to date -- 183

For the month of August the total amount billed for ambulance transports was \$42,939.00.

Eatonville Fire Department


Eatonville, WA

This report was generated on 9/4/2012 3:24:41 PM



Breakdown by Major Incident Types for Date Range

Start Date: 08/01/2012 | End Date: 08/31/2012



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	2	3.85%
Rescue & Emergency Medical Service	45	86.54%
Hazardous Condition (No Fire)	1	1.92%
Good Intent Call	4	7.69%
TOTAL	52	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
142 - Brush or brush-and-grass mixture fire	2	3.85%
320 - Emergency medical service, other	2	3.85%
321 - EMS call, excluding vehicle accident with injury	40	76.92%
322 - Motor vehicle accident with injuries	1	1.92%
323 - Motor vehicle/pedestrian accident (MV Ped)	1	1.92%
324 - Motor vehicle accident with no injuries.	1	1.92%
445 - Arcing, shorted electrical equipment	1	1.92%
611 - Dispatched & cancelled en route	2	3.85%
622 - No incident found on arrival at dispatch address	2	3.85%
TOTAL INCIDENTS:	52	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department

Eatonville, WA

This report was generated on 9/4/2012 3:23:39 PM



Incident Type per Zone for Date Range

Start Date: 08/01/2012 | End Date: 08/31/2012

INCIDENT TYPE	# INCIDENTS
Zone: 17 - South Pierce	
142 - Brush or brush-and-grass mixture fire	2
321 - EMS call, excluding vehicle accident with injury	3
322 - Motor vehicle accident with injuries	1
324 - Motor vehicle accident with no injuries.	1
611 - Dispatched & cancelled en route	1
622 - No incident found on arrival at dispatch address	1

Zone: 23 - Ashford/Elbe	
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	10
611 - Dispatched & cancelled en route	1

Zone: 84 - Eatonville	
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	25
323 - Motor vehicle/pedestrian accident (MV Ped)	1
445 - Arcing, shorted electrical equipment	1
622 - No incident found on arrival at dispatch address	1

Zone: NPS - National Park Service	
321 - EMS call, excluding vehicle accident with injury	2

Only REVIEWED incidents included

JULY MONTHLY REPORT **Eatonville Power & Light**

Superintendent-Dan Sharpe Linemen – Nestor Sundita & Terry Moore

Underground Locates

Conant and Dow Ridge
402 Carter St
Dow Water Tank
Sewer Plant
180 Dow Ridge Dr

Banners

Remove Banner Art festival Banner
Hang Day of Remembrance Banner

Street Lights – Repairs

Power Lines

Town power outage – 7:30 to 5 pm. - Substation
Conduit & pulled wire @ 112 Pennsylvania Ave N

Disconnects / Reconnects

Door hangers
Shut offs 8
Reconnects 10

Misc

Pulled poles @skate park
Pulled pole at old water plant
Knotweed Control Training
Maintenance on machine for trail project
Trail project – backhoe & dump truck 42.5 hrs
Water – Mashell Ave

Priority 1

- 8-1-12 Cleaning the river intakes every day.**
Due Date: None
Category: Unfiled
- 8-1-12 Percent solids testing every day for the lagoon project.**
Due Date: None
Category: Unfiled
- 8-2-12 Clean river intake and build small dam to back water into intake.**
Due Date: None
Category: Unfiled
- 8-2-12 Study new water/sewer position and pick out top 4 to interview. Mike and Steve.**
Due Date: None
Category: Unfiled
- 8-2-12 Start pump the lagoon down if plant will take it, without getting upset to bad to not make permit.**
Due Date: None
Category: Unfiled
- 8-2-12 Cut all the alder trees along the property fence in the retention pond at Hamner Springs. Property next door request.**
Due Date: None
Category: Unfiled
- 8-2-12 Haul grasshopper mower to dealer for repairs. 11,000 hour on mower. To much money haul back.**
Due Date: None
Category: Unfiled
- 8-2-12 Water plant productions now running approximately 400,000 gallons per day.**
Due Date: None
Category: Unfiled
- 8-2-12 Wastewater plant now treating approximately 165,000 gallons per day. Not counting what we are putting in it from the lagoon.**
Due Date: None
Category: Unfiled
- 8-2-12 July unaccountable water was a legal 10%.**
Due Date: None
Category: Unfiled

- 8-2-12 Repair double check valve at the Community Center.**
Due Date: None
Category: Unfiled
- 8-2-12 Usual set up and tear down for council meetings.**
Due Date: None
Category: Unfiled
- 8-2-12 Send out 10 Cross Connection Control letter. Program all up to date.**
Due Date: None
Category: Unfiled
- 8/6/12 Send in both water and sewer reports.**
Due Date: None
Category: Unfiled
- Repair WTP backwash skid discharge line.**
Due Date: None
Category: Unfiled
- 8-6-12 Order 2012 Lead and Copper testing kits. Due in August**
Due Date: None
Category: Unfiled
- 8/6/12 First test on effluent from WWTP after adding another pump will pass DOE permit. May add another pump if continue. Pumping 80,000 gallons per day out.**
Due Date: None
Category: Unfiled
- 8-6-12 Put out 200 door knockers today.**
Due Date: None
Category: Unfiled
- 8-6-12 Send Tim after new clutch for grasshopper. Dealer in Ethel Wa.**
Due Date: None
Category: Unfiled
- 8-5-12 Had to turn up WTP over the weekend. Producing 640 gpm now.**
Due Date: None
Category: Unfiled
- 8-6-12 July unaccountable water came out to be 10%. Great**
Due Date: None
Category: Unfiled
- 8-7-12 Install third pump emptying the lagoon through the treatment plant. Will have to monitor closely.**
Due Date: None
Category: Unfiled

- 8-7-12 Sweeper to Dow Ridge to pick up tree leaves from a private property. Falls into street then everyone in area wants them picked up. One employee one hour, plus one hour street sweeper per week.**

Due Date: None
Category: Unfiled

- 8-7-12 Repair chlorine pump line at the water plant.**

Due Date: None
Category: Unfiled

- 8-11-12 Weekend plant checks.**

Due Date: None
Category: Unfiled

- 8-12-12 Weekend plant checks.**

Due Date: None
Category: Unfiled

- 8-13-12 WTP daily quality testing and system checks.**

Due Date: None
Category: Unfiled

- 8-13-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None
Category: Unfiled

- 8-13-12 Locates at Dow reservoir.**

Due Date: None
Category: Unfiled

- 8-13-12 Pull and clean lagoon pump.**

Due Date: None
Category: Unfiled

- 8-13-12 Sweep river intake and build more dam.**

Due Date: None
Category: Unfiled

- 8-14-12 WTP Daily quality testing and system checks.**

Due Date: None
Category: Unfiled

- 8-14-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None
Category: Unfiled

- 8-14-12 Turn on all park sprinkler systems.**

Due Date: None
Category: Unfiled

- 8-14-12 Talk with contractor at Dow reservoir.**

Due Date: None
Category: Unfiled

- 8-14-12 Investigate grease trap at elementary school.**

Due Date: None
Category: Unfiled

- 8-14-12 Start meter reads.**

Due Date: None
Category: Unfiled

- 8-14-12 Sweep streets.**

Due Date: None
Category: Unfiled

- 8-14-12 Get interview questions prepared.**

Due Date: None
Category: Unfiled

- 8-14-12 CIP on backwash skid.**

Due Date: None
Category: Unfiled

- 8-14-12 Work on CL17 at concrete reservoir.**

Due Date: None
Category: Unfiled

- 8-14-12 Sweep river intake.**

Due Date: None
Category: Unfiled

- 8/15/12 Talk to Doug about the 300,000 reservoir roof being shot. He said he would call WH Pacific. Needs repaired before winter. Sub- roof rotted out.**

Due Date: None
Category: Unfiled

- 8-16-12 Inspect reservoir roof and arrange for engineer.**

Due Date: None
Category: Unfiled

- 8-23-12 Fix water leak by cemetery.**

Due Date: None
Category: Unfiled

- 8-22-12 Finish weed spray at WTP.**

Due Date: None
Category: Unfiled

- 8-21-12 Fix water leak on Wash S.**

Due Date: None
Category: Unfiled

- 8-20-12 Cremation funeral at cemetery.**

Due Date: None
Category: Unfiled

- 8-22-12 Fix door at mill pond park.**
Due Date: None
Category: Unfiled
- Start doing percent solids testing on the biosolids again every day.**
Due Date: None
Category: Unfiled
- Put out two construction meter for Fire Mountain and fire hose.**
Due Date: None
Category: Unfiled
- 8-16-12 Perform set of 10 lead and copper testing required by DOH. All Passed**
Due Date: None
Category: Unfiled
- 8-21-12 Annual Nitrate tests on both Wells and Mashell River.**
Due Date: None
Category: Unfiled
- 8-25-12 Look up lab tests for customer testing for Iron in the water. All Good**
Due Date: None
Category: Unfiled
- 8-22-12 Doing CIP's on backwash filter every day and cleaning river intakes every day. Plugging with leaves.**
Due Date: None
Category: Unfiled
- 8-23-12 Fix water leak on center st.**
Due Date: None
Category: Unfiled
- 8-23-12 Clean river intake.**
Due Date: None
Category: Unfiled
- 8-24-12 Water flowers.**
Due Date: None
Category: Unfiled
- 8-24-12 Sweep streets.**
Due Date: None
Category: Unfiled
- 8-24-12 Pull download and record river temperature thermisters.**
Due Date: None
Category: Unfiled
- 8-24-12 Dig up and fix broken sprinkler line at Nevit park.**
Due Date: None
Category: Unfiled
- 8-25-12 Weekend plant testing.**
Due Date: None
Category: Unfiled
- 8-26-12 Weekend plant testing.**
Due Date: None
Category: Unfiled
- 8-27-12 Work on SBR1 decantor.**
Due Date: None
Category: Unfiled
- 8-27-12 Pump more from lagoon.**
Due Date: None
Category: Unfiled
- 8-27-12 Set up water for lagoon guys to use.**
Due Date: None
Category: Unfiled
- 8-27-12 Fix water spicket at cemetary.**
Due Date: None
Category: Unfiled
- 8-28-12 Work on plants and liftstations durring power outage.**
Due Date: None
Category: Unfiled
- 8-29-12 Fill all generators with fuel.**
Due Date: None
Category: Unfiled
- 8-29-12 Sweep developments.**
Due Date: None
Category: Unfiled
- 8-29-12 Cut back limbs from sightline on tree at Antonie and Carter.**
Due Date: None
Category: Unfiled
- 8-30-12 Collect more data for water comp plan.**
Due Date: None
Category: Unfiled
- 8-30-12 Reset sprinklers and fix more broken heads.**
Due Date: None
Category: Unfiled
- 8-30-12 Tear apart and clean out neutralization pump at WTP.**
Due Date: None
Category: Unfiled

8-31-12 Sweep streets.

Due Date: None
Category: Unfiled

8-31-12 Water town flowers.

Due Date: None
Category: Unfiled

8-31-12 Clean river intake.

Due Date: None
Category: Unfiled

8-31-12 Assist contractor install new water connection on Penn.

Due Date: None
Category: Unfiled

Building Department Activity 2012

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	1	3	5	4	4	3	2	4	0	0	0	0	26
Foundation	0	2	0	0	2	1	3	1	0	0	0	0	9
Footing drains	2	2	0	0	0	0	0	2	0	0	0	0	6
Floor Framing	0	0	1	0	0	0	0	0	0	0	0	0	1
Shearwall	3	0	1	2	0	1	1	0	0	0	0	0	8
Sewer	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Storm Retention	2	0	0	0	0	0	0	1	0	0	0	0	3
Framing	2	5	3	0	1	1	4	0	0	0	0	0	16
Plumbing	1	2	2	0	0	0	0	0	0	0	0	0	5
Mechanical	1	2	0	2	2	1	0	1	0	0	0	0	9
Insulation	3	2	0	0	0	0	1	0	0	0	0	0	6
Sheetrock	2	1	0	0	1	0	0	1	0	0	0	0	5
Patio	0	0	0	0	0	0	0	0	0	0	0	0	0
Final	0	2	4	1	1	0	0	4	0	0	0	0	12
Red Tags	0	0	0	0	0	1	0	1	0	0	0	0	0
OTHERS	0	5	6	1	6	5	10	6	0	0	0	0	39
TOTAL	17	26	22	10	17	13	21	21	0	0	0	0	147

PARKS Each Week MOWE PARKS Direct Community Workers

Do repairs at Community Center/Parks Mowe Parks
 Set up for Planning and Counsel meetings Direct Community Workers
 Hand out door Hangars Handel Burials
 Repair water leaks Power Outage

Building Department Activity 2012

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	1	3	5	4	4	3	2	4	0	0	0	0	26
Foundation	0	2	0	0	2	1	3	1	0	0	0	0	9
Footing drains	2	2	0	0	0	0	0	2	0	0	0	0	6
Floor Framing	0	0	1	0	0	0	0	0	0	0	0	0	1
Shearwall	3	0	1	2	0	1	1	0	0	0	0	0	8
Sewer	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Storm Retention	2	0	0	0	0	0	0	1	0	0	0	0	3
Framing	2	5	3	0	1	1	4	0	0	0	0	0	16
Plumbing	1	2	2	0	0	0	0	0	0	0	0	0	5
Mechanical	1	2	0	2	2	1	0	1	0	0	0	0	9
Insulation	3	2	0	0	0	0	1	0	0	0	0	0	6
Sheetrock	2	1	0	0	1	0	0	1	0	0	0	0	5
Patio	0	0	0	0	0	0	0	0	0	0	0	0	0
Final	0	2	4	1	1	0	0	4	0	0	0	0	12
Red Tags	0	0	0	0	0	1	0	1	0	0	0	0	0
OTHERS	0	5	6	1	6	5	10	6	0	0	0	0	39
TOTAL	17	26	22	10	17	13	21	21	0	0	0	0	147

PARKS **Each Week** **Mowe Parks** **Direct Community Workers**

Do repairs at Community Center/Parks Set up for Planning and Counsel meetings Hand out door Hangars Repair water leaks

Power Outage