

*FIRE / EMS*

PO Box 291, 201 Center ST West Eatonville, WA 98328  
PHONE: 360-832-6931 Fax: 360-832-2931  
eatonvillefire@eatonville-wa.gov

***Monthly Report  
November 2012***

10 Fire  
2 Auto Accident  
33 Aid  
2 Service  
47 Total

Mutual aid responses with District 17 -- 10  
Mutual aid responses with District 23 -- 9  
Mutual aid response with District 21 -- 0  
Mutual aid responses with NPS -- 0

2011 YEAR TO DATE TOTAL -- 600  
2012 YEAR TO DATE TOTAL -- 609

Transports -- 20  
ALS -- 19  
BLS -- 1

2011 transports year to date -- 285  
2012 transports year to date -- 261

For the month of November the total amount billed for ambulance transports was \$27,291.88.

# Eatonville Fire Department


Eatonville, WA

This report was generated on 12/5/2012 9:19:26 AM



## Breakdown by Major Incident Types for Date Range

Start Date: 11/01/2012 | End Date: 11/30/2012



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	2	4.26%
Rescue & Emergency Medical Service	35	74.47%
Hazardous Condition (No Fire)	2	4.26%
Service Call	1	2.13%
Good Intent Call	7	14.89%
<b>TOTAL</b>	<b>47</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

**Detailed Breakdown by Incident Type**

<b>INCIDENT TYPE</b>	<b># INCIDENTS</b>	<b>% of TOTAL</b>
114 - Chimney or flue fire, confined to chimney or flue	1	2.13%
122 - Fire in motor home, camper, recreational vehicle	1	2.13%
300 - Rescue, EMS incident, other	1	2.13%
321 - EMS call, excluding vehicle accident with injury	32	68.09%
324 - Motor vehicle accident with no injuries.	2	4.26%
400 - Hazardous condition, other	1	2.13%
440 - Electrical wiring/equipment problem, other	1	2.13%
500 - Service Call, other	1	2.13%
611 - Dispatched & cancelled en route	5	10.64%
622 - No incident found on arrival at dispatch address	2	4.26%
<b>TOTAL INCIDENTS:</b>	<b>47</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

# Eatonville Fire Department

Eatonville, WA

This report was generated on 12/5/2012 9:16:28 AM



## Incident Type per Zone for Date Range

Start Date: 11/01/2012 | End Date: 11/30/2012

INCIDENT TYPE	# INCIDENTS
<b>Zone: 17 - South Pierce</b>	
114 - Chimney or flue fire, confined to chimney or flue	1
321 - EMS call, excluding vehicle accident with injury	6
324 - Motor vehicle accident with no injuries.	1
611 - Dispatched & cancelled en route	1
622 - No incident found on arrival at dispatch address	1

<b>Zone: 23 - Ashford/Elbe</b>	
122 - Fire in motor home, camper, recreational vehicle	1
300 - Rescue, EMS incident, other	1
321 - EMS call, excluding vehicle accident with injury	3
611 - Dispatched & cancelled en route	4

<b>Zone: 84 - Eatonville</b>	
321 - EMS call, excluding vehicle accident with injury	23
324 - Motor vehicle accident with no injuries.	1
400 - Hazardous condition, other	1
440 - Electrical wiring/equipment problem, other	1
500 - Service Call, other	1
622 - No incident found on arrival at dispatch address	1

Only REVIEWED incidents included

**Eatonville Police Department**  
**Incident NCIC=WA0270500**  
**And Incident Date Reported BETWEEN 11/01/2012**  
**And 11/30/2012**

**Incident Log Report**

**Printed On: Wed, Dec 05, 2012**

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2012000579	WA0270500	11/03/2012 12:14	E12	Juvenile Problem
2012000580	WA0270500	11/03/2012 15:03	E12	DWLS 3, Felony DOC Warrant
2012000581	WA0270500	11/04/2012 15:35	E12	DWLS 3
2012000582	WA0270500	11/05/2012 13:56	E7	DUI, DWLS 3
2012000583	WA0270500	11/05/2012 14:03	E5	Attempted Fraud
2012000584	WA0270500	11/05/2012 16:53	E5	Defiant Juvenile
2012000585	WA0270500	11/05/2012 16:54	E5	Defiant Juvenile
2012000586	WA0270500	11/08/2012 11:17	E4	Welfare check
2012000587	WA0270500	11/08/2012 19:49	ea7	DWLS 3
2012000588	WA0270500	11/09/2012 10:12	E4	Residential Burg, Theft 1
2012000589	WA0270500	11/13/2012 10:41	E4	Fraud
2012000590	WA0270500	11/15/2012 13:24	E4	Welfare check
2012000591	WA0270500	11/15/2012 20:38	ea7	Malicious Mischief, DV
2012000592	WA0270500	11/16/2012 11:50	E4	Motor Vehicle Theft
2012000593	WA0270500	11/16/2012 12:51	E4	Dog at large
2012000594	WA0270500	11/17/2012 10:24	E4	Criminal Trespass Notification
2012000595	WA0270500	11/19/2012 14:11	EA1	Theft 1
2012000596	WA0270500	11/19/2012 15:10	ea7	MVTR
2012000597	WA0270500	11/21/2012 03:54	E4	Suspicious Circumstance
2012000598	WA0270500	11/21/2012 05:53	E4	Burglary 2
2012000599	WA0270500	11/22/2012 01:46	E4	Collision, DUI
2012000600	WA0270500	11/22/2012 18:48	E5	Assault 4, DV
2012000601	WA0270500	11/23/2012 21:09	ea7	DUI, Reckless Driving
2012000602	WA0270500	11/26/2012 15:48	E5	Hold Up Alarm - False
2012000603	WA0270500	11/26/2012 19:49	E5	Juvenile Problem, Reckless Driving
2012000604	WA0270500	11/27/2012 09:45	E4	Vehicle Prowl 2
2012000605	WA0270500	11/27/2012 09:47	EA1	Malicious Mischief 3
2012000606	WA0270500	11/27/2012 10:55	E4	Burglary 2
2012000607	WA0270500	11/28/2012 10:51	E4	Vehicle Prowl 2
2012000608	WA0270500	11/28/2012 12:07	EA1	Agency Assist, PCSD, Interrupted Burglary

Eatonville Police Department

Incident Log Report

Printed On: Wed, Dec 05, 2012

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2012000609	WA0270500	11/29/2012 08:03	E4	Vehicle Prowl 2
2012000610	WA0270500	11/29/2012 11:12	E4	Vehicle Prowl 2
2012000611	WA0270500	11/29/2012 13:25	E4	Agency Assist, Seattle PD, Homicide Inv.
2012000612	WA0270500	11/29/2012 13:54	E4	UPCS MJ <

Total Records: 34

**Eatonville Police Department**  
**Citation NCIC=WA0270500**  
**And Citation Date Cited BETWEEN 11/01/2012**  
**And 11/30/2012**

**Citation Log Report**

**Printed On: Wed, Dec 05, 2012**

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
2Z0542432	WA0270500	11/22/2012 18:48	E5	Assault 4, DV
2Z0542433	WA0270500	11/22/2012 18:48	E5	Assault 4, DV
2Z0759560	WA0270500	11/11/2012 10:59	11	Speeding 40/25
C2Z0800536	WA0270500	11/3/2012 15:03	E12	DWLS 3
C2Z0800538	WA0270500	11/4/2012 15:35	E12	DWLS 3
C2Z0812893	WA0270500	11/5/2012 13:56	ea7	DUI, DWLS3
C2Z0812900	WA0270500	11/8/2012 19:49	ea7	DWLS 3
C2Z0866055	WA0270500	11/23/2012 21:09	ea7	DUI Minor, Reckless Driving
I2Z0295227	WA0270500	11/22/2012 01:46	E4	Collision / DUI
I2Z0708975	WA0270500	11/1/2012 16:36	ea7	Exp Tab >2, NoVol with ID
I2Z0716905	WA0270500	11/2/2012 09:26	E5	35/25, No Insurance
I2Z0716906	WA0270500	11/2/2012 10:01	E5	35/25, No Insurance
I2Z0800537	WA0270500	11/3/2012 15:03	E12	Def Exhaust, No Insurance, No reg
I2Z0800539	WA0270500	11/4/2012 15:35	E12	No Insurance
I2Z0812891	WA0270500	11/2/2012 16:05	ea7	Fail to Wear Seat Belt
I2Z0812892	WA0270500	11/5/2012 10:18	ea7	No Insurance, Def Windshield, Def Breaks
I2Z0812894	WA0270500	11/5/2012 13:56	ea7	No Insurance
I2Z0812895	WA0270500	11/7/2012 15:59	ea7	No Insurance, Fail to wear seat belt
I2Z0812896	WA0270500	11/7/2012 20:31	ea7	Defective Tail lights
I2Z0812898	WA0270500	11/7/2012 20:36	ea7	Fail to Wear Seat Belt
I2Z0812899	WA0270500	11/8/2012 19:49	ea7	No Insurance, Deft Tail Lights
I2Z0852529	WA0270500	11/22/2012 17:24	4	40/25, No Insurance
I2Z0866046	WA0270500	11/10/2012 15:22	ea7	Exp Tabs >2
I2Z0866047	WA0270500	11/12/2012 11:03	ea7	42/25
I2Z0866048	WA0270500	11/13/2012 23:14	ea7	Deft. Tail Lights, No Insurance
I2Z0866049	WA0270500	11/14/2012 15:55		Fail to Wear Seat Belt
I2Z0866050	WA0270500	11/15/2012 18:10	ea7	Fail to Wear Seat Belt
I2Z0866051	WA0270500	11/16/2012 17:13	ea7	Exp Tabs >2, No Insurance
I2Z0866052	WA0270500	11/16/2012 17:30	ea7	Exp Tabs >2, No Insurance
I2Z0866053	WA0270500	11/16/2012 21:35	ea7	Cell Phone While Driving, Fail to Stop
I2Z0866054	WA0270500	11/23/2012 21:10	ea7	No Seat Belt
I2Z0866056	WA0270500	11/23/2012 21:09	ea7	No Driver's License on Person
I2Z0866057	WA0270500	11/28/2012 17:53	ea7	Passing on Right, No Insurance

## **Eatonville Power & light**

Superintendent Dan Sharpe in men Nestor Sundita & Terry Moore

11-1-2012

Contractor starting 2 feeder

Pulled cable  
Splice cable  
Set lid on vault

Street light  
Fixed 4 st. lite

Subation work  
Hang recloser  
Put up cross arms

Reconnect & Disconnect  
15 disconnect  
11 reconnect

Town Outage  
Madrona & Maple tree limb on line

Town Square  
Christmas lite  
Garbage  
Change photo cell

Christmas light on Mashell

Dump garabge at parks

## Priority 1

- 11-5-12 Repair water leak on service line Washington South.**  
 Due Date: None  
 Category: Unfiled
- 11-7-12 Repair PRV on Hill Top. Fitting broke.**  
 Due Date: None  
 Category: Unfiled
- 11-7-12 Clean floors in the chemical room at the water plant.**  
 Due Date: None  
 Category: Unfiled
- 11-8-12 Check fire hydrants on the fire departments list. Order 12- 2.5" nozzle gaskets.**  
 Due Date: None  
 Category: Unfiled
- 11-9-12 Work and repair WWTP Stortorious scales at the lab. OK**  
 Due Date: None  
 Category: Unfiled
- 11-9-12 High flow fire hydrant on Bergern to get rock out of plug valve. Repaired**  
 Due Date: None  
 Category: Unfiled
- 11-9-12 Call for prices to give to Town on getting all the storz adapter the Fire Dept. wants. If not, Do not put on any more lists.**  
 Due Date: None  
 Category: Unfiled
- 11-7-12 Fix water leak on hilltop.**  
 Due Date: None  
 Category: Unfiled
- 11/13/12 Bring Kabota tractor back shop to get it ready for winter snow plowing.**  
 Due Date: None  
 Category: Unfiled
- 11-13-12 Show concrete reservoir roof to two contractors so far.**  
 Due Date: None  
 Category: Unfiled
- 11-13-12 Skim digester off.**  
 Due Date: None  
 Category: Unfiled
- 11-13-12 Generator man here to service and maintenance all four generators.**  
 Due Date: None  
 Category: Unfiled
- 11-13-12 Clean the moss off the roof of the instrument building at the concrete reservoir.**  
 Due Date: None  
 Category: Unfiled
- 11-14-15 Shut off water at airport hangers.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Finish and mail WWTP Mashell River temperature study.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Train new people at WTP and WWTP every day.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Monitor lagoon project.**  
 Due Date: None  
 Category: Unfiled
- 11-13-12 Put out late payment door hangers.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Sweep streets.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Start this month meter reads.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Get kabota tractor from airport and put blade on for snow.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Winterize weed sprayer.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Get all generators serviced.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Stir up snow removal salt and recover.**  
 Due Date: None  
 Category: Unfiled
- 11-15-12 Repair scales at WWTP.**  
 Due Date: None  
 Category: Unfiled

- 11-15-12 Hose SBR's.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Skim foam SBR's.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Change out UV lights.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Turn on water for house on Carriage Court.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Repair fire hydrant by Baptist church.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Every day checking hydrants and lines trying to find possible water leak. 30,000 gal per day missing.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Clean WTP.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Clean WWTP.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Call LDS church about possible water leak on their property.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Send out cross connection letters and update system.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Instal new water barh incubator.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Order WWTP lab supplies.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Check around to see if Palmer Const picked up all their stuff and fixed things they damaged.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Put soap in mill village lift station to breakdown the grease.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Change out air filters on blowers at WWTP.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Get pump for elect contractor working on feeder line.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Grouter sealing Raw Water basin at WTP.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Offload chemicals at WTP.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Go through fire dept hydrant list to fix issues with hydrants.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Meet with HD supply salesman to get 2.5" cap washers for hydrants.**  
Due Date: None  
Category: Unfiled
- 11-15-12 Get price for 10 Storz adadpters for hydrants.**  
Due Date: None  
Category: Unfiled
- 11-16-12 Clean tubes on meters at WTP.**  
Due Date: None  
Category: Unfiled
- 11-16-12 Get pump back from electrical contractor.**  
Due Date: None  
Category: Unfiled
- 11-16-12 Sweep streets.**  
Due Date: None  
Category: Unfiled
- 11-16-12 Continue meter reads.**  
Due Date: None  
Category: Unfiled
- 11-16-12 Clean soda ash line at WTP.**  
Due Date: None  
Category: Unfiled

- 11-16-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 11-19-12 Instal new stop sign base at Maple and Ridge.**  
Due Date: None  
Category: Unfiled
- 11-19-12 Help light dept with power outage on Madrona.**  
Due Date: None  
Category: Unfiled
- 11-19-12 Check and clean stormdrains during rain storm.**  
Due Date: None  
Category: Unfiled
- 11-19-12 Called out in night for WWTP alarms with UV channel.**  
Due Date: None  
Category: Unfiled
- 11-20-12 Paint booster pump bases at WTP.**  
Due Date: None  
Category: Unfiled
- 11-20-12 Fix leaking water line at WWTP Headworks.**  
Due Date: None  
Category: Unfiled
- 11-20-12 Investigate and try to stop leak in UV channel at WWTP.**  
Due Date: None  
Category: Unfiled
- 11-20-12 Revue alternative water source documents.**  
Due Date: None  
Category: Unfiled
- 11-20-12 Continue water power meter reads.**  
Due Date: None  
Category: Unfiled
- 11-21-12 Run multiple CIP's at WTP.**  
Due Date: None  
Category: Unfiled
- 11-21-12 Continue meter reads.**  
Due Date: None  
Category: Unfiled
- 11-22-12 Plant testing on holiday.**  
Due Date: None  
Category: Unfiled
- 11-23-12 Plant testing on holiday.**  
Due Date: None  
Category: Unfiled
- 11-25-12 Call in pick up multiple dead animals on street.**  
Due Date: None  
Category: Unfiled
- 11-25-12 Repair AV004 valve indicator at the water plant.**  
Due Date: None  
Category: Unfiled
- 11-26-12 Repair phosphoric acid pump sucking air.**  
Due Date: None  
Category: Unfiled
- 11-29-12 John Ryding with DOH coming to look at WTP.**  
Due Date: None  
Category: Unfiled
- 11-28-12 Check parks to see if water meters can be turned off.**  
Due Date: None  
Category: Unfiled
- 11-28-12 Clean WTP.**  
Due Date: None  
Category: Unfiled
- 11-28-12 Check monitoring basin at WTP for leaks.**  
Due Date: None  
Category: Unfiled
- 11-28-12 Sweep streets.**  
Due Date: None  
Category: Unfiled
- 11-28-12 Fill pot holes hilltop and Antonie.**  
Due Date: None  
Category: Unfiled
- 11-28-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 11-29-12 Fix leak at WTP.**  
Due Date: None  
Category: Unfiled
- 11-30-12 Put out baracades for parade.**  
Due Date: None  
Category: Unfiled
- 11-30-12 Get light ready for parade.**  
Due Date: None  
Category: Unfiled