

**Eatonville Police Department**  
**Incident NCIC=WA0270500**  
**And Incident Date Reported BETWEEN 11/01/2013**  
**And 11/30/2013**

**Printed On: Tue, Dec 03, 2013**

**Incident Log Report**

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2013000399	WA0270500	11/01/2013 20:47	ea7 - Anderson, Shauna	Agency Assist, EFD Transport
2013000400	WA0270500	11/02/2013 18:24	ea7 - Anderson, Shauna	Theft of Firearm
2013000401	WA0270500	11/04/2013 07:49	ea7 - Anderson, Shauna	DWLS 3, Fail to Transfer Title
2013000402	WA0270500	11/05/2013 17:32	ea7 - Anderson, Shauna	Involuntary Commit
2013000403	WA0270500	11/06/2013 17:53	ea7 - Anderson, Shauna	Assault 4 DV
2013000404	WA0270500	11/08/2013 11:23	E4 - Case, Bruce	Paper Service
2013000405	WA0270500	11/09/2013 16:13	ea7 - Anderson, Shauna	MVC, Non-Injury
2013000406	WA0270500	11/09/2013 21:44	ea7 - Anderson, Shauna	Suicidal Subject
2013000407	WA0270500	11/10/2013 08:20	E4 - Case, Bruce	Burglary 2
2013000408	WA0270500	11/10/2013 14:35	E4 - Case, Bruce	DWLS 3, 64/50, No Insurance
2013000409	WA0270500	11/10/2013 16:23	E4 - Case, Bruce	Found Marijuana
2013000410	WA0270500	11/10/2013 18:05	E5 - Wade, Johnny	Entering Parks After Dark
2013000411	WA0270500	11/11/2013 13:13	ea7 - Anderson, Shauna	Theft 3
2013000412	WA0270500	11/11/2013 20:28	E5 - Wade, Johnny	Malicious Mischief
2013000413	WA0270500	11/12/2013 14:40	E4 - Case, Bruce	Fraud
2013000414	WA0270500	11/14/2013 10:21	E4 - Case, Bruce	FACR
2013000415	WA0270500	11/14/2013 13:47	E4 - Case, Bruce	CPS Referral
2013000416	WA0270500	11/14/2013 17:22	ea7 - Anderson, Shauna	Paper Service
2013000417	WA0270500	11/15/2013 07:44	E4 - Case, Bruce	Suspicious Circumstance
2013000418	WA0270500	11/15/2013 12:43	E4 - Case, Bruce	Runaway
2013000419	WA0270500	11/15/2013 14:37	E4 - Case, Bruce	theft 2
2013000420	WA0270500	11/15/2013 17:42	ea7 - Anderson, Shauna	Assault 2
2013000421	WA0270500	11/16/2013 20:06	11 - Smith, Robin	DUI
2013000422	WA0270500	11/17/2013 18:20	E5 - Wade, Johnny	CPS Referral
2013000423	WA0270500	11/19/2013 08:32	E4 - Case, Bruce	Fraud
2013000424	WA0270500	11/19/2013 11:25	E4 - Case, Bruce	CPS Referral, Protective Custody
2013000426	WA0270500	11/20/2013 09:57	ea7 - Anderson, Shauna	Criminal Trespass Order
2013000427	WA0270500	11/20/2013 16:54	E5 - Wade, Johnny	Paper Service
2013000428	WA0270500	11/22/2013 11:24	E4 - Case, Bruce	Trespass Notification
2013000429	WA0270500	11/22/2013 22:57	ea7 - Anderson, Shauna	Threats

# Eatonville Police Department

## Incident Log Report

Printed On: Tue, Dec 03, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2013000430	WA0270500	11/23/2013 17:58	ea7 - Anderson, Shauna	DWLS 3
2013000431	WA0270500	11/25/2013 17:57	E5 - Wade, Johnny	Welfare Check
2013000432	WA0270500	11/25/2013 18:37	E5 - Wade, Johnny	Theft of bike
2013000433	WA0270500	11/27/2013 21:05	E5 - Wade, Johnny	Welfare Check
2013000434	WA0270500	11/28/2013 17:10	E5 - Wade, Johnny	Paper Service
2013000435	WA0270500	11/28/2013 19:30	ea7 - Anderson, Shauna	DWLS 3
2013000436	WA0270500	11/29/2013 15:21	E11 -	Agency Assist, EFD
2013000437	WA0270500	11/29/2013 19:13	E11 -	DWLS 3
2013000438	WA0270500	11/30/2013 09:21	E4 - Case, Bruce	Animal at large

Total Records: 39

**Eatonville Police Department**  
**Citation NCIC=WA0270500**  
**And Citation Date Cited BETWEEN 11/01/2013**  
**And 11/30/2013**

**Citation Log Report**

**Printed On: Tue, Dec 03, 2013**

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C3Z0848486	WA0270500	11/4/2013 07:49	ea7 - Anderson, Shauna	DWLS 3, (Exp Tabs>, No Ins, No Seat Blt)
C3Z0848487	WA0270500	11/4/2013 07:49	ea7 - Anderson, Shauna	Fail to Transfer Title (Exp Tabs >)
C3Z0848493	WA0270500	11/16/2013 20:06	11 - Smith, Robin	DUI
C3Z0852764	WA0270500	11/10/2013 14:35	E4 - Case, Bruce	DWLS 3 (64/50, No Ins)
C3Z0869587	WA0270500	11/6/2013 17:53	ea7 - Anderson, Shauna	Assault 4, DV
C3Z0944008	WA0270500	11/11/2013 13:13	ea7 - Anderson, Shauna	Theft 3
C3Z0958635	WA0270500	11/29/2013 19:13	11 - Smith, Robin	DWLS 3 (38/25, Exp Tabs>, No Ins)
C3Z0967192	WA0270500	11/23/2013 17:58	ea7 - Anderson, Shauna	DWLS 3 (Def Tail Lights, No Ins)
C3Z0984879	WA0270500	11/28/2013 19:30	ea7 - Anderson, Shauna	DWLS 3 (Open Container, No Ins, Def Lit)
C7576	WA0270500	11/10/2013 18:05	E5 - Wade, Johnny	Entering Parks After Dark
C7577	WA0270500	11/10/2013 18:05	E5 - Wade, Johnny	Entering Parks After Dark
I3Z0848485	WA0270500	11/4/2013 07:49	ea7 - Anderson, Shauna	No Ins, No Seatbelt, Exp Tabs>, (DWLS 3)
I3Z0848488	WA0270500	11/12/2013 17:51	ea7 - Anderson, Shauna	Def Tail lights, No insurance
I3Z0848489	WA0270500	11/13/2013 15:01	ea7 - Anderson, Shauna	Smoking in Park
I3Z0848490	WA0270500	11/13/2013 15:03	ea7 - Anderson, Shauna	Smoking in Park
I3Z0848491	WA0270500	11/16/2013 01:14	ea7 - Anderson, Shauna	Fail to Stop at Signal
I3Z0848492	WA0270500	11/16/2013 20:06	11 - Smith, Robin	37/25 (DUI)
I3Z0848494	WA0270500	11/19/2013 19:18	ea7 - Anderson, Shauna	NVOL/with ID, No Ins, Fail to Signal
I3Z0848495	WA0270500	11/20/2013 13:27	ea7 - Anderson, Shauna	Broken Windshield, No Insurance
I3Z0852763	WA0270500	11/10/2013 14:35	E4 - Case, Bruce	64/50, No Insurance (DWLS 3)
I3Z0958634	WA0270500	11/29/2013 19:13	11 - Smith, Robin	38/25, Exp Tabs>, No Ins (DWLS 3)
I3Z0967190	WA0270500	11/21/2013 20:08	ea7 - Anderson, Shauna	Def Tail lights, No Insurance, NVOL/ID
I3Z0967191	WA0270500	11/23/2013 17:58	ea7 - Anderson, Shauna	Def Tail Lights, No Insurance (DWLS 3)
I3Z0967193	WA0270500	11/25/2013 11:12	ea7 - Anderson, Shauna	Exp Tabs >2, No License on Person, No In
I3Z0967194	WA0270500	11/26/2013 21:56	ea7 - Anderson, Shauna	Negligent Driving 2
I3Z0984878	WA0270500	11/28/2013 19:30	ea7 - Anderson, Shauna	Def Tail Light, Open Container, No Ins

*FIRE & RESCUE*

PO Box 291, 201 Center ST West Eatonville, WA 98328  
PHONE: 360-832-6931 Fax: 360-832-2931  
eatonvillefire@eatonville-wa.gov

***Monthly Report  
November 2013***

10 Fire  
4 Auto Accident  
43 Aid  
2 Service  
59 Total

Mutual aid responses with District 17 -- 14  
Mutual aid responses with District 23 -- 7  
Mutual aid response with District 21 -- 0  
Mutual aid responses with NPS -- 0

2012 YEAR TO DATE TOTAL -- 609  
2013 YEAR TO DATE TOTAL -- 644

Transports -- 28  
ALS -- 22  
BLS -- 6

2012 transports year to date -- 261  
2013 transports year to date -- 289

For the month of November the total amount billed for ambulance transports was \$37,166.80

Total amount billed for ambulance transports to date -- \$392,050.22

# Eatonville Fire Department


Eatonville, WA

This report was generated on 12/2/2013 5:06:07 PM



## Breakdown by Major Incident Types for Date Range

Start Date: 11/01/2013 | End Date: 11/30/2013



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	3	5.08%
Rescue & Emergency Medical Service	47	79.66%
Hazardous Condition (No Fire)	2	3.39%
Service Call	3	5.08%
Good Intent Call	4	6.78%
<b>TOTAL</b>	<b>59</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

**Detailed Breakdown by Incident Type**

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	2	3.39%
118 - Trash or rubbish fire, contained	1	1.69%
321 - EMS call, excluding vehicle accident with injury	43	72.88%
322 - Motor vehicle accident with injuries	1	1.69%
324 - Motor vehicle accident with no injuries.	3	5.08%
400 - Hazardous condition, other	1	1.69%
444 - Power line down	1	1.69%
500 - Service Call, other	1	1.69%
511 - Lock-out	1	1.69%
561 - Unauthorized burning	1	1.69%
611 - Dispatched & cancelled en route	3	5.08%
622 - No incident found on arrival at dispatch address	1	1.69%
<b>TOTAL INCIDENTS:</b>	<b>59</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

# Eatonville Fire Department

Eatonville, WA

This report was generated on 12/2/2013 5:06:37 PM



## Incident Type per Zone for Date Range

Start Date: 11/01/2013 | End Date: 11/30/2013

INCIDENT TYPE	# INCIDENTS
<b>Zone: 17 - South Pierce</b>	
111 - Building fire	2
321 - EMS call, excluding vehicle accident with injury	6
324 - Motor vehicle accident with no injuries.	1
400 - Hazardous condition, other	1
444 - Power line down	1
611 - Dispatched & cancelled en route	2
622 - No incident found on arrival at dispatch address	1

<b>Zone: 23 - Ashford/Elbe</b>	
321 - EMS call, excluding vehicle accident with injury	6
322 - Motor vehicle accident with injuries	1

<b>Zone: 84 - Eatonville</b>	
118 - Trash or rubbish fire, contained	1
321 - EMS call, excluding vehicle accident with injury	31
324 - Motor vehicle accident with no injuries.	2
500 - Service Call, other	1
511 - Lock-out	1
561 - Unauthorized burning	1
611 - Dispatched & cancelled en route	1

Only REVIEWED incidents included

NOVEMBER 2013 – MONTHLY REPORT      Eatonville Power& Light

Superintendent Dan Sharpe linemen Nestor Sundita apprentice Jesse Carroll

Power

Hooked up 304 oak

Removed power line and put back at house on alder cut off

Substation maintenance

Temp. Meter hookups at 485 lynch st.

St.lights

Fixed or repaired 7 street lights

Disconnect & Reconnect

8 shut-offs

Reconnect 3

Disconnect 3

Misc.

Picked up and removed garbage at parks

Picked up sweeper from kent

Helped water department 300 water tank

Safety meeting

FEMA training

Helped with storm clean out

Picked up truck for snow plow

Trimmed trees

Nov. 2013

# To Do List for Water and Sewer

All Items

## Priority 1

**11-1-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-1-13 Hose SBR's.**

Due Date: None  
Category: Wastewater

**11-1-13 Finish and mail WTP monthly report.**

Due Date: None  
Category: Water

**11-1-13 Work on water shop truck leaking axle seals.**

Due Date: None  
Category: Water/Sewer

**11-2-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-2-13 Rake bar screen.**

Due Date: None  
Category: Wastewater

**11-1-13 Pick up sweeper from Kent.**

Due Date: None  
Category: Streets

**11-1-13 Sweep streets.**

Due Date: None  
Category: Streets

**11-3-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-3-13 Alarm at 11:00 pm for reservoir high level. Discovered failing PRV valve let Dow reservoir push water into 300,000 reservoir.**

Due Date: None  
Category: Water

**11-4-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-4-13 Get skid steer running.**

Due Date: None  
Category: Water/Sewer

**11-4-13 Finalize checklist for lift station repair job.**

Due Date: None  
Category: Wastewater

**11-4-13 Take shop truck in for repairs.**

Due Date: None  
Category: Water/Sewer

**11-4-13 Hose SBR's.**

Due Date: None  
Category: Wastewater

**11-5-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-5-13 Training at WTP.**

Due Date: None  
Category: Water

**11-6-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-6-13 Work with Pease and sons to refurbish and repair Mill Village Lift station.**

Due Date: None  
Category: Wastewater

**11-6-13 Order plow for shop truck.**

Due Date: None  
Category: Water/Sewer

**11-6-13 Pick up shop truck from repair shop.**

Due Date: None  
Category: Water/Sewer

**11-7-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11-7-13 work on leaking raw water pipe at WTP.**

Due Date: None  
Category: Water

**11-7-13 Clean up old water pump house.**

Due Date: None  
Category: Water

**11-7-13 Fit boxes for valves at lift station.**

Due Date: None  
Category: Wastewater

**11-8-13 Water and Wastewater daily lab testing and system checks.**

Due Date: None  
Category: Water/Sewer

**11/15/13 Doing 2 CIPs per day on backwash skid.**

Due Date: None  
Category: Water

- 11/15/13 Add two more layers of fiber glass to repair of 8 inch raw water supply pipe to filters. Broken and leaking. Can save spare parts now.**  
 Due Date: None  
 Category: Water
- 11/14/13 Run both plants and do all required testing. everyone training.**  
 Due Date: None  
 Category: Water/Sewer
- 11/15/13 Check Hillagoss PRV valve not leaking.**  
 Due Date: None  
 Category: Water
- 11/18/13 Hose tanks after all daily tests water and wastewater plant tests.**  
 Due Date: None  
 Category: Wastewater
- 11/18/13 Multiple CIPs on WTP backwash skid. Something keeps plugging it up.**  
 Due Date: None  
 Category: Water
- 11/18/13 Change Phosphoric Acid barrels.**  
 Due Date: None  
 Category: Water
- 11/18/13 Power outage get everthing running correctly again.**  
 Due Date: None  
 Category: Water/Sewer
- 11/19/13 Calibrate ph meter at WWTP.**  
 Due Date: None  
 Category: Wastewater
- 11-20-13 Water and Wastewater daily lab testing and system checks.**  
 Due Date: None  
 Category: Water/Sewer
- 11-20-13 Finish reading meters.**  
 Due Date: None  
 Category: Water/Sewer
- 11-20-13 Hose SBR's.**  
 Due Date: None  
 Category: Wastewater
- 11-20-13 Work on cross connection system.**  
 Due Date: None  
 Category: Water
- 11-21-13 Water and Wastewater daily lab testing and system checks.**  
 Due Date: None  
 Category: Water/Sewer
- 11-21-13 Check heat tapes and shut off/winterize water and wastewater plants.**  
 Due Date: None  
 Category: Water/Sewer
- 11-21-13 Look at probelm storm catch basin in alley behind Mashell.**  
 Due Date: None  
 Category: Storm
- 11-21-13 Work on AV004 on filters at WTP.**  
 Due Date: None  
 Category: Water
- 11-21-13 Run multiple CIP's on backwash skid to try and get cleaned up.**  
 Due Date: None  
 Category: Water
- 11-21-13 Clean bar screen at WWTP.**  
 Due Date: None  
 Category: Wastewater
- 11-22-13 Water and Wastewater daily lab testing and system checks.**  
 Due Date: None  
 Category: Water/Sewer
- 11-22-13 Try and figure out why alarm dialer not working at WWTP. Turns out it is Rainierconnect phone problem.**  
 Due Date: None  
 Category: Wastewater
- 11-22-13 Digester sludge pump burned up at WWTP. Pull and clean pump to send in for repair.**  
 Due Date: None  
 Category: Wastewater
- 11-22-13 Revalve WWTP to waste sludge to lagoon while digester pump down.**  
 Due Date: None  
 Category: Wastewater
- 11-22-13 Work on heat sensor problem at APP lift station.**  
 Due Date: None  
 Category: Wastewater
- 11-23-13 Water and Wastewater daily lab testing and system checks.**  
 Due Date: None  
 Category: Water/Sewer
- 11-24-13 Water and Wastewater daily lab testing and system checks.**  
 Due Date: None  
 Category: Water/Sewer
- 11-25-13 Water and Wastewater daily lab testing and system checks.**  
 Due Date: None  
 Category: Water/Sewer

- 11-25-13 Order lab supplies for WWTP.**  
Due Date: None  
Category: Wastewater
- 11-25-13 Offload chemical delivery at WTP.**  
Due Date: None  
Category: Water
- 11-25-13 Help set up community center for council meeting.**  
Due Date: None  
Category: Town Hall
- 11-25-13 Use sweeper suction hose to clean storm catch basins that are full.**  
Due Date: None  
Category: Storm
- 11-25-13 Investigate how to get parts for leaking Bray valves at WTP.**  
Due Date: None  
Category: Water
- 11-25-13 Load easy-pave in hot box for use.**  
Due Date: None  
Category: Streets
- 11/26/13 Finish loading and ready to go out hot box.**  
Due Date: None  
Category: Streets
- 11/26/13 Heat tapes on all WWTP Headworks piping.**  
Due Date: None  
Category: Wastewater
- 11/26/13 Heat tape on 4 in waste line from lagoon.**  
Due Date: None  
Category: Wastewater
- 11/26/13 Drain and put RV antifreeze in street chemical pump. Good for winter.**  
Due Date: None  
Category: Streets
- 11/26/13 Ceck flow and chlorine residuals of all reservoirs.**  
Due Date: None  
Category: Water
- 11/26/13 Full CIP on backwash skid. Two of them river dirtied up.**  
Due Date: None  
Category: Water

# Building Department Activity 2013

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	0	0	4	5	5	4	3	3	9	3	0	38
Foundation	0	0	0	1	3	3	2	7	5	3	11	0	35
Footing drains	0	0	0	0	1	5	0	4	2	1	3	0	16
Floor Framing	0	0	0	1	1	4	0	2	1	0	4	0	13
Shearwall	0	0	0	0	1	3	0	0	2	4	3	0	13
Sewer	0	0	0	0	1	0	0	1	2	2	0	0	6
Water	0	0	0	0	1	2	0	1	4	0	0	0	8
Storm	0	0	2	1	1	2	0	1	2	1	0	0	10
Framing	2	0	0	0	1	1	5	1	2	3	4	0	19
Plumbing	2	2	0	0	2	1	5	1	4	5	8	0	30
Mechanical	2	1	2	1	1	1	6	1	2	2	6	0	25
Insulation	1	1	0	0	1	0	1	1	2	1	3	0	11
Sheetrock	0	0	0	0	1	0	5	1	0	2	4	0	13
Patio	0	0	0	0	0	0	1	1	2	0	2	0	6
Final	1	1	0	0	0	1	1	5	3	5	1	0	18
Red Tags	1	0	0	1	0	0	0	0	1	1	2	0	6
OTHERS	5	6	7	6	6	5	8	16	15	13	15	0	102
<b>TOTAL</b>	<b>16</b>	<b>11</b>	<b>11</b>	<b>15</b>	<b>26</b>	<b>33</b>	<b>38</b>	<b>46</b>	<b>52</b>	<b>52</b>	<b>69</b>	<b>0</b>	<b>369</b>

Planning and Counsel meetings  
11 Hand out door Hangars

STAFF TAKEN	6	0	3	13	24	13	3	11	17	34	3	0	103
-------------	---	---	---	----	----	----	---	----	----	----	---	---	-----