

FIRE & RESCUE

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931

Monthly Report
July 2015

25 Fire
2 Auto Accident
58 Aid
1 Service
86 *Total*

Mutual aid responses with District 17 -- 30
Mutual aid responses with District 23 -- 12
Mutual aid responses with District 21 -- 0
Mutual aid responses with Mineral - 0
Mutual aid responses with NPS -- 1

2014 YEAR TO DATE TOTAL -- 465
2015 YEAR TO DATE TOTAL -- 482

Transports -- 33
ALS -- 25
BLS -- 8

2014 transports year to date -- 213
2015 transports year to date -- 208

For the month of July the total amount billed for ambulance transports was \$42,953.60 .

Eatonville Fire Department


Eatonville, WA

This report was generated on 8/4/2015 1:33:21 PM



Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 07/01/2015 | End Date: 07/31/2015



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	7	8.14%
Rescue & Emergency Medical Service	60	69.77%
Service Call	1	1.16%
Good Intent Call	17	19.77%
False Alarm & False Call	1	1.16%
TOTAL	86	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department

Eatonville, WA

This report was generated on 8/4/2015 1:38:09 PM



Incident Type per Zone for Date Range

Start Date: 07/01/2015 | End Date: 07/31/2015

INCIDENT TYPE	# INCIDENTS
Zone: 17 - South Pierce	
111 - Building fire	1
130 - Mobile property (vehicle) fire, other	1
141 - Forest, woods or wildland fire	1
150 - Outside rubbish fire, other	1
300 - Rescue, EMS incident, other	2
321 - EMS call, excluding vehicle accident with injury	11
323 - Motor vehicle/pedestrian accident (MV Ped)	1
324 - Motor vehicle accident with no injuries.	1
356 - High-angle rescue	1
600 - Good intent call, other	2
611 - Dispatched & cancelled en route	7
650 - Steam, other gas mistaken for smoke, other	1

Zone: 23 - Ashford/Elbe	
300 - Rescue, EMS incident, other	1
321 - EMS call, excluding vehicle accident with injury	6
611 - Dispatched & cancelled en route	5

Zone: 84 - Eatonville	
131 - Passenger vehicle fire	1
143 - Grass fire	1
150 - Outside rubbish fire, other	1
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	35
511 - Lock-out	1
611 - Dispatched & cancelled en route	2
730 - System malfunction, other	1

Zone: NPS - National Park Service	
321 - EMS call, excluding vehicle accident with injury	1

Only REVIEWED incidents included



emergencyreporting.com

Doc Id: 384

Page # 1

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT JULY 2015

COMMUNITY CENTER		
DATE	ACTIVITY	RENTAL FEE
07/04/15	Youth Connection	n/a
07/08/15	Youth Connection	n/a
07/13/15	Town Council	n/a
07/15/15	Eatonville Family Agency	n/a
07/16/15	Eatonville Family Agency	n/a
07/18/15	Youth Connection	n/a
07/20/15	Planning Commission	n/a
07/24/15	Youth Connection	n/a
07/27/15	Town Council	n/a
GLACIER PARK		
DATE	ACTIVITY	RENTAL FEE
07/01/15	Reservation, PSIA	n/a
07/02/15	PSIA	n/a
07/04/15	Reservation	n/a
07/07/15	PSIA	n/a
07/08/15	Reservation, PSIA	n/a
07/09/15	PSIA	n/a
07/12/15	Reservation	n/a
07/14/15	PSIA	n/a
07/15/15	Reservation, PSIA	n/a
07/16/15	PSIA	n/a
07/17/15	PSIA	n/a
07/19/15	Reservation	\$35.00
07/21/15	PSIA	n/a
07/22/15	Reservation, PSIA	n/a
07/23/15	PSIA	n/a
07/25/15	Reservation	\$35.00
07/28/15	PSIA	n/a
07/29/15	Reservation, PSIA	n/a
07/30/15	PSIA	n/a
07/31/15	PSIA	n/a
VISITOR CENTER		
DATE	ACTIVITY	RENTAL FEE
07/02/15	Jr. Cruisers	n/a
07/07/15	Public Safety Committee	n/a
07/07/15	Upper Heritage Meeting	n/a
07/14/15	Finance Committee	n/a
07/14/15	Public Utilities Committee	n/a
07/16/15	Chamber of Commerce	n/a
07/20/15	Dollars for Scholars	n/a
07/28/15	Parks/Cemetery Meeting	n/a
07/30/15	Ramrod	n/a

Eatonville Power & Light

Superintendent Dan Sharpe Linemen Nestor Sundita Jesse Carroll

July 2015

Reconnect & Disconnect

Reconnect 14

Disconnect 16

Power locates

Located power 5

Parks

Picked up garbage

Clean parks

Banners

Took down and put up banners

Power repairs and outages

Trim trees

Line work on Center Street

Blown fuse on bergren

Repaired street lights

Change out crossarm

Misc.

Help water crew fix leaks

Community center work

Street lights

Set up for 4th July

Set up for rod knockers

Priority 1

- 7-1-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-1-15 Clean river intake 2X.**
Due Date: None
Category: Water
- 7-1-15 Check lift stations.**
Due Date: None
Category: Wastewater
- 7-1-15 Manually run reservoir booster pumps off peak times.**
Due Date: None
Category: Water
- 7-2-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-2-15 Put out supplies and set up for fourth of July stuff.**
Due Date: None
Category: Parks
- 7-2-15 Manually run WTP to keep supply full.**
Due Date: None
Category: Water
- 7-3-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-3-15 Keep close eye on water during very high demand.**
Due Date: None
Category: Water
- 7-4-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-4-15 Work late to keep levels full for fire danger.**
Due Date: None
Category: Water
- 7-5-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-5-15 Pick up baracades left in street from parade.**
Due Date: None
Category: Streets

- 7-5-15 Work late monitoring water levels. Very high demand.**
Due Date: None
Category: Water
- 7-6-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-6-15 Fix sewer plug on Oak st.**
Due Date: None
Category: Wastewater
- 7-6-15 Put out late payment door knockers.**
Due Date: None
Category: Water/Sewer
- 7-6-15 Run multiple CIP's to clean backwash skid at WTP.**
Due Date: None
Category: Water
- 7-6-15 Clean river intake 2X every day.**
Due Date: None
Category: Water
- 7-6-15 Run extra manual CIP acid on filter 2 to try to get cleaner.**
Due Date: None
Category: Water
- 7-7-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-7-15 Clean APP lift station and investigate alarm.**
Due Date: None
Category: Wastewater
- 7-7-15 Fix broken sprinkler heads at Town Square.**
Due Date: None
Category: Parks
- 7-7-15 Run manual extra acid CIP on filter 2 at WTP.**
Due Date: None
Category: Water
- 7-8-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-8-15 Manually fill reservoirs during off peak times.**
Due Date: None
Category: Water
- 7-8-15 Change cl-17 bottles at concrete reservoir.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 7-8-15 Clean up mess and damage in park bathroom.**
Due Date: None
Category: Parks
- 7-8-15 Move stage to school for relay for life.**
Due Date: None
Category: Parks
- 7-9-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-9-15 Clean river 2x morning and afternoon every day.**
Due Date: None
Category: Water
- 7-9-15 Manually fill reservoirs during off peak times.**
Due Date: None
Category: Water
- 7-9-15 Fix water leak on Wash Ave S.**
Due Date: None
Category: Water
- 7-9-15 Fix water leak by cemetery.**
Due Date: None
Category: Water
- 7-9-15 Work on burned up motor at WWTP.**
Due Date: None
Category: Wastewater
- 7-9-15 Meet with consultant to look at WWTP equipment.**
Due Date: None
Category: Wastewater
- 7-10-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-10-15 Mow grass.**
Due Date: None
Category: Parks
- 7-10-15 Set up stage for relay for life.**
Due Date: None
Category: Parks
- 7-10-15 Clean river intake 2x.**
Due Date: None
Category: Water
- 7-10-15 Work on river intake dam.**
Due Date: None
Category: Water
- 7-11-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-12-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-13-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-13-15 Spray weeds around town.**
Due Date: None
Category: Streets
- 7-13-15 Work on door at community center.**
Due Date: None
Category: Town Hall
- 7-13-15 Dig cremation grave at cemetery.**
Due Date: None
Category: Cemetery
- 7-13-15 Run manual "standard acid CIP" on filter 2 at WTP to clean.**
Due Date: None
Category: Water
- 7-13-15 Get info from burned up motor on grit screw.**
Due Date: None
Category: Wastewater
- 7/20/15 Install new cyclone grit removal drive motor.**
Due Date: None
Category: Wastewater
- 7/20/15 Dye test house no. 585 Eatonville Highway for sewer connection. Turned green on sewer.**
Due Date: None
Category: Wastewater
- 7/21/15 Pull raw water pump no. 2 and send in with Center Electric for rebuild or whatever emergency repair. Price from them for new backup pump of flygt or another brand.**
Due Date: None
Category: Water
- 7/21/15 Clean river two times.**
Due Date: None
Category: Water
- 7/21/15 Check APP lift station two times a day. filling alarm depth without without alarming**
Due Date: None
Category: Wastewater
- 7/21/15 Hose SBR tanks.**
Due Date: None
Category: Wastewater
- 7/21/15 Two CIP on backwash skid.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 7/21/15 Repair vibrating on the cyclone grit removal system. Plugged up.**

Due Date: None
Category: Wastewater

- 7/21/15 Manual acid cip on filter skid no. 2 .**

Due Date: None
Category: Water

- 7/21/15 Check bathrooms. OK**

Due Date: None
Category: Parks

- 7/23/15 Install repaired no. 2 raw water pump at the water plant.**

Due Date: None
Category: Water

- 7/23/15 Change oil in no. 2 blower at the WWTP.**

Due Date: None
Category: Wastewater

- 7/23/15 Clean river intake two times because of leaves.**

Due Date: None
Category: Water

- 7/23/15 Water and Wastewater testing and data recorded.**

Due Date: None
Category: Water/Sewer

- 7/23/15 Make list for Siemens representative to work on Monday on the water plant.**

Due Date: None
Category: Water

- 7/23/15 Inspect all 3 lift station and clean Malcoms. Greased up**

Due Date: None
Category: Wastewater

- 7/25/15 Weekend clean river intakes two times. Wade river.**

Due Date: None
Category: Water

- 7/25/15 All water and wastewater testing and data recorded.**

Due Date: None
Category: Wastewater

- 7/25/15 Two CIP on the backwash filter skid.**

Due Date: None
Category: Water

- 7/25/15 Pick up limbs someone lost in the road and put in brush area.**

Due Date: None
Category: Streets

- 7-24-15 Water and wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 7-24-15 Mow grass in parks.**

Due Date: None
Category: Parks

- 7-24-15 Work on park bathroom.**

Due Date: None
Category: Parks

- 7-24-15 Work with BAT tester to get backflow devices tested.**

Due Date: None
Category: Water

- 7-24-15 Check possible water leak on Hilligoss.**

Due Date: None
Category: Water

- 7-24-15 Work on Wildrose Drv signs.**

Due Date: None
Category: Streets

- 7-24-15 Work on APP lift station problems.**

Due Date: None
Category: Wastewater

- 7-24-15 Hose SBR's.**

Due Date: None
Category: Wastewater

- 7-24-15 Hose and clean WTP.**

Due Date: None
Category: Water

- 7-24-15 Change acid barrels at WTP.**

Due Date: None
Category: Water

- 7-27-15 Water and wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 7-27-15 Get sprayer fixed and ready to spray around WTP and trail.**

Due Date: None
Category: Water

- 7-27-15 Mow and weedwack around WTP.**

Due Date: None
Category: Water

- 7-27-15 Work with Evoqua service tech on water filter issues at WTP.**

Due Date: None
Category: Water

- 7-27-15 Clean river intake 2X every day.**

Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 7-27-15 Brush hog grass around town.**
Due Date: None
Category: Streets
- 7-27-15 Spray weeds at WTP.**
Due Date: None
Category: Water
- 7-27-15 Get paperwork and sample bottles ready and filled out for 20 lead and copper tests around town.**
Due Date: None
Category: Water
- 7-28-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-28-15 Mow grass in parks.**
Due Date: None
Category: Water
- 7-28-15 Put out twenty Lead & Copper samples for testing.**
Due Date: None
Category: Water
- 7-28-15 Run ACH transfer pump at WTP.**
Due Date: None
Category: Water
- 7-28-15 Calibrate and work on filter pH probes at WTP.**
Due Date: None
Category: Water
- 7-28-15 Cold patch water line replacement area on Wash Ave S.**
Due Date: None
Category: Water
- 7-28-15 Make signs and get sprayer ready to spray area marked by Pierce County weed guy on trail.**
Due Date: None
Category: Parks
- 7-28-15 Clean river intake screens.**
Due Date: None
Category: Water
- 7-29-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-29-15 Investigate and order new replacement pH transmitter for filter 2 at WTP. to replace unit that is failing.**
Due Date: None
Category: Water
- 7-29-15 Offload salt delivery at WTP.**
Due Date: None
Category: Water
- 7-29-15 Go around and try and collect lead and copper samples. will try every day unit all samples returned from customers.**
Due Date: None
Category: Water
- 7-29-15 Mow grass in parks.**
Due Date: None
Category: Parks
- 7-29-15 Get spray and sprayer ready for project.**
Due Date: None
Category: Streets
- 7-29-15 Clean river intake screens.**
Due Date: None
Category: Water
- 7-29-15 Run manual acid wash on Filter 2 due to bad pH meter.**
Due Date: None
Category: Water
- 7-29-15 Hose SBR's**
Due Date: None
Category: Wastewater
- 7-29-15 Hose Headworks.**
Due Date: None
Category: Wastewater
- 7-29-15 Clean WWTP lab.**
Due Date: None
Category: Wastewater
- 7-29-15 Measure and mark end of sewer stub out by old saw shop.**
Due Date: None
Category: Wastewater
- 7-29-15 APP lift station alarm.**
Due Date: None
Category: Wastewater
- 7-30-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-30-15 Run around to try and collect the rest of the lead and copper samples.**
Due Date: None
Category: Water
- 7-30-15 Clean river intakes.**
Due Date: None
Category: Water
- 7-30-15 Change acid barrels at WTP.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 7-30-15 Monitor and run manual acid CIP on filter 2 due to faulty pH meter.**
Due Date: None
Category: Water
- 7-30-15 Fix water leak on Wash Ave N.**
Due Date: None
Category: Water
- 7-30-15 Splice in new float at APP lift station and monitor to try and fix.**
Due Date: None
Category: Wastewater
- 7-31-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 7-31-15 work on WTP monthly report.**
Due Date: None
Category: Water
- 7-31-15 Make new WWTP bench sheets.**
Due Date: None
Category: Wastewater
- 7-31-15 Monitor APP lift station.**
Due Date: None
Category: Wastewater
- 7-31-15 Change acid barrel at WTP.**
Due Date: None
Category: Water
- 7-31-15 Hose SBR's and headworks.**
Due Date: None
Category: Wastewater
- 7-31-15 Finish collecting all lead and copper samples and prepare paperwork to send to lab.**
Due Date: None
Category: Water
- 7-31-15 Reverse wires and run pump backwards to clean APP lift station pump.**
Due Date: None
Category: Wastewater
- 7-31-15 Work late to monitor lift station alarm.**
Due Date: None
Category: Wastewater

Building Department Activity 2015

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	3	2	3	5	3	4						22
Set Backs	2	3	4	2	2	1	5						19
Foundation	4	7	4	4	2		1						22
Footing drains	1	4		2	1	2	1						11
Floor Framing	1	2	1	2	2	5	1						14
Shearwall	1	1		2	1	1	1						7
Sewer		10	5	8	1	4	4						32
Water		3		2	1	1	3						10
Storm		4		1	1		2						8
Framing	2	4		4	2	1	2						15
Plumbing	3	7		2	1		3						16
Mechanical		14	1	10	2		8						35
Insulation	1	3	1	4	2		1						12
Drywall		8		3	1	1	3						16
Patio	1	1			1								3
Final		2	2		8	1	3						16
Red Tags	1	1					2						4
OTHERS	10	8	10	10	15	6	10						69
TOTAL	29	85	30	59	48	26	54						331
Permits Taken In	11	16	11	15	8	19	13						99

Set up and Break Down for Counsel and Planning meetings
Do Door Hangers