

FIRE & RESCUE

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931

Monthly Report
May 2015

6 Fire
7 Auto Accident
42 Aid
3 Service
58 Total

Mutual aid responses with District 17 -- 15
Mutual aid responses with District 23 -- 5
Mutual aid responses with District 21 -- 1
Mutual aid responses with Mineral - 0
Mutual aid responses with NPS -- 0

2014 YEAR TO DATE TOTAL -- 307
2015 YEAR TO DATE TOTAL -- 315

Transports -- 22
ALS -- 19
BLS -- 3

2014 transports year to date -- 132
2015 transports year to date -- 141

For the month of May the total amount billed for ambulance transports was \$28,895.40 .

Total amount billed for ambulance transports to date -- \$194,761.20.

Eatonville Fire Department


Eatonville, WA

This report was generated on 6/1/2015 4:36:39 PM



Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 05/01/2015 | End Date: 05/31/2015



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	3	5.17%
Rescue & Emergency Medical Service	49	84.48%
Service Call	3	5.17%
Good Intent Call	2	3.45%
Special Incident Type	1	1.72%
TOTAL	58	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department

Eatonville, WA

This report was generated on 6/1/2015 4:37:22 PM



Incident Type per Zone for Date Range

Start Date: 05/01/2015 | End Date: 05/31/2015

INCIDENT TYPE	# INCIDENTS
Zone: 17 - South Pierce	
111 - Building fire	2
131 - Passenger vehicle fire	1
321 - EMS call, excluding vehicle accident with injury	9
324 - Motor vehicle accident with no injuries.	3

Zone: 21 - Graham Fire	
321 - EMS call, excluding vehicle accident with injury	1

Zone: 23 - Ashford/Elbe	
321 - EMS call, excluding vehicle accident with injury	3
322 - Motor vehicle accident with injuries	2

Zone: 84 - Eatonville	
321 - EMS call, excluding vehicle accident with injury	29
322 - Motor vehicle accident with injuries	1
324 - Motor vehicle accident with no injuries.	1
511 - Lock-out	3
611 - Dispatched & cancelled en route	1
622 - No incident found on arrival at dispatch address	1
900 - Special type of incident, other	1

Only REVIEWED incidents included



emergencyreporting.com

Doc Id: 384

Page # 1

Building Department Activity 2015

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	3	2	3	5								15
Set Backs	2	3	4	2	2								13
Foundation	4	7	4	4	2								21
Footing drains	1	4		2	1								8
Floor Framing	1	2	1	2	2								8
Shearwall	1	1		2	1								5
Sewer		10	5	8	1								24
Water		3		2	1								6
Storm		4		1	1								6
Framing	2	4		4	2								12
Plumbing	3	7		2	1								13
Mechanical		14	1	10	2								27
Insulation	1	3	1	4	2								11
Drywall		8		3	1								12
Patio	1	1			1								3
Final		2	2		8								12
Red Tags	1	1											2
OTHERS	10	8	10	10	15								53
TOTAL	29	85	30	59	48								251

Permits Taken In	11	16	11	15	8								61
------------------	----	----	----	----	---	--	--	--	--	--	--	--	----

Set up and Break Down for Counsel and Planning meetings
Do Door Hangers

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT MAY 2015

COMMUNITY CENTER

DATE	ACTIVITY	RENTAL FEE
05/02/15	Youth Connection	n/a
05/03/15	Eatonville Family Agency	n/a
05/06/15	Centerpoint	\$250/month
05/11/15	Town Council	n/a
05/13/15	Youth Connection	n/a
05/13/15	Centerpoint	\$250/month
05/16/15	Youth Connection	n/a
05/18/15	Planning Commission	n/a
05/18/15	Finance Committee Meeting	n/a
05/18/15	Public Utilities Committee Meeting	n/a
05/21/15	Eatonville Family Agency	n/a
05/22/15	Youth Connection	n/a
05/26/15	Town Council	n/a
05/29/15	Rental	\$80.00
05/30/15	Rental	\$310.00

GLACIER PARK

DATE	ACTIVITY	RENTAL FEE
05/16/15	Reservation	n/a
05/25/15	Reservation	n/a
05/31/15	Reservation	\$35.00

VISITOR CENTER

DATE	ACTIVITY	RENTAL FEE
05/05/15	Public Safety Committee	n/a
05/07/15	Town of Eatonville	n/a
05/08/15	Town of Eatonville & Rodknockers	n/a
05/14/15	Animal Control Committee	n/a
05/18/15	Dollars for Scholars	n/a
05/20/15	July 3rd & 4th Committee	n/a
05/21/15	Chamber of Commerce	n/a
05/27/15	Parks/Cemetery Meeting	n/a

Priority 1

- 5-1-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water
- 5-1-15 Take truck to shop for new graphics installed.**
Due Date: None
Category: Water/Sewer
- 5-1-15 Check all sewer lift stations.**
Due Date: None
Category: Wastewater
- 5-1-15 Work on river raw water intake to get water for Hamilton Mill Pond.**
Due Date: None
Category: Water
- 5-1-15 Mow grass in parks.**
Due Date: None
Category: Parks
- 5-1-15 Check park bathrooms.**
Due Date: None
Category: Parks
- 5-1-15 Investigate water leak on Antonie and call in locates to dig up next week.**
Due Date: None
Category: Water
- 5/2/15 Perform all water and wastewater testing morning and afternoon check.**
Due Date: None
Category: Water/Sewer
- 5/2/15 Check and record data on Center St. booster station and Hill Top booster pump station.**
Due Date: None
Category: Water
- 5/3/15 All testing and data recorded at both water and wastewater plants. Mix chemicals at WTP.**
Due Date: None
Category: Water
- 5-4-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-4-15 Fill pot holes.**
Due Date: None
Category: Streets
- 5-4-15 Pick up garbage at parks.**
Due Date: None
Category: Parks

- 5-4-15 PE lab testing at WWTP.**
Due Date: None
Category: Wastewater
- 5-5-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-5-15 Check on locates for water leak on Antonie.**
Due Date: None
Category: Water
- 5-5-15 More PE testing at WWTP lab.**
Due Date: None
Category: Wastewater
- 5-5-15 Mow grass.**
Due Date: None
Category: Parks
- 5-5-15 Work on headworks at WWTP.**
Due Date: None
Category: Wastewater
- 5-5-15 Collect and send in WTP monthly samples.**
Due Date: None
Category: Water
- 5-6-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-6-15 Help Doug to download MPH sign.**
Due Date: None
Category: Streets
- 5-6-15 Dig up and repair two water leaks on Antonie.**
Due Date: None
Category: Water
- 5-6-15 Help prepare for flower baskets.**
Due Date: None
Category: Streets
- 5-7-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-7-15 Help light crew put up flower baskets.**
Due Date: None
Category: Streets
- 5-8-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-8-15 Work on sprinklers at Nevit park.**
Due Date: None
Category: Parks

To Do List for Water and Sewer

All Items

- 5-8-15 Calibrate WTP pH meter.**
Due Date: None
Category: Water
- 5-8-15 Finish and mail in WWTP 2015 PE test results.**
Due Date: None
Category: Wastewater
- 5-8-15 Clean up and fix gravel around water leak repair on Antonie.**
Due Date: None
Category: Water
- 5-8-15 Clean sewer lift stations.**
Due Date: None
Category: Wastewater
- 5-8-15 Help power crew hang baskets.**
Due Date: None
Category: Streets
- 5-9-15 Water and wastewater weekend plant testing.**
Due Date: None
Category: Water/Sewer
- 5-10-15 Weekend Water and wastewater testing.**
Due Date: None
Category: Water/Sewer
- 5-11-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-11-15 Work w/generator guy service and load test generators.**
Due Date: None
Category: Wastewater
- 5-11-15 Man pH and CL2 checks at WTP.**
Due Date: None
Category: Water
- 5-11-15 Set up certification exam for Andrew WWTP01.**
Due Date: None
Category: Wastewater
- 5-11-15 Hose SBR's.**
Due Date: None
Category: Wastewater
- 5-11-15 Put out late payment door hangers.**
Due Date: None
Category: Water/Sewer
- 5-12-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-12-15 Help generator guy finish service on generators.**
Due Date: None
Category: Water
- 5-12-15 Mow cemetery.**
Due Date: None
Category: Cemetery
- 5-12-15 Cut back tree limbs blocking vision on Eagle Glenn and Center St.**
Due Date: None
Category: Streets
- 5-12-15 Fill pot holes around town.**
Due Date: None
Category: Streets
- 5-12-15 Get hydrant info for ones needing repair and send to contractor.**
Due Date: None
Category: Water
- 5-12-15 Work on CCR report.**
Due Date: None
Category: Water
- 5-12-15 Fill out and send in video request for safety videos.**
Due Date: None
Category: Water/Sewer
- 5/15/15 Problem with ACH feed system and sample pump. Night**
Due Date: None
Category: Water
- 5/16/15 Weekend water and wastewater checks. All testing, clean floor and complete paperwork.**
Due Date: None
Category: Water/Sewer
- 5/16/15 Monitor Center St. booster pump station and Hill Top booster station and record data.**
Due Date: None
Category: Water
- 5/18/15 Spray brush growing around WWTP lagoon.**
Due Date: None
Category: Wastewater
- 5/18/15 Wastewater alarm SBR decantor valve failed to open.**
Due Date: None
Category: Wastewater
- 5/18/15 Hose and clean WTP chemical room floor.**
Due Date: None
Category: Water
- 5/18/15 Take off and clean out ACH check valve.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 5/18/15 Mow grass at Town Square.**
Due Date: None
Category: Parks
- 5/18/15 Check Center St. booster pump station and Hill Top and record data.**
Due Date: None
Category: Water
- 5/18/15 Compare chlorine analyzer with DR-2000 perfect. Record**
Due Date: None
Category: Water
- 5/18/15 Check park bathrooms and supply more toilet paper.**
Due Date: None
Category: Parks
- 5/19/15 Try to get WWTP security cameras working. OK now**
Due Date: None
Category: Water
- 5/18/15 Hose SBR tanks.**
Due Date: None
Category: Wastewater
- 5/18/15 Perform all lab work and record.**
Due Date: None
Category: Water/Sewer
- 5/19/15 Spray weed killer places for Dan .**
Due Date: None
Category: Power and Light
- 5-20-15 Water and wastewater daily lab testing.**
Due Date: None
Category: Unfiled
- 5-20-15 WTP Alarm 2:00 AM filter 1 pump failed to run.**
Due Date: None
Category: Water
- 5-20-15 WTP alarm raw pump #2 MCC and overtemp fail.**
Due Date: None
Category: Water
- 5-20-15 Weedwack in cemetery to get ready for memorial day.**
Due Date: None
Category: Cemetery
- 5-20-15 Dig grave in cemetery.**
Due Date: None
Category: Cemetery
- 5-21-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Unfiled
- 5-21-15 Change out CT outlet sample pump at WTP.**
Due Date: None
Category: Water
- 5-21-15 Rebuild soda ash injector and replace bad check valve.**
Due Date: None
Category: Water
- 5-21-15 Set up new fridge at WWTP.**
Due Date: None
Category: Wastewater
- 5-21-15 Offload chemicals at WTP.**
Due Date: None
Category: Water
- 5-21-15 Mow and weedwack at cemetery.**
Due Date: None
Category: Cemetery
- 5-21-15 Cremation burial at cemetery.**
Due Date: None
Category: Cemetery
- 5-22-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 5-22-15 Finish getting cemetery ready for Memorial Day.**
Due Date: None
Category: Cemetery
- 5-22-15 Mow grass at WTP.**
Due Date: None
Category: Water
- 5-23-15 Water and wastewater weekend testing.**
Due Date: None
Category: Water/Sewer
- 5-24-15 Water and wastewater weekend testing.**
Due Date: None
Category: Water/Sewer
- 5-24-15 Call out WTP Raw Water Level Transmitter Failure.**
Due Date: None
Category: Water
- 5-25-15 Water and Wastewater testing on holiday.**
Due Date: None
Category: Water/Sewer
- 5-25-15 WTP call out Raw water Level Transmitter still having trouble. Probe is dying.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 5-26-15 Water and wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 5-26-15 Order new level transmitter for Raw Water Basin at WTP.**

Due Date: None
Category: Water

- 5-26-15 Mow grass in parks.**

Due Date: None
Category: Parks

- 5-26-15 Get brush hog and cut trail area.**

Due Date: None
Category: Parks

- 5-26-15 Weedwack water plant, concrete reservoir and compressor shack.**

Due Date: None
Category: Water

- 5-26-15 Get weed sprayer ready for use in morning.**

Due Date: None
Category: Streets

- 5-26-15 Help Doug download electronic speed limit sign.**

Due Date: None
Category: Streets

- 5-26-15 Reset raw water basin lightning mixer.**

Due Date: None
Category: Water

- 5-26-15 Brush hog around light easment for power dept.**

Due Date: None
Category: Power and Light

- 5-27-15 Water and wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 5-27-15 Dig up and uncover river intake screens.**

Due Date: None
Category: Water

- 5-27-15 Crew in early to weed spray on busy streets.**

Due Date: None
Category: Streets

- 5-27-15 Mow grass.**

Due Date: None
Category: Parks

- 5-27-15 Crew in late to repair raw water level transmitter at WTP. 7:30-10:30 pm**

Due Date: None
Category: Water

- 5-28-15 Water and wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 5-28-15 Work with vactor/jetter truck to clean river intake stuctures and pipes.**

Due Date: None
Category: Water

- 5-28-15 Take apart and clean plugged soda ash lines at WTP.**

Due Date: None
Category: Water

- 5-28-15 Investigate possible water leak on Eatonville Hwy.**

Due Date: None
Category: Water

- 5-28-15 Meet with contractor on Antonie to go over utilities.**

Due Date: None
Category: Water/Sewer

- 5-28-15 Make out water sample reports.**

Due Date: None
Category: Water

- 5-29-15 Water and wastewater daily lab testing and system checks.**

Due Date: None
Category: Water/Sewer

- 5-29-15 Instal and fabricate brace for surface water screen in manhole at WTP.**

Due Date: None
Category: Water

- 5-29-15 Make new paperwork for next month.**

Due Date: None
Category: Water/Sewer

- 5-29-15 Repair stop sign on Eatonville Hwy.**

Due Date: None
Category: Streets

- 5-29-15 Update cross-connection info.**

Due Date: None
Category: Water

- 5-29-15 Check lift stations.**

Due Date: None
Category: Wastewater

- 5-29-15 Open up and run and test river inlet valves and meter at WTP. Get ready to use if needed.**

Due Date: None
Category: Water

- 5-29-15 Change CL-17 bottles at WTP and reservoir.**

Due Date: None
Category: Water

- 5-29-15 Manual pH tests at WTP to check online finished water meters.**
 - Due Date: None
 - Category: Water
- 5-29-15 Clean up WTP office "boar's nest".**
 - Due Date: None
 - Category: Water
- 5-30-15 Water and wastewater daily lab testing and system checks.**
 - Due Date: None
 - Category: Water/Sewer
- 5-30-15 Check out possible water leak on Lynch.**
 - Due Date: None
 - Category: Water
- 5-31-15 Weekend water and wastewater testing.**
 - Due Date: None
 - Category: Water/Sewer

MAY 2015 MONTHLY REPORT EATONVILLE POWER & LIGHT

Superintendent-Dan Sharpe linemen Nestor Sundita Apprentice Jesse Carroll

Street lights

4 street light fixed

Locate

3 locates

Reconnect/Disconnect

9 disconnect

8 reconnect

Line work

Changing out cross arm

Trimming trees

Electrical Work

Replaced lights at community center

Rewired street speed sign

Misc

Up and down with banner

Picking up garbage at parks

Door hangers

Helped at water plant

Worked on mower

Worked on cemetery for Memorial Day

Truck ready for watering hanging basket

Working with Kerri & BPA to relamp community center to energy efficiency

The Youth Connection

The Youth Connection

Community Service

May, 2015

3 Youth mentoring at After School Program

12 Total Hours

3 Youth Community dinner

6 Total hours

1 Adult mentored with After School Program

8 Total hours

10 Adults Community Dinner

20 Total Hours

7 Adults Spring Clean Up

31 Total Hours


2 Youth Spring Clean Up

4 Hours

81 Total hours

81 Total Hours of Service to the Community

Signature



Date: May 5, 2015th