



EATONVILLE

POLICE DEPARTMENT- CHIEF JIM HEISHMAN

M E M O R A N D U M

DATE: 3/5/2015
TO: MAYOR SCHAUB AND TOWN COUNCIL
RE: EATONVILLE POLICE DEPARTMENT'S
MARCH 2015 REPORT

Special Events and Traffic Assignments

- The speed limits entering the Town of Eatonville on SR161 and exiting near Smallwood Park have been lowered by the Washington State Department of Transportation.
 - The new speed zone signs have been flagged for high visibility and we are continuing to educate the public through contact and warnings. We are not planning to use enforcement for at least 30 more days, unless the speed is high enough to warrant the enforcement action (higher than old speed limit).
 - Update: The portable radar speed trailer has been dropped off for repair.

Public Safety Committee Requests

- The Public Safety Committee is reviewing the following E.P.D. requests:
 - Physical speed reduction measures {EPD driven}:
 - Should speed reduction measures {speed bumps or humps} be placed adjacent to the Skate Park, Playground and Recycle Center area to physically slow vehicle traffic 24/7?
 - Our hope is the physical speed reduction measures in this area will create a safer recreational play area for our residents. This road is commonly used by vehicles to bypass the downtown area and the 4 way stop intersection.
 - Residential speed limits {EPD driven}:
 - Current E.M.C. has reduced the speed limit in most of our residential areas to 15mph. State law places the speed limit in all incorporated towns and cities at 25mph, unless posted otherwise.
 - In order to enforce the speed zones at lower than 25mph, there needs to be two things; statutory authority and the lower speed limit signs must be posted to alert the citizens of the change. The E.M.C. has been changed, but no mandatory signs have been posted.

- The question to the Public Safety Committee – Does the Council want to keep the speed limits at 15mph {mandatory signage needed}, or reset the statutory speed limits to 25mph, aligning with state speed limits {E.M.C. needs to be changed}?
- Commercial Truck Parking {EPD/citizen complaints driven}:
 - Do we need to update the Semi parking E.M.C.'s to align the Council's intent with the needs of the community, or is current E.M.C. sufficient?
 - Semi parking with truck attached has no parking time restrictions.
 - Semi parking with no truck {trailer only} has a 24 hour limit.
 - An option is to consider aligning the semi parking E.M.C. with the R.V. code...parking is restricted to 24 hours anywhere in Town, with an extension permit available.
 - The need for review is caused by a semi truck and trailer parking on Washington adjacent to the Bakery, with citizen complaints of it causing traffic obstruction and distraction during school drop off and pick up periods {current E.M.C. allows this with tractor attached to trailer}.
 - Update: I talked to the semi driver to ensure he was aware he had a 24 hour parking restriction if he detached his truck, leaving the trailer parked on Washington. He said he wants to work within the Town's wishes and will comply.
- All Terrain Vehicles on Public Roadways {citizen request at Council Mtg}:
 - Can properly equipped All Terrain Vehicles be allowed to operate on the public roadways of the Town of Eatonville?
 - Washington has changed the state laws to allow properly equipped and licensed ATVs to operate on public roadways outside of incorporated Towns and Cities.
 - Decision Point: Change the E.M.C. to bring our statute into alignment with state law, allowing it...or; not change the E.M.C. or allow our residents to operate their properly equipped ATVs on the Town's roadways?

Upcoming Events

- All Town residents can now apply for and receive their State of Washington Concealed Pistol License through the Eatonville Police Department. If interested, contact Gaille at the Police Department on Tuesdays and Wednesdays between 9:00 am and 4:00 pm. For full details and costs, please refer to the Town of Eatonville website or Facebook page for the two page fact sheet.
 - Please refer to the calls for service summary for number issued.

- Eatonville resident Marya Severson-Urich, the great great granddaughter of Eatonville Town Marshal Dolar Laplant {killed in the line of duty in 1925} and other relatives have been in contact with Eatonville Police to request their relative be submitted for the prestigious Washington State Medal of Honor in 2015.
 - The recommendation package has been submitted and we anticipate hearing the results in April.
 - The Tacoma News Tribune printed an article on February 15, 2015, highlighting the effort by the family to not only honor Dolar with the Medal of Honor, but to fund a new headstone at the Woodbine Cemetery in Puyallup that accurately reflects and honors his sacrifice.
 - Update: The Tacoma/Pierce County Crime Stoppers organization has agreed to fully fund the new headstone costs. They have also invited Dolar's relatives to be guest speakers for the 2015 Law Enforcement Memorial Service at Clover Park Technical College Auditorium, scheduled for 6:00 P.M. on Wednesday, May 6th, 2015.

Performance Plan

- The Performance Plan is a Problem Oriented tool that is used by departments to address quality of life issues within their communities.
 - Emphasis of the Week
 - During March, our continued focus will be crime prevention patrols.
 - Vacation checks can be requested by contacting Gaille or any officer and filling out the request and information form.
 - Pierce County 911 Service Contract
 - The contract has continued to work well. Through this contract, the department has been able to lower overtime costs while maintaining service.
 - For number of calls billed, please refer to the calls for service summary of this report.
 - South Sound 911 Dispatch and Report Service Contract
 - We are still fine tuning the new radios, radio dispatch, computers in the cars and report writing system, but it is working well to date and we are now tied into the region, both with radios and reports.

Training

- For 2015, the officers will participate and receive their 60 hours of on-going training with the Pierce County Sheriff's Department Training Unit, who provides regional certified training at no cost to their regional partners.
 - Includes 40 hours of in service training {legal updates, emergency vehicle operation, defensive tactics, active shooter and advanced patrol tactics, first aid to include the AED and other necessary topics}.
 - Includes twenty hours of firearms, tactics and lethal force training {2 ten hour training days, one summer and one winter}

- This training criteria, topics and amount of hours exceeds the standards set by the industry and meets the professional training best practices.

Management Activities

- The review of the current Policies and Procedures Manual is continuous.
- The 2015 Budget is operational.
- The 2015 Department Training Plan is being finalized.
- The Town Emergency Management Plan and Hazard Mitigation Plan is being revisited and updated in cooperation with Eatonville Fire and Emergency Management.

Significant Cases

Nothing substantial to report.

Calls for Service Summary

Dispatched Calls	55
Self Initiated Calls (non-traffic)	19
Traffic Stops	83
Total Calls (all sources)	157 total
Reports Generated	17
Community Service	30
Animal Control	2
Code Enforcement	1
Traffic Infractions	17
Criminal Citations	5
Traffic Accident Reports	2
Misdemeanor Arrests	1
Felony Arrests	0
PCSD 911 After Hours Contract Dispatched Calls – Billed	November, 2014: 6 December, 2014: 7 January, 2015: 7 February, 2015: 4
Concealed Pistol License Issued	December, 2014: 6 January, 2015: 16 February, 2015: 5

FIRE & RESCUE

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931

Monthly Report
February 2015

6 Fire
2 Auto Accident
32 Aid
4 Service

44 Total

Mutual aid responses with District 17 -- 12
Mutual aid responses with District 23 -- 3
Mutual aid responses with District 21 -- 0
Mutual aid responses with Mineral - 0
Mutual aid responses with NPS -- 0

2014 YEAR TO DATE TOTAL -- 112
2015 YEAR TO DATE TOTAL -- 114

Transports -- 21
ALS -- 21
BLS -- 0

2014 transports year to date -- 53
2015 transports year to date -- 53

For the month of February the total amount billed for ambulance transports was \$32,797.80.

Total amount billed for ambulance transports to date -- \$76,355.40.

Eatonville Fire Department


Eatonville, WA

This report was generated on 3/2/2015 2:27:33 PM



Breakdown by Major Incident Types for Date Range

Start Date: 02/01/2015 | End Date: 02/28/2015



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Rescue & Emergency Medical Service	33	75.00%
Service Call	5	11.36%
Good Intent Call	5	11.36%
False Alarm & False Call	1	2.27%
TOTAL	44	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department

Eatonville, WA

This report was generated on 3/2/2015 3:02:04 PM



Incident Type per Zone for Date Range

Start Date: 02/01/2015 | End Date: 02/28/2015

INCIDENT TYPE	# INCIDENTS
Zone: 17 - South Pierce	
321 - EMS call, excluding vehicle accident with injury	7
322 - Motor vehicle accident with injuries	1
324 - Motor vehicle accident with no injuries.	1
611 - Dispatched & cancelled en route	2
733 - Smoke detector activation due to malfunction	1

Zone: 23 - Ashford/Elbe	
321 - EMS call, excluding vehicle accident with injury	2
611 - Dispatched & cancelled en route	1

Zone: 84 - Eatonville	
320 - Emergency medical service, other	2
321 - EMS call, excluding vehicle accident with injury	20
510 - Person in distress, other	1
511 - Lock-out	4
611 - Dispatched & cancelled en route	1
622 - No incident found on arrival at dispatch address	1

Only REVIEWED incidents included

EATONVILLE POWER & LIGHT MONTHLY REPORT

Superintendent Dan Sharpe Linemen Nestor Sundita Jesse Carroll

February 2015

LOCATED power under ground

Locate power on 161

Locate power on 495 center street E.

RECONNECT&DISCONNECT

12 RECONNECT

12 DISCONNECT

Power and light

Hooked up 306 Skylar

Repaired electrical connection around town

Pulled up loose wire around town

Hooked up house on Joy Street

Replaced meters

STREET Light

Repaired street light around town

Put in street light poles at trail head

MISC.

Trimmed trees around town

Picked up garbage at parks and maintenance

Safety meetings

Put up light at town square

Lock at parks bathrooms

Repaired light at town hall

Hot water tanks and drinking fountains

Helped with lift station repair

To Do List for Water and Sewer

All Items

Priority 1

- 2-1-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-2-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-2-15 Dig up sewer to try and help home owner solve sewer problem. Ended up being on there side.**
Due Date: None
Category: Wastewater
- 2-2-15 Install sewer cleanout on main between Jensen and Antonie.**
Due Date: None
Category: Wastewater
- 2-2-15 Calibrate pH probes at WTP.**
Due Date: None
Category: Water
- 2-2-15 Order new benchtop pH meter for WWTP.**
Due Date: None
Category: Wastewater
- 2-2-15 Order replacement GF valve for CL2 inlet on filter 1 at WTP.**
Due Date: None
Category: Water
- 2-2-15 Dig grave for double cremation burial at cemetery.**
Due Date: None
Category: Parks
- 2-2-15 Change acid barrel at WTP.**
Due Date: None
Category: Water
- 2-3-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-3-15 Run multiple manual pH tests to standardize online Rosemont unit with certified bench top unit.**
Due Date: None
Category: Water
- 2-3-15 Double burial at cemetery.**
Due Date: None
Category: Parks
- 2-3-15 Fill pot holes in alleys.**
Due Date: None
Category: Streets

- 2-3-15 Finish and send in water SWTR to DOH.**
Due Date: None
Category: Water
- 2-3-15 Send out backflow test letters.**
Due Date: None
Category: Water
- 2-3-15 Training new meter reader on daily tasks.**
Due Date: None
Category: Water/Sewer
- 2-3-15 Offload chemical delivery at WTP.**
Due Date: None
Category: Water
- 2-3-15 Hose UV channel at WWTP.**
Due Date: None
Category: Wastewater
- 2-3-15 Clean soda ash Y strainer at WTP.**
Due Date: None
Category: Water
- 2-4-15 Water and Wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-4-15 Training at WWTP.**
Due Date: None
Category: Wastewater
- 2-4-15 Run multiple manual pH tests on WTP finished water.**
Due Date: None
Category: Water
- 2-4-15 Check sewer lift stations and clean if needed.**
Due Date: None
Category: Wastewater
- 2-4-15 Attend infrastructure funding webinar at WTP.**
Due Date: None
Category: Water/Sewer
- 2/5/15 DMR training at the WTP Andrew**
Due Date: None
Category: Water
- 2/5/15 Change all blackend tubing on the CL/17s. Also one at the .300 reservoir**
Due Date: None
Category: Water
- 2/5/15 All water and wastewater testing at both plants.**
Due Date: None
Category: Water/Sewer

To Do List for Water and Sewer

All Items

- Check WTP generator water level alarm OK. Add just a little water/anti.**
Due Date: None
Category: Water
- 2/5/15 All meter re-reads and move in and outs.**
Due Date: None
Category: Water
- 2/5/15 Check Center Street and Hill Top booster pumps.**
Due Date: None
Category: Water
- 2/5/15 Order 5 cans of booster WTP booster pump blue from Arrow. Pumps rusting up.**
Due Date: None
Category: Water
- 2/5/15 Paint booster pump no 1 getting rusty.**
Due Date: None
Category: Water
- 2/5/15 Check finish water pH against new calibrated pH meter at the WWTP. Perfect.**
Due Date: None
Category: Water
- 2/5/15 Manual started a acid wash CIP on filter skid no. 1. Noticed the computer was going to start a auto one about 12 or 2 in the night and perhaps alarm off. (2.5 hour)**
Due Date: None
Category: Water
- 2/6/15 Water and Electric meter re-reads.**
Due Date: None
Category: Water
- 2/6/15 All water and wastewater testing and paperwork.**
Due Date: None
Category: Water/Sewer
- 2/6/15 Hose WWTP SBR tanks**
Due Date: None
Category: Wastewater
- 2/6/15 Paint cover screens on the newly painted booster pump No. 1 Looking rusty**
Due Date: None
Category: Water
- 2/6/15 Do one CIP on backwash skid for the weekend.**
Due Date: None
Category: Water
- 2/6/15 Do the daily check on the Center Street booster pump and also on Hill Top.**
Due Date: None
Category: Water
- 2/6/15 Doug called wanted workers in afternoon for something. Held crew for that purpose. Clean gutter job.**
Due Date: None
Category: Water/Sewer
- 2/6/15 Empty out last years hanging basket holders ready for this years flowers.**
Due Date: None
Category: Streets
- 2/6/15 Clean out gutters at the Community Center.**
Due Date: None
Category: Town Hall
- 2/9/15 Restart all outside cameras stopped working. Now going**
Due Date: None
Category: Water
- 2/9/15 Put out 150 door knockers.**
Due Date: None
Category: Water/Sewer
- 2/9/15 Sweep out well 7.**
Due Date: None
Category: Water
- 2-10-15 Water and Wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-10-15 Look at plan for fill dirt at Smallwood Park.**
Due Date: None
Category: Parks
- 2-10-15 Pick up mess of cardboard at recycle dumpsters.**
Due Date: None
Category: Parks
- 2-10-15 Meter re-reads.**
Due Date: None
Category: Water/Sewer
- 2-10-15 WTP alarm 5:00Am Neutralization Basin Flood. Get pumps running and monitor.**
Due Date: None
Category: Water
- 2-10-15 Change phone dialers at plants.**
Due Date: None
Category: Water/Sewer
- 2-11-15 Water and Wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer

To Do List for Water and Sewer

All Items

- 2-11-15 Train new employee on water/wastewater treatment.**
Due Date: None
Category: Water/Sewer
- 2-11-15 Fill pot holes around town.**
Due Date: None
Category: Streets
- 2-11-15 Drag box to grade gravel parking areas.**
Due Date: None
Category: Streets
- 2-11-15 Send truck for load of cold patch.**
Due Date: None
Category: Streets
- 2-11-15 Get load of gravel for bunkers.**
Due Date: None
Category: Streets
- 2-12-15 Water and Wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-12-15 Fill more pot holes around town.**
Due Date: None
Category: Streets
- 2-12-15 Finish and mail WWTP monthly report.**
Due Date: None
Category: Wastewater
- 2-12-15 Finish and send in 2014 Water Use Efficiency report.**
Due Date: None
Category: Water
- 2-12-15 Change out bad UV lights at WWTP.**
Due Date: None
Category: Wastewater
- 2-13-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-13-15 Fill more pot holes around town.**
Due Date: None
Category: Streets
- 2-13-15 Start this time meter reads and training new reader.**
Due Date: None
Category: Water/Sewer
- 2-13-15 Sweep streets in AM.**
Due Date: None
Category: Streets
- 2-13-15 Install water meter on Skylar.**
Due Date: None
Category: Water
- 2-13-15 Fix exterior lights at WTP.**
Due Date: None
Category: Water
- 2-13-15 Hose SBR's.**
Due Date: None
Category: Wastewater
- 2-13-15 Check on products and services we have ordered that have not shown up yet.**
Due Date: None
Category: Water/Sewer
- 2-13-15 Set up safety class for next two months.**
Due Date: None
Category: Water/Sewer
- 2-13-15 Figure out which hot water tanks are the ones that need modified.**
Due Date: None
Category: Town Hall
- 2-13-15 Inspect water hookup on Skylar.**
Due Date: None
Category: Water
- 2-13-15 Run multiple CIP's on backwash skid to try and get clean.**
Due Date: None
Category: Water
- 2-13-15 Run manual pH tests at WTP to check online instruments.**
Due Date: None
Category: Water
- 2-13-15 Work on pump tripped at APP lift station. High Amps.**
Due Date: None
Category: Wastewater
- 2-14-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-14-15 Check amps on APP lift station pump.**
Due Date: None
Category: Wastewater
- 2-15-15 WTP Alarm 12:00 Am 'Failed to dose acid' Filter 1. Work through night to fix.**
Due Date: None
Category: Water
- 2-15-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-15-15 Change acid barrel at WTP.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 2-15-15 Check APP lift station pump.**
Due Date: None
Category: Wastewater
- 2-16-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-17-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-17-15 Read meters.**
Due Date: None
Category: Water/Sewer
- 2-17-15 CL2 and ACH SBR's at WWTP to fight Nocardia foam and bulking.**
Due Date: None
Category: Wastewater
- 2-17-15 Order safety supplies.**
Due Date: None
Category: Water/Sewer
- 2-17-15 Send out several cross connection backflow test letters.**
Due Date: None
Category: Water
- 2-17-15 Scrape and fill hole at smallwood park.**
Due Date: None
Category: Parks
- 2-17-15 Haul gravel from Randles to refill bunkers in yard.**
Due Date: None
Category: Water/Sewer
- 2-18-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-18-15 Calculate water and wastewater flow totals for Kathy report.**
Due Date: None
Category: Water/Sewer
- 2-18-15 CL2 and ACH SBR's.**
Due Date: None
Category: Wastewater
- 2-18-15 Skim foam SBR's.**
Due Date: None
Category: Wastewater
- 2-18-15 Work on CL2 CIP injector on filter 1 at WTP.**
Due Date: None
Category: Water
- 2-19-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-19-15 Read meters.**
Due Date: None
Category: Water/Sewer
- 2-19-15 Dig grave at cemetary.**
Due Date: None
Category: Cemetary
- 2-19-15 Continue CL2 and ACH on SBR's at WWTP.**
Due Date: None
Category: Wastewater
- 2-20-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-20-15 Read meters.**
Due Date: None
Category: Water/Sewer
- 2-20-15 Check grave hole at cemetary for cave in.**
Due Date: None
Category: Cemetary
- 2-20-15 Continue CL2 and ACH SBR's at WWTP.**
Due Date: None
Category: Wastewater
- 2-20-15 Go around with Doug to look at spots to improve trail sections after Little Mashell bridge.**
Due Date: None
Category: Parks
- 2-20-15 Work on road to reduce water problem in alley behind Double T meats.**
Due Date: None
Category: Storm
- 2-20-15 Finially get ahold of Evoqua (US Filter) to order repair parts for WTP.**
Due Date: None
Category: Water
- 2-21-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-21-15 Perform cremation funeral at cemetary.**
Due Date: None
Category: Cemetary
- 2-22-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer

To Do List for Water and Sewer

All Items

- 2-23-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-23-15 Read meters.**
Due Date: None
Category: Water/Sewer
- 2-23-15 Run pump transfer ACH at WTP.**
Due Date: None
Category: Water
- 2-23-15 Order WTP chemicals.**
Due Date: None
Category: Water
- 2-23-15 Attach new wording onto trail signs.**
Due Date: None
Category: Parks
- 2-23-15 Skim faom on SBR's.**
Due Date: None
Category: Wastewater
- 2-23-15 CL2 SBR1 at WWTP.**
Due Date: None
Category: Wastewater
- 2-24-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-24-15 Training new operators at WWTP.**
Due Date: None
Category: Wastewater
- 2-24-15 Meter re-reads.**
Due Date: None
Category: Water/Sewer
- 2-24-15 Fix water leak at bottom of Larson.**
Due Date: None
Category: Water
- 2-24-15 Repair floats at Riverside lift station.**
Due Date: None
Category: Wastewater
- 2-24-15 Work door locks at park bathrooms.**
Due Date: None
Category: Parks
- 2/24/15 Repair service leak Walley Blocks.**
Due Date: None
Category: Water
- 2/25/15 Clean up work area where water leak was repaired at Walley Blocks was repaired.**
Due Date: None
Category: Water
- 2/25/15 Do all meter re-reads and move in and move outs.**
Due Date: None
Category: Water/Sewer
- 2/25/15 CIP on backwash filter skid.**
Due Date: None
Category: Water
- 2/25/15 Clean Y strainer on water soda ash system.**
Due Date: None
Category: Water
- 2/25/15 Check and record reading on both Center St. and Hill Top booster pumps.**
Due Date: None
Category: Water
- 2/25/15 Run dump truck for electric crew.**
Due Date: None
Category: Power and Light
- 2/25/15 Filler ACH cans for WWTP**
Due Date: None
Category: Wastewater
- 2-26-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-26-15 Install new blower at WWTP.**
Due Date: None
Category: Wastewater
- 2-26-15 Help power crew on street light install at trail head.**
Due Date: None
Category: Power and Light
- 2-26-15 Install new chemical injection quills on filters at WTP.**
Due Date: None
Category: Water
- 2-26-15 Meter re-reads.**
Due Date: None
Category: Water/Sewer
- 2-26-15 Manual pH and CL2 tests at WTP.**
Due Date: None
Category: Water
- 2-26-15 Meet with new school water operator to give advice on CL2 system.**
Due Date: None
Category: Water
- 2-27-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer

To Do List for Water and Sewer

All Items

- 2-27-15 Dig grave for Saturday funeral.**
Due Date: None
Category: Cemetary
- 2-27-15 Continue assist Power crew with street light install at trail head.**
Due Date: None
Category: Power and Light
- 2-27-15 Work late on filter 2 at WTP. Replace bad valve actuator.**
Due Date: None
Category: Water
- 2-27-15 Fill out bottles for water samples.**
Due Date: None
Category: Water
- 2-27-15 Dig through water/sewer records to find inspections for Airport plat. Found them.**
Due Date: None
Category: Water/Sewer
- 2-28-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 2-28-15 Run manual CL2 and pH tests at WTP.**
Due Date: None
Category: Water
- 2-28-15 Perform cremation funeral at cemetary.**
Due Date: None
Category: Cemetary

Building Department Activity 2015

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	3											5
Set Backs	2	3											5
Foundation	4	7											11
Footing drains	1	4											5
Floor Framing	1	2											3
Shearwall	1	1											2
Sewer		10											10
Water		3											3
Storm		4											4
Framing	2	4											6
Plumbing	3	7											10
Mechanical		14											14
Insulation	1	3											4
Drywall		8											8
Patio	1	1											2
Final		2											2
Red Tags	1	1											2
OTHERS	10	8											18
TOTAL	29	85											114
Permits Taken In	10	16											27

Set up and Break Down for Counsel and Planning meetings

Do Door Hangers

Do repairs on Town Buildings

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT FEBRUARY 2015

COMMUNITY CENTER

DATE	ACTIVITY	RENTAL FEE
02/02/15	Planning Commission	n/a
02/04/15	Centerpoint	\$250/month
02/07/15	Youth Connection	n/a
02/09/15	Town Council	n/a
02/11/15	Youth Connection	n/a
02/11/15	Centerpoint	\$250/month
02/17/15	Planning Commission	n/a
02/18/15	Centerpoint	\$250/month
02/19/15	Pierce County Child Reach	n/a
02/19/15	Family Agency	n/a
02/21/15	Youth Connection	n/a
02/23/15	Town Council	n/a
02/25/15	Centerpoint	\$250/month
02/26/15	Eatonville Family Agency	n/a
02/27/15	Youth Connection	n/a

GLACIER PARK

DATE	ACTIVITY	RENTAL FEE

VISITOR CENTER

DATE	ACTIVITY	RENTAL FEE
02/03/15	Public Safety Committee	n/a
02/06/15	Council member reserved	n/a
02/12/15	Animal Control Committee	n/a
02/13/15	Jr Cruiser Football	n/a
02/15/15	Citizen reserved	n/a
02/16/15	Dollars for Scholars	n/a
02/17/15	Finance Committee	n/a
02/17/15	Public Utilities Committee	n/a
02/19/15	Chamber of Commerce	n/a
02/22/15	Citizen reserved	n/a
02/23/15	Heritage Meeting	n/a
02/26/15	Parks/Cemetery Meeting	n/a