

Eatonville Police Department
Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 06/01/2014
And 06/30/2014

Incident Log Report

Printed On: Tue, Jul 08, 2014

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2014000242	WA0270500	06/01/2014 10:48	EA1 - McGuire, Jason	Provoking Assault (DV)
2014000243	WA0270500	06/02/2014 10:38	EA1 - McGuire, Jason	MVC-Non Injury
2014000244	WA0270500	06/02/2014 22:19	E5 - Wade, Johnny	Suspicious Person
2014000245	WA0270500	06/03/2014 09:58	E4 - Case, Bruce	Runaway -Recovered
2014000246	WA0270500	06/03/2014 13:06	E4 - Case, Bruce	Fraud Debit Card
2014000247	WA0270500	06/03/2014 14:27	EA1 - McGuire, Jason	Threats
2014000248	WA0270500	06/03/2014 14:17	E4 - Case, Bruce	MVC Non-injury
2014000249	WA0270500	06/05/2014 16:08	ea7 - Anderson, Shauna	Criminal Trespass Notice
2014000250	WA0270500	06/05/2014 17:48	E7 -	DWLS 3
2014000251	WA0270500	06/08/2014 02:04	ea7 - Anderson, Shauna	Mal Mis, Trespass, Assault 4
2014000252	WA0270500	06/08/2014 23:18	E5 - Wade, Johnny	Suspicious Circumstances
2014000253	WA0270500	06/09/2014 18:27	E5 - Wade, Johnny	Attempt Vehicle Prowl
2014000254	WA0270500	06/09/2014 22:05	E5 - Wade, Johnny	Verbal, DV
2014000255	WA0270500	06/10/2014 08:45	EA1 - McGuire, Jason	Possible Sexual Abuse
2014000256	WA0270500	06/10/2014 22:28	E5 - Wade, Johnny	Intentional Overdose
2014000257	WA0270500	06/11/2014 07:24	EA1 - McGuire, Jason	Reckless Vehicle
2014000258	WA0270500	06/11/2014 15:10	EA1 - McGuire, Jason	Burglary 2 x 3
2014000259	WA0270500	06/12/2014 13:31	EA1 - McGuire, Jason	Criminal Trespass 1
2014000260	WA0270500	06/12/2014 18:32	ea7 - Anderson, Shauna	Assault 4, DV
2014000261	WA0270500	06/13/2014 17:11	E5 - Wade, Johnny	Incorrigible Juvenile
2014000262	WA0270500	06/13/2014 22:29	E5 - Wade, Johnny	Viol Court Order DV, Warrant Arrest
2014000263	WA0270500	06/15/2014 11:33	EA1 - McGuire, Jason	Theft of Medication
2014000264	WA0270500	06/16/2014 10:13	EA1 - McGuire, Jason	Fraud, Forgery
2014000265	WA0270500	06/17/2014 19:48	E5 - Wade, Johnny	Welfare Check
2014000266	WA0270500	06/18/2014 11:59	ea7 - Anderson, Shauna	Animal at Large
2014000267	WA0270500	06/18/2014 12:41	ea7 - Anderson, Shauna	Fraud Debit Card
2014000268	WA0270500	06/18/2014 16:25	E5 - Wade, Johnny	Reckless Driving
2014000269	WA0270500	06/19/2014 15:19	ea7 - Anderson, Shauna	Warrant Arrest
2014000270	WA0270500	06/19/2014 20:27	E5 - Wade, Johnny	Voluntary Committal
2014000271	WA0270500	06/20/2014 18:26	E5 - Wade, Johnny	Civil Custodial Dispute

Eatonville Police Department

Incident Log Report

Printed On: Tue, Jul 08, 2014

Case Number	NCIC	Date Reported	Officer	Offense
Location				
2014000272	WA0270500	06/21/2014 18:56	ea7 - Anderson, Shauna	DWLS 3
2014000273	WA0270500	06/22/2014 17:40	E5 - Wade, Johnny	Criminal Trespass
2014000274	WA0270500	06/22/2014 20:40	E5 - Wade, Johnny	Vehicle Prowl, Theft 3
2014000275	WA0270500	06/23/2014 18:13	E5 - Wade, Johnny	Civil Issue, Custodial Problem
2014000276	WA0270500	06/23/2014 18:43	E5 - Wade, Johnny	Paper Service
2014000277	WA0270500	06/23/2014 20:02	E5 - Wade, Johnny	Warrant Arrest, Cleared Missing Person
2014000278	WA0270500	06/23/2014 22:54	E5 - Wade, Johnny	Vehicle Prowl 2, Theft
2014000279	WA0270500	06/24/2014 18:30	ea7 - Anderson, Shauna	Fail to Transfer Title
2014000280	WA0270500	06/26/2014 11:45	ea7 - Anderson, Shauna	Burglary 2, Theft 2, Poss Meth
2014000281	WA0270500	06/26/2014 17:06	E5 - Wade, Johnny	Motor Vehicle Recovery
2014000282	WA0270500	06/27/2014 08:37	ea7 - Anderson, Shauna	Juvenile Problem
2014000283	WA0270500	06/27/2014 17:31	E5 - Wade, Johnny	Defiant Juvenile
2014000284	WA0270500	06/28/2014 19:27	E5 - Wade, Johnny	Runaway
2014000285	WA0270500	06/29/2014 17:55	E5 - Wade, Johnny	Verbal, DV
2014000286	WA0270500	06/30/2014 10:02	EA1 - McGuire, Jason	Parking Issue
2014000287	WA0270500	06/30/2014 15:03	EA1 - McGuire, Jason	Theft 3

Total Records: 46

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 06/01/2014
And 06/30/2014

Citation Log Report

Printed On: Tue, Jul 08, 2014

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C4Z0429640	WA0270500	6/5/2014 17:48	ea7 - Anderson, Shauna	DWLS 3
C4Z0535505	WA0270500	6/22/2014 17:40	E5 - Wade, Johnny	Criminal Trespass 2
C4Z0567353	WA0270500	6/21/2014 18:56	ea7 - Anderson, Shauna	DWLS 3
C4Z0567355	WA0270500	6/24/2014 18:30	ea7 - Anderson, Shauna	Fail to Transfer Title
C4Z0598986	WA0270500	6/1/2014 10:48	EA1 - McGuire, Jason	Provoking Assault (DV)
C4Z0629247	WA0270500	6/8/2014 02:04	ea7 - Anderson, Shauna	Mal Mis 3, Trespass 2, Assault 4
I17607	WA0270500	6/6/2014 17:45	ea7 - Anderson, Shauna	42/25
I4Z0352638	WA0270500	6/28/2014 18:41	11 - Smith, Robin	51/25
I4Z0416363	WA0270500	6/26/2014 22:22	E5 - Wade, Johnny	Def Tail Lamps, No Ins, Vio Instr Permit
I4Z0429639	WA0270500	6/5/2014 17:24	ea7 - Anderson, Shauna	Exp Tabs >2
I4Z0429641	WA0270500	6/5/2014 17:48	ea7 - Anderson, Shauna	Illegal use of Studded Tires
I4Z0567349	WA0270500	6/7/2014 16:11	ea7 - Anderson, Shauna	Helmet Required
I4Z0567350	WA0270500	6/18/2014 11:39	ea7 - Anderson, Shauna	No Mirrors, No Insurance
I4Z0567351	WA0270500	6/20/2014 12:05	ea7 - Anderson, Shauna	Exp Tabs >2, No Insurance
I4Z0567352	WA0270500	6/20/2014 12:18	ea7 - Anderson, Shauna	Fail to Wear Safety Belt
I4Z0567354	WA0270500	6/24/2014 18:30	ea7 - Anderson, Shauna	Exp Tab >2, No Insurance
I4Z0598985	WA0270500	6/2/2014 10:38	EA1 - McGuire, Jason	Follow to Close, No Ins (MVC Non-Injury)
I4Z0653955	WA0270500	6/18/2014 11:59	ea7 - Anderson, Shauna	Animal at Large

Monthly Report
June 2014

6 Fire
9 Auto Accident
56 Aid
0 Service
71 Total

Mutual aid responses with District 17 -- 15
Mutual aid responses with District 23 -- 12
Mutual aid response with District 21 -- 0
Mutual aid responses with NPS -- 1

2013 YEAR TO DATE TOTAL -- 323
2014 YEAR TO DATE TOTAL -- 378

Transports -- 32
ALS -- 25
BLS -- 7

2013 transports year to date -- 147
2014 transports year to date -- 164

For the month of June the total amount billed for ambulance transports was \$44,518.60.

Total amount billed for ambulance transports to date -- \$218,638.60.

Eatonville Fire Department


Eatonville, WA

This report was generated on 7/2/2014 8:07:15 AM



Breakdown by Major Incident Types for Date Range

Start Date: 06/01/2014 | End Date: 06/30/2014



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	3	4.23%
Rescue & Emergency Medical Service	65	91.55%
Good Intent Call	3	4.23%
TOTAL	71	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	1	1.41%
112 - Fires in structure other than in a building	1	1.41%
113 - Cooking fire, confined to container	1	1.41%
320 - Emergency medical service, other	1	1.41%
321 - EMS call, excluding vehicle accident with injury	55	77.46%
322 - Motor vehicle accident with injuries	4	5.63%
324 - Motor vehicle accident with no injuries.	5	7.04%
600 - Good intent call, other	1	1.41%
622 - No incident found on arrival at dispatch address	1	1.41%
651 - Smoke scare, odor of smoke	1	1.41%
TOTAL INCIDENTS:	71	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department

Eatonville, WA

This report was generated on 7/2/2014 8:08:00 AM



Incident Type per Zone for Date Range

Start Date: 06/01/2014 | End Date: 06/30/2014

INCIDENT TYPE	# INCIDENTS
Zone: 17 - South Pierce	
112 - Fires in structure other than in a building	1
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	5
322 - Motor vehicle accident with injuries	3
324 - Motor vehicle accident with no injuries.	5
Zone: 23 - Ashford/Elbe	
111 - Building fire	1
321 - EMS call, excluding vehicle accident with injury	9
322 - Motor vehicle accident with injuries	1
651 - Smoke scare, odor of smoke	1
Zone: 84 - Eatonville	
113 - Cooking fire, confined to container	1
321 - EMS call, excluding vehicle accident with injury	40
600 - Good intent call, other	1
622 - No incident found on arrival at dispatch address	1
Zone: NPS - National Park Service	
321 - EMS call, excluding vehicle accident with injury	1

Only REVIEWED incidents included

Eatonville Power & Light

Superintendent Dan Sharpe Linemen Nestor Sundita Jesse Carroll

JUNE 2014

Reconnect & Disconnect

Reconnect 8

Disconnect 11

Power locates

Located power 7 difference location

Parks

Picked up garbage

Mowed parks

Replaced old motor with new motor on mower

Banners

Took down and put up banners

New service

Connect permanent power to 207 Mashell and 635 joy st.

Poles and line work

Pulled pole on 161 and moved lines over

Pulled poles on orchard south and put secondary under ground

Outages on 161 & 203 Mashell n. & 210 orchard & 218 orchard

Misc.

Helped with sewer blockage

Helped with set up for the 4 of July

Helped with lift stations

Community service workers

Priority 1

- 6-1-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-1-14 Call out to fix broken water meter on Baumgartner.**
Due Date: None
Category: Water
- 6-2-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-2-14 Spray weeds.**
Due Date: None
Category: Wastewater
- 6-2-14 Fill pot holes.**
Due Date: None
Category: Streets
- 6-3-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-3-14 Replace starter capacitor at Mill Village lift station.**
Due Date: None
Category: Wastewater
- 6-3-14 Work on float problem at Riverside lift station.**
Due Date: None
Category: Wastewater
- 6-4-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-4-14 Finish and send WTP monthly report.**
Due Date: None
Category: Water
- 6-4-14 Spray weeds.**
Due Date: None
Category: Streets
- 6-4-14 Submit annual cross connection report to DOH.**
Due Date: None
Category: Water
- 6-4-14 Send river production data to DNR.**
Due Date: None
Category: Water

- 6-5-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-5-14 Spray weeds around town.**
Due Date: None
Category: Power and Light
- 6-5-14 Run school service crew at park.**
Due Date: None
Category: Parks
- 6-5-14 Mow grass.**
Due Date: None
Category: Parks
- 6-5-14 Clean out storage garage old Steve Lind house.**
Due Date: None
Category: Town Hall
- 6-5-14 Move repurposed old office desk and cabinet to WTP and light shop.**
Due Date: None
Category: Water/Sewer
- 6-6-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-6-14 Mow grass.**
Due Date: None
Category: Parks
- 6-6-14 Several locates around town for rain gardens.**
Due Date: None
Category: Water/Sewer
- 6-6-14 Organize and clean WTP office.**
Due Date: None
Category: Water
- 6-6-14 Fix water leak at 429 Lynch st.**
Due Date: None
Category: Water
- 6-6-14 Find and clear off river intake screens.**
Due Date: None
Category: Water
- 6-6-14 Calibrate pH meters on water filters and try to stop pesky drip.**
Due Date: None
Category: Water
- 6-6-14 Check water flow to mill pond.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 6-7-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-7-14 Check water leak on Mashell. Turned out to be customer side leak.**
Due Date: None
Category: Water
- 6-8-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-9-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-9-14 Spray weed in sidewalks.**
Due Date: None
Category: Streets
- 6-9-14 Bring backhoe and pick up pallets from WTP.**
Due Date: None
Category: Water
- 6-9-14 Sweep river intake screens.**
Due Date: None
Category: Water
- 6-9-14 Pull restrictor bucket out of raw water manhole at WTP to send full flow to mill pond.**
Due Date: None
Category: Water
- 6-9-14 Put out late payment door hangers.**
Due Date: None
Category: Water/Sewer
- 6-10-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-10-14 Crew start early to work on water leak at Plaza Market. Had to start early because business owner refused to work with us and wouldn't allow us to shut off water service even for ten minutes.**
Due Date: None
Category: Water
- 6-10-14 Clean river intake screens.**
Due Date: None
Category: Water
- 6-10-14 Fix blower breaker on filter2 at WTP.**
Due Date: None
Category: Water
- 6-10-14 Check mill pond level and filling pipe flow.**
Due Date: None
Category: Water
- 6-10-14 Meter re-reads and move in/outs.**
Due Date: None
Category: Water/Sewer
- 6-10-14 Clean soda Y strainer.**
Due Date: None
Category: Water
- 6-10-14 Look for water leaks around town.**
Due Date: None
Category: Water
- 6-10-14 Offload chemical delivery at WTP.**
Due Date: None
Category: Water
- 6-10-14 Order water parts inventory re-supply.**
Due Date: None
Category: Water/Sewer
- 6-11-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-11-14 Work with vac truck to clean river intake lines and manholes.**
Due Date: None
Category: Water
- 6-11-14 Crew in early to fix water leak at plaza market.**
Due Date: None
Category: Water
- 6-11-14 Clean Riverside sewer lift station.**
Due Date: None
Category: Wastewater
- 6-12-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-12-14 Take Doug around to look at projects.**
Due Date: None
Category: Water/Sewer
- 6-12-14 Help light guys move pole on SR161.**
Due Date: None
Category: Power and Light
- 6-12-14 Spray weeds.**
Due Date: None
Category: Streets
- 6-12-14 Pick up fire dept grass clippings.**
Due Date: None
Category: Town Hall

To Do List for Water and Sewer

All Items

- 6-12-14 Hose SBR's.**
Due Date: None
Category: Wastewater
- 6-12-14 Mow grass at cemetery.**
Due Date: None
Category: Parks
- 6-13-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-13-14 Send out cross connection letters to just discovered sprinkler systems.**
Due Date: None
Category: Water
- 6-13-14 Locates at school.**
Due Date: None
Category: Water
- 6-13-14 Hose UV channel at WWTP.**
Due Date: None
Category: Wastewater
- 6-13-14 Work on WWTP PLC died.**
Due Date: None
Category: Wastewater
- 6-13-14 Crew work late to manually operate WWTP.**
Due Date: None
Category: Wastewater
- 6-14-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-14-14 Crew work 24/7 to manually run WWTP. New parts hopefully arrive Monday.**
Due Date: None
Category: Wastewater
- 6-15-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-15-14 Crew work 24/7 to manually run WWTP. Still waiting for new parts to fix.**
Due Date: None
Category: Wastewater
- 6-15-14 Instal new PLC at WWTP. Fixed some issues still failing to decant other than manually.**
Due Date: None
Category: Wastewater
- 6-15-14 Work late trying to get WWTP running.**
Due Date: None
Category: Wastewater
- 6-16-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-16-14 Work on WWTP PLC system.**
Due Date: None
Category: Wastewater
- 6-17-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-17-14 Manually run decants at WWTP.**
Due Date: None
Category: Wastewater
- 6-17-14 Help with plugged sewer on carter.**
Due Date: None
Category: Wastewater
- 6-18-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-18-14 Found and replaced faulty control relays at WWTP. Fixed decant issue. Still trying to get SCADA repaired.**
Due Date: None
Category: Wastewater
- 6-18-14 Read meters.**
Due Date: None
Category: Water/Sewer
- 6-19-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-19-14 Check sewer lift stations.**
Due Date: None
Category: Wastewater
- 6-19-14 Inspect trail project.**
Due Date: None
Category: Parks
- 6-19-14 Work with IT people to try and get wwtp SCADA fixed.**
Due Date: None
Category: Wastewater
- 6-19-14 Hose SBR's.**
Due Date: None
Category: Wastewater
- 6-19-14 Read meters.**
Due Date: None
Category: Water/Sewer

To Do List for Water and Sewer

All Items

6-20-14 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

6-20-14 Read meters.

Due Date: None
Category: Water/Sewer

6-20-14 Fix broken WTP waste discharge pipe.

Due Date: None
Category: Water

6-20-14 With Quality Controls while they calibrate equipment at WWTP lab and WTP. Part of Ecology lab accreditation.

Due Date: None
Category: Wastewater

6-20-14 Work late to dig up and repair sewer line in alley between Carter and Rainier.

Due Date: None
Category: Wastewater

6-21-14 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

6-21-14 Pump sludge at WWTP.

Due Date: None
Category: Wastewater

6-22-14 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

6-23-14 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

6-23-14 Spray weeds around town.

Due Date: None
Category: Streets

6-23-14 Meet with Evoqua (US Filter) guy at WTP to go over issues.

Due Date: None
Category: Water

6-23-14 Get buildings ready for sanitary survey.

Due Date: None
Category: Water

6-23-14 Read meters.

Due Date: None
Category: Water/Sewer

6-23-14 Clean river intakes.

Due Date: None
Category: Water

6-23-14 Re-instal limiter bucket in WTP river bypass overflow.

Due Date: None
Category: Water

6-23-14 Update cross connection system and put in new accounts.

Due Date: None
Category: Water

6-24-14 Water and Wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

6-24-14 Finish meter reads.

Due Date: None
Category: Water/Sewer

6-24-14 Check water reservoir overflow screens.

Due Date: None
Category: Water

6-24-14 Clean out well buildings.

Due Date: None
Category: Water

6-24-14 Help light crew pull out pole.

Due Date: None
Category: Power and Light

6-24-14 Clean center st pump house and concrete reservoir buildings.

Due Date: None
Category: Water

6-24-14 Switch WTP over to surface water source.

Due Date: None
Category: Water

6-24-14 Clean river intakes 2X.

Due Date: None
Category: Water

6-25-14 Water and Wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

6-25-14 Clean WTP.

Due Date: None
Category: Water

6-25-14 Lay out parts for water meter raise on Carter and Orchard.

Due Date: None
Category: Water

6-25-14 Inspect trail project.

Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 6-25-14 Clean river intakes 2X.**
Due Date: None
Category: Water
- 6-25-14 Work on bad meter setter at new house on Mashell ave.**
Due Date: None
Category: Water
- 6-25-14 Work on SCADA system at WWTP.**
Due Date: None
Category: Wastewater
- 6-26-14 Water and Wastewater Daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-26-14 Work on Riverside lift station.**
Due Date: None
Category: Wastewater
- 6-26-14 Try to instal meter on boogered up setter on Mashell.**
Due Date: None
Category: Water
- 6-26-14 Nearly all day with DOH at WTP for sanitary survey.**
Due Date: None
Category: Water
- 6-27-14 Water and Wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-27-14 Meter re-reads, move in/out.**
Due Date: None
Category: Water/Sewer
- 6-27-14 Mow grass in parks.**
Due Date: None
Category: Parks
- 6-27-14 Set up community center for meeting.**
Due Date: None
Category: Town Hall
- 6-27-14 Multiple CIP's to clean backwash skid.**
Due Date: None
Category: Water
- 6-28-14 Water and Wastewater Daily Lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-29-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-30-14 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 6-30-14 Work on SCADA system at WWTP.**
Due Date: None
Category: Unfiled

Building Department Activity 2014

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	4	3	5	5	4							23
Set Backs	4		5	3	1	1							
Foundation	8		4	11	4	1							28
Footing drains	3	1		4	2								10
Floor Framing	1	1	2	3	1	2							10
Shearwall	2	2	1	3	1	4							13
Sewer	1	5	11	5	13	4							39
Water	4		4	3	4	2							17
Storm	3	4			2	2							11
Framing	2	1	3	4	2	4							16
Plumbing	11	1	7	9	6	2							36
Mechanical	3	6	10	13	17	7							56
Insulation	2	1	1	4	2	1							11
Drywall	1		2	3	1	4							11
Patio	0		1	1									2
Final	0	1	10	2	2								15
Red Tags	0		1	1									2
OTHERS	14	16	16	10	12	14							82
TOTAL	61	43	81	84	75	52							396
Permits Taken In	17	1	12	18	5	18							71

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT JUNE 2014

COMMUNITY CENTER

DATE	ACTIVITY	RENTAL FEE
06/02/14	Planning Commission	n/a
06/03/14	Eatonville Fire Department	n/a
06/04/14	Centerpoint	\$250/month
06/07/14	Youth Connection	n/a
06/09/14	Town Council	n/a
06/10/14	Eatonville Family Agency	n/a
06/11/14	Youth Connection	n/a
06/11/14	Centerpoint	\$250/month
06/16/14	Planning Commission	n/a
06/18/14	Centerpoint	\$250/month
06/21/14	Ohop Lake Improvement Club	\$80
06/21/14	Youth Connection	n/a
06/23/14	Town Council	n/a
06/25/14	Centerpoint	\$250/month
06/26/14	Public Safety Meeting	n/a
06/27/14	Youth Connection	n/a

GLACIER PARK

DATE	ACTIVITY	RENTAL FEE
06/07/14	Graduation Party	\$35.00
06/12/14	Senior Surprise	n/a
06/30/14	Church Picnic	n/a

VISITOR CENTER

DATE	ACTIVITY	RENTAL FEE
06/01/14	Mountain Community Co-op	n/a
06/02/14	Town of Eatonville	n/a
06/05/14	Animal Control Committee Meeting	n/a
06/09/14	Senior Surprise	n/a
06/17/14	Finance Committee	n/a
06/19/14	Dollars For Scholars	n/a
06/25/14	Nisqually Tribe	n/a
06/27/14	Town of Eatonville	n/a