

Eatonville Police Department

Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 03/01/2013
And 03/31/2013

Incident Log Report

Printed On: Tue, Apr 02, 2013

Case Number	NCIC	Date Reported	Officer	Offense
2013000077	WA0270500	03/01/2013 09:00	E4	Truancy
2013000078	WA0270500	03/01/2013 12:49	E4	Dog at Large - Ret to Owner
2013000079	WA0270500	03/02/2013 09:07	E4	Theft 3
2013000080	WA0270500	03/03/2013 01:15	EA1	Death Investigation
2013000081	WA0270500	03/03/2013 10:08	EA1	Malicious Mischief
2013000082	WA0270500	03/03/2013 14:23	EA1	Theft of Services - Repossession
2013000083	WA0270500	03/04/2013 11:55	EA1	MVC Non-injury
2013000084	WA0270500	03/04/2013 15:46	E5	Malicious Mischief 2
2013000085	WA0270500	03/04/2013 16:07	E5	Agency Assist, Medical Aid, EFD
2013000086	WA0270500	03/04/2013 18:42	E5	Vehicle Impound
2013000087	WA0270500	03/04/2013 21:47	E5	MVC, Hit & Run
2013000088	WA0270500	03/05/2013 15:43	E5	Agency Assist, Medical Aid, EFD
2013000089	WA0270500	03/05/2013 17:01	ea7	Fail to Transfer Title
2013000090	WA0270500	03/05/2013 18:14	E5	Unlawful Harboring of a Minor
2013000091	WA0270500	03/05/2013 19:29	E5	CPS Referral
2013000092	WA0270500	03/05/2013 19:06	ea7	DV Assault 4, Warrant Arrest
2013000093	WA0270500	03/05/2013 22:49	E5	Agency Assist, Locate Owner, Auburn P.D.
2013000094	WA0270500	03/07/2013 18:09	E5	Disorderly Conduct, Criminal Trespass
2013000095	WA0270500	03/08/2013 13:32	E4	Dog at Large, Animal Neglect
2013000096	WA0270500	03/13/2013 09:00	E4	Welfare Check
2013000097	WA0270500	03/13/2013 13:45	E5	Warrant Arrest
2013000098	WA0270500	03/13/2013 18:00	ea7	Information, Fail to register
2013000099	WA0270500	03/14/2013 15:50	ea7	MVC, Agency Assist, PCSO
2013000100	WA0270500	03/16/2013 15:30	ea7	MVC-Injuriy
2013000101	WA0270500	03/16/2013 19:00	ea7	Welfare Check
2013000102	WA0270500	03/16/2013 23:04	E5	DWLS 3
2013000104	WA0270500	03/18/2013 16:27	E5	Stolen Firearm - Recovery
2013000105	WA0270500	03/18/2013 21:13	E5	Fraud
2013000106	WA0270500	03/19/2013 16:15	E5	Animal At Large
2013000107	WA0270500	03/19/2013 20:27	E5	FACR

Eatonville Police Department

Incident Log Report

Printed On: Tue, Apr 02, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2013000108	WA0270500	03/20/2013 12:30	EA1	Runaway Recovery
2013000109	WA0270500	03/21/2013 16:47	ea7	Dog at Large - Ret to Owner
2013000110	WA0270500	03/22/2013 17:42	ea7	Trespass, Obstruction x 2
2013000111	WA0270500	03/23/2013 16:39	ea7	Trespass Skatepark
2013000112	WA0270500	03/25/2013 12:42	EA1	Intimidating a Public Servant
2013000113	WA0270500	03/26/2013 19:24	ea7	Criminal Trespass 2
2013000114	WA0270500	03/27/2013 22:12	ea7	Neighbor Dispute
2013000115	WA0270500	03/28/2013 17:53	ea7	Fraud, Check
2013000116	WA0270500	03/30/2013 19:30	E7	Warrant Arrest

Total Records: 39

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 03/01/2013
And 03/31/2013

Citation Log Report

Printed On: Tue, Apr 02, 2013

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C3Z0136500	WA0270500	3/16/2013 23:04	E5	DWLS 3
C3Z0217560	WA0270500	3/5/2013 17:01	ea7	Fail to Transfer Title
C3Z0295048	WA0270500	3/5/2013 18:14	E5	Unlawful Harboring of a Minor
C3Z0295050	WA0270500	3/7/2013 18:09	E5	Disorderly Conduct, Criminal Trespass
I17492	WA0270500	3/23/2013 08:03	E5	Parking Close to Curb
I17493	WA0270500	3/24/2013 16:00	E5	Smoking Prohibited
I3Z0136498	WA0270500	3/10/2013 15:55	E5	37/25
I3Z0136499	WA0270500	3/16/2013 23:04	E5	Defective Tail Lamp (DWLS 3)
I3Z0158368	WA0270500	3/16/2013 22:26	11	36/25, Fail To Obey TCD
I3Z0217558	WA0270500	3/1/2013 18:53	ea7	Exp Tabs >
I3Z0217559	WA0270500	3/5/2013 17:01	ea7	No Insurance, Exp Tabs >
I3Z0217561	WA0270500	3/8/2013 20:03	ea7	No License Plate Light, Bumper, No Ins
I3Z0217562	WA0270500	3/16/2013 18:35	ea7	Exp Tabs >
I3Z0217563	WA0270500	3/28/2013 18:38	ea7	Animal at Large 1
I3Z0217564	WA0270500	3/30/2013 16:36	ea7	No Insurance, No Plates
I3Z0326067	WA0270500	3/23/2013 09:24	E5	39/25
I3Z0326068	WA0270500	3/23/2013 13:43	E5	40/25

FIRE / EMS

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931
eatonvillefire@eatonville-wa.gov

***Monthly Report
March 2013***

9 Fire
1 Auto Accident
54 Aid
3 Service
67 Total

Mutual aid responses with District 17 -- 12
Mutual aid responses with District 23 -- 10
Mutual aid response with District 21 -- 0
Mutual aid responses with NPS -- 0

2012 YEAR TO DATE TOTAL -- 172
2013 YEAR TO DATE TOTAL -- 155

Transports -- 33
ALS -- 32
BLS -- 1

2012 transports year to date -- 62
2013 transports year to date -- 74

For the month of March the total amount billed for ambulance transports was \$44,922.60.

Eatonville Fire Department


Eatonville, WA

This report was generated on 4/2/2013 8:08:13 AM



Incident Type Count per Zone for Date Range

Start Date: 03/01/2013 | End Date: 03/31/2013



ZONES	INCIDENT TYPE	COUNT
17 - South Pierce		
	111 - Building fire	2
	321 - EMS call, excluding vehicle accident with injury	5
	322 - Motor vehicle accident with injuries	1
	611 - Dispatched & cancelled en route	3
	700 - False alarm or false call, other	1
	<i>Total Incidents for 17 - South Pierce:</i>	12
23 - Ashford/Elbe		
	321 - EMS call, excluding vehicle accident with injury	9
	611 - Dispatched & cancelled en route	1
	<i>Total Incidents for 23 - Ashford/Elbe:</i>	10
84 - Eatonville		
	321 - EMS call, excluding vehicle accident with injury	40
	511 - Lock-out	3
	700 - False alarm or false call, other	1
	900 - Special type of incident, other	1
	<i>Total Incidents for 84 - Eatonville:</i>	45
Total Count for all Zone:		67

Zone information is defined on the Basic Info 3 screen of an incident.
Only REVIEWED incidents included.

Eatonville Fire Department


Eatonville, WA

This report was generated on 4/2/2013 7:49:12 AM



Breakdown by Major Incident Types for Date Range

Start Date: 03/01/2013 | End Date: 03/31/2013



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	2	2.99%
Rescue & Emergency Medical Service	55	82.09%
Service Call	3	4.48%
Good Intent Call	4	5.97%
False Alarm & False Call	2	2.99%
Special Incident Type	1	1.49%
TOTAL	67	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	2	2.99%
321 - EMS call, excluding vehicle accident with injury	54	80.60%
322 - Motor vehicle accident with injuries	1	1.49%
511 - Lock-out	3	4.48%
611 - Dispatched & cancelled en route	4	5.97%
700 - False alarm or false call, other	2	2.99%
900 - Special type of incident, other	1	1.49%
TOTAL INCIDENTS:	67	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Priority 1

- 3-1-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-1-13 Change out broken water meter on Joy st.**
Due Date: None
Category: Unfiled
- 3-1-13 Pump out WWTP meter vault and read meter.**
Due Date: None
Category: Unfiled
- 3-2-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-3-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-4-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-4-13 WTP breakdown in telemetry with main reservoir crew work around the clock 24 hrs to keep town full of water.**
Due Date: None
Category: Unfiled
- 3-5-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-5-13 Dig grave**
Due Date: None
Category: Unfiled
- 3-5-13 Crew work through night in twelve hour shifts to keep water system running.**
Due Date: None
Category: Unfiled
- 3-5-13 QCC here to help diagnose water signal failure.**
Due Date: None
Category: Unfiled

- 3-6-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-6-13 Crew work around clock 12 hr shifts to keep water system running.**
Due Date: None
Category: Unfiled
- 3-6-13 Check lift station pumps.**
Due Date: None
Category: Unfiled
- 3-6-13 Empty ACH tote at WTP.**
Due Date: None
Category: Unfiled
- 3-7-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-7-13 Crew work 12 hr shifts to manually run water system while broken to keep water flowing.**
Due Date: None
Category: Unfiled
- 3-7-13 Install new control modules for arial signals from water plant to reservoir.**
Due Date: None
Category: Unfiled
- 3-7-13 Continue to monitor water level in reservoir.**
Due Date: None
Category: Unfiled
- 3-7-13 Work w/QCC to instal new backup alarms in SCADA at WTP.**
Due Date: None
Category: Unfiled
- 3-8-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-8-13 Meter re-reads.**
Due Date: None
Category: Unfiled
- 3-8-13 Monitor concretete reservoir level all day.**
Due Date: None
Category: Unfiled

- 3-9-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-10-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-11-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-11-13 Reservoir communications died again. Crew work around the clock 24hrs to manually keep reservoir full and town supply of water.**
Due Date: None
Category: Unfiled
- 3-12-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-12-13 Crew continue 24hr monitoring and manually filling reservoir.**
Due Date: None
Category: Unfiled
- 3-13-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-13-13 New aerials don't arrive until tomorrow so crew manually filling reservoir 24hrs to keep town water supply.**
Due Date: None
Category: Unfiled
- 3-14-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-14-13 Work with QCC to install new aerial radio antennas on reservoir and water plant.**
Due Date: None
Category: Unfiled
- 3-15-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-15-13 Fabricate special sewer cleanout cover on Mashell.**
Due Date: None
Category: Unfiled
- 3-15-13 Preform full service funeral at cemetery.**
Due Date: None
Category: Unfiled
- 3-16-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-17-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-18-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-18-13 Fill pot holes around town.**
Due Date: None
Category: Unfiled
- 3-18-13 Meter reads.**
Due Date: None
Category: Unfiled
- 3-18-13 Change acid barrel at WTP.**
Due Date: None
Category: Unfiled
- 3-19-13 Daily Water and Wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-19-13 Meter reads.**
Due Date: None
Category: Unfiled
- 3-19-13 Fill pot holes.**
Due Date: None
Category: Unfiled
- 3-20-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-20-13 Fill pot holes on Antonie.**
Due Date: None
Category: Unfiled

- 3-20-13 Hose headworks.**
Due Date: None
Category: Unfiled
- 3-20-13 Help find hard to find water meters.**
Due Date: None
Category: Unfiled
- 3-21-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-21-13 Work on water CCR report.**
Due Date: None
Category: Unfiled
- 3-21-13 Investigate possible water leak on Bergeren road.**
Due Date: None
Category: Unfiled
- 3-21-13 Check drain pipes at reservoir.**
Due Date: None
Category: Unfiled
- 3-22-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-22-13 Use drag box on alleys.**
Due Date: None
Category: Unfiled
- 3-22-13 Try to get more water into Mill Pond.**
Due Date: None
Category: Unfiled
- 3-23-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-24-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-25-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-25-13 Fix plugged up soda ash system at WTP.**
Due Date: None
Category: Unfiled
- 3-25-13 Run multiple CIP's to clean backwash skid.**
Due Date: None
Category: Unfiled
- 3-25-13 Set up council meeting at community center.**
Due Date: None
Category: Unfiled
- 3-26-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-26-13 Work on alarming APP sewer lift station.**
Due Date: None
Category: Unfiled
- 3-26-13 Put away council meeting stuff.**
Due Date: None
Category: Unfiled
- 3-26-13 Read meter move in/outs.**
Due Date: None
Category: Unfiled
- 3-26-13 Get info on tired motor at WWTP.**
Due Date: None
Category: Unfiled
- 3-27-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-27-13 Leak detection.**
Due Date: None
Category: Unfiled
- 3-27-13 Drag box more alleys and kids pond road.**
Due Date: None
Category: Unfiled
- 3-27-13 Meter re-reads.**
Due Date: None
Category: Unfiled
- 3-28-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-28-13 Fill pot holes.**
Due Date: None
Category: Unfiled
- 3-28-13 Meter re-reads.**
Due Date: None
Category: Unfiled

- 3-29-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-29-13 Hose SBR's**
Due Date: None
Category: Unfiled
- 3-29-13 Open clear wells at WTP to clear way for diver to go in and look for leaks.**
Due Date: None
Category: Unfiled
- 3-29-13 Check to see what parts needed and order to switch 2" meter to 1" on Eatonville Hwy.**
Due Date: None
Category: Unfiled
- 3-29-13 Drag box alley by high school and cemetary.**
Due Date: None
Category: Unfiled
- 3-29-13 Meter re-reads.**
Due Date: None
Category: Unfiled
- 3-30-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 3-31-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled

Eatonville Power & Light

Supervisor Dan Sharpe Linemen Nestor Sundita Terry Moore

Street Lights

Repaired 8 st.light
Lights at community center

Town hall renovation

Removed benches jury box, judge bench
Removed carpet

106 Rainer ave s. renovations

Layed carpet at 106 rainier ave s.

Reconnect & Disconnect

Disconnect 9
Reconnect 5
Door hangers

Parks

Garbage pickup x5
Mowing parks x2
Repair parks

Line Work

Pulled poles
Tested 2nd feeder
Loose connection

Misc.

Dug cemetery grave
Helped water depart.
Trimmed trees

Building Department Activity 2013

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	0	0	0	0	0	0	0	0	0	0	0	2
Foundation	0	0	0	0	0	0	0	0	0	0	0	0	0
Footing drains	0	0	0	0	0	0	0	0	0	0	0	0	0
Floor Framing	0	0	0	0	0	0	0	0	0	0	0	0	0
Shearwall	0	0	0	0	0	0	0	0	0	0	0	0	0
Sewer	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Storm	0	0	2	0	0	0	0	0	0	0	0	0	2
Framing	2	0	0	0	0	0	0	0	0	0	0	0	2
Plumbing	2	2	0	0	0	0	0	0	0	0	0	0	4
Mechanical	2	1	2	0	0	0	0	0	0	0	0	0	5
Insulation	1	1	0	0	0	0	0	0	0	0	0	0	2
Sheetrock	0	0	0	0	0	0	0	0	0	0	0	0	0
Patio	0	0	0	0	0	0	0	0	0	0	0	0	0
Final	1	1	0	0	0	0	0	0	0	0	0	0	2
Red Tags	1	0	0	0	0	0	0	0	0	0	0	0	0
OTHERS	5	6	7	0	0	0	0	0	0	0	0	0	18
TOTAL	16	11	11	0	0	0	0	0	0	0	0	0	38
Items Taken	6	0	3	0	0	0	0	0	0	0	0	0	0

0 Work in Water sewer Dept.

0 Do Monthly Meter read

2 repairs at Community C./Parks

2 Sweep Streets

4 water and electrical rereads

5 Planning and Counsel meetings

2 Hand out door Hangars

0 Repair water leaks

0 Burtials

2 Direct Community Workers